



Together, Investing in Municipal Excellence

STILLWATER UTILITIES AUTHORITY MEETING AGENDA

APRIL 15, 2024

723 S. Lewis Street, Room 1122B

Stillwater, OK 74074

5:30 PM

Chair Will Joyce, Vice Chair Amy Dzialowski, Trustees Christie Hawkins, Kevin Clark,
& Tim Hardin

1. Call Meeting to Order

2. Consent Docket

Items listed on the consent docket are routine administrative matters that may be approved without discussion. The Trustees will take action on these items collectively with a single vote. The requested action is indicated for each item listed. Should a Trustee elect to discuss, amend, revise, or table any item listed on the consent docket, the item will be moved to the section of the agenda titled "Items Removed from the Consent Docket" for consideration and possible action. Additionally, a Trustee or the General Manager may simply ask the Chair to remove an item from the consent docket prior to action by the Trustees and no action will be taken on the removed item at this meeting.

a.	Approve meeting minutes from April 1, 2024		
b.	Approve Blue Peak Pole Attachment Agreements #15, #18, #19, #21, and #23.	SUA-24-17	Loren Smith
c.	Approve budget amendment to increase revenue and expenditures as a result of receipt of insurance proceeds.	SUA-24-18	Loren Smith
d.	Approve purchase of electric department replacement dump truck Western Star 47X off Statewide Contract #SW035T and dump body off Statewide Contract #SW0106 as set forth in the attached proposals, and approve associated budget amendments increasing expenditure limit for the purchase.	SUA-24-19	Loren Smith

3. Public Comment on Items not Scheduled for Public Hearings

Stillwater City Code, Section 2-53(a) & (b), provides that taxpayers or residents of the city, or their authorized legal representatives, may address the Trustees at a regularly scheduled meeting on any item of business listed on the meeting agenda provided they have submitted a written request prior to the meeting either online at Request to speak form or via the form found in the lobby outside Council chambers prior to meetings.

4. Items Removed from the Consent Docket

Items removed from the consent docket are placed on this section of the agenda for discussion, revision, amendment and/or tabling prior to action by the Trustees. The Trustees may take action, including a vote or series of votes, on items removed to this section of the agenda after the requested discussion, revision, or amendment.

5. Resolutions

The City Council will hear a staff presentation, discuss, and take action including a vote or series of votes on each resolution listed as presented or as amended or revised by the City Council.

a.	RESOLUTION NO. CC-2024-9; SUA-2024-2; SEDA-2024-1: A RESOLUTION ADOPTING REVISIONS TO THE PURCHASING POLICY FOR THE CITY OF STILLWATER AND ITS TRUSTS
----	---

6. Questions and Inquiries

7. Reports from Officers and Boards

Announcements and remarks of general interest may be made by Trustees, General Manager or General Counsel. Items of City business that may require discussion or action, including a vote or series of votes, are listed below

8. Adjourn

On April 11, 2024 at 3:00 p.m., a true and correct copy of this agenda was posted on the kiosk outside City Hall, 723 S. Lewis Street, Stillwater, OK.

The City of Stillwater encourages participation from all citizens. If participation at any public meeting is not possible due to a disability, please notify the City Manager's office at least 48 hours prior to the meeting by calling 405.742.8243.

- Meetings are televised on AT&T U-verse channel 99 and Optimum channel 14.
- Find meeting agendas and minutes online at [Agendas and Minutes](#)
- Official minutes are archived in the City Clerk's office.

IN ACCORDANCE WITH THE OKLAHOMA OPEN MEETING LAW THE AGENDA
WAS POSTED MARCH 29, 2024 AT 11:30 A.M. AT THE MUNICIPAL BUILDING,
723 SOUTH LEWIS, STILLWATER, OKLAHOMA

MINUTES
STILLWATER UTILITIES AUTHORITY
REGULAR MEETING
COUNCIL HEARING ROOM
723 S. LEWIS
APRIL 1, 2024

PRESENT: CHAIR WILLIAM H. JOYCE, VICE CHAIR AMY DZIALOWSKI
TRUSTEES KEVIN CLARK AND TIM HARDIN
ABSENT: TRUSTEE CHRISTIE HAWKINS

1. CALL MEETING TO ORDER

Chair Joyce called the meeting to order at 6:16 p.m.

2. CONSENT DOCKET

- a. Approve meeting minutes from March 25, 2024
- b. Approve the Assignment of Contract Form from Bancroft International to Bancroft Design, Inc. and authorize the General Manager to execute the Form.
- c. Approval of CREC Agreement to allow Electric Service and authorize the City Manager to sign the agreement

MOTION BY VICE CHAIR DZIALOWSKI, SECOND BY TRUSTEE CLARK TO APPROVE THE
CONSENT DOCKET AS PRESENTED.

ROLL CALL VOTE: JOYCE-YEA, DZIALOWSKI-YEA, CLARK-YEA, HARDIN-YEA.
NAY-NONE. MOTION CARRIED WITH FOUR YEA VOTES.

3. PUBLIC COMMENT ON AGENDA ITEMS NOT SCHEDULED FOR PUBLIC HEARING

There were no requests to speak on agenda items not scheduled for public hearing.

4. ITEMS REMOVED FROM CONSENT DOCKET

None.

5. GENERAL ORDERS

- a. Consider approval of the Professional Services Agreement with HDR Engineering, Inc for Wastewater Master Plan and Model (WWMP), and approve the associated budget amendment, and authorize the General Manager to sign the agreement.

Water Utilities Engineering Manager David Barth presented facts about the collection system and the issues that would be addressed with the master plan. He stated that staff determined that a WWMP should be completed due to the following factors:

- WWMPs should be updated every 10 years to maintain accurate modeling results;

- the current wastewater model is skeletonized and only includes a portion of our sanitary sewer collection system piping;
- significant development and changes within the City's sanitary sewer collection system have occurred since our last WWMP was completed; and
- the flow monitoring program during the previous master planning effort was conducted during a period of minimal rainfall and provided limited data to predict impacts to the collection system due to inflow/infiltration.

Mr. Barth discussed the benefits of a new master plan and model. He stated that staff has negotiated an initial scope and fee for a Professional Services Agreement (PSA) with HDR Engineering, Inc. to provide flow monitoring at locations throughout the collection system. Flow monitoring is scheduled to begin in mid-April to capture data for dry weather flows and wet weather events that occur most often during Spring. This monitoring will also capture dry weather flow data for the residential and core areas of the OSU campus while school is in session and the population is the highest. Mr Barth stated that staff will return to SUA to request an amendment to the PSA with HDR for the remainder of the work to produce the WWMP and model set up.

MOTION BY TRUSTEE CLARK, SECOND BY VICE CHAIR DZIALOWSKI TO APPROVE THE PROFESSIONAL SERVICES AGREEMENT WITH HDR ENGINEERING; AUTHORIZE TOTAL EXPENDITURES, NOT TO EXCEED \$396,000 WHICH INCLUDES A 10% CONTINGENCY; AND AUTHORIZE THE GENERAL MANAGER TO SIGN THE AGREEMENT AND RELATED BUDGET AMENDMENT.

ROLL CALL VOTE: JOYCE-YEA, DZIALOWSKI-YEA, CLARK-YEA, HARDIN-YEA.
NAY-NONE. MOTION CARRIED WITH FOUR YEA VOTES.

6. RESOLUTIONS

- Adopt Resolution SUA-2024-1 authorizing an equipment lease purchase agreement.

City Attorney Kimberly Carnley stated that his resolution authorizes the execution and delivery of an equipment lease/purchase agreement, and related instruments, and determining other matters in connection therewith. Approval of this resolution approves the purchase of eight Waste Management vehicles via a lease purchase agreement with BOK Financial Equipment Finance, Inc. in the amount of \$3,495,000.

MOTION BY VICE CHAIR DZIALOWSKI, SECOND BY TRUSTEE CLARK TO APPROVE RESOLUTION NO. SUA-2024-1, ENTER INTO AN EQUIPMENT LEASE WITH BANK OF OKLAHOMA AND AUTHORIZE THE GENERAL MANAGER TO SIGN THE RELATED FINANCING DOCUMENTS.

ROLL CALL VOTE: JOYCE-YEA, DZIALOWSKI-YEA, CLARK-YEA, HARDIN-YEA.
NAY-NONE. MOTION CARRIED WITH FOUR YEA VOTES.

7. QUESTIONS & INQUIRIES

None.

8. REPORTS FROM OFFICERS & BOARDS

- Miscellaneous items from the General Counsel: No report.
- Miscellaneous items from the General Manager: No report.
- Miscellaneous items from Trustees: No report.

- i) Discussion about scheduling items for upcoming meetings

9. ADJOURN

MOTION BY TRUSTEE CLARK, SECOND BY TRUSTEE HARDIN TO ADJOURN THE APRIL 1, 2024 REGULAR MEETING OF THE STILLWATER UTILITIES AUTHORITY.

ROLL CALL VOTE: JOYCE-YEA, DZIALOWSKI-YEA, CLARK-YEA, HARDIN-YEA.
NAY-NONE. MOTION CARRIED WITH FOUR YEA VOTES.

The April 1, 2024 regular meeting of the Stillwater Utilities Authority adjourned at 6:27 p.m.

WILLIAM H. JOYCE, CHAIR
STILLWATER UTILITIES AUTHORITY

TERESA KADAVY, SECRETARY
STILLWATER UTILITIES AUTHORITY

REPORT TO: STILLWATER UTILITIES AUTHORITY**MEETING DATE: APRIL 15, 2024**

Agenda Item:	2.b. SUA-24-17
Previous/Related Action:	
Background/Issue:	On September 13, 2021, Council approved a ROW occupancy agreement with Blue Peak Broadband. As Blue Peak moves forward with their broadband project, they will be placing fiber optic cable on City utility poles. A Pole Attachment Licensing Agreement is needed. This is one of several agreements related to this project.
Proposal/Solution:	Authorize and execute Blue Peak Pole Attachment Licensing Agreements #15, #18, #19, #21, and #23. Please note that the agreement #'s may be out of sequence. This is due to required corrections to the plan sets and the time re-submittals are received back for final review.
Financial Source/Impact:	Each agreement will generate annual revenue in the amount of \$20 per pole.
Related Strategic Priority:	#4 CONNECTED SPACES #5 UNIQUE CULTURE
Recommended Action/Motion:	Motion to authorize the General Manager to execute Blue Peak Pole Attachment Licensing Agreements #15, #18, #19, #21, and #23.
Prepared By:	Loren Smith, Electric Utility Dir.
Reviewed By:	Teresa Kadavy Brady Moore
Submitted By:	Kimberly Meek, General Manager

Attachments

1. POLATT24-0004 Agreement 15 w-Bond
2. POLATT24-0007 Agreement 18 w Bond
3. POLATT24-0008 Agreement 19 w Bond
4. POLATT24-0010 Agreement 21 w Bond
5. POLATT24-0012 Agreement 23 w Bond

Stillwater Utilities Authority Pole Attachment Licensing Agreement

Original issue: 07/16/18

Table of Contents

Part One – Pole Attachment Licensing Agreement

Recitals

Article 1 – Definitions

Article 2 – Scope of Agreement

Article 3 – Fees and Charges

Article 4 – Specifications

Article 5 – Private and Regulatory Compliance

Article 6 – Permit Application Procedures

Article 7 – Make-Ready Work/Installation

Article 8 – Transfers

Article 9 – Pole Modifications and/or Replacements

Article 10 – Abandonment or Removal of Utility Facilities

Article 11 – Removal of Licensee's Facilities

Article 12 – Termination of Permit

Article 13 – Inspection of Licensee's Facilities

Article 14 – Unauthorized Occupancy or Access

Article 15 – Reporting Requirements

Article 16 – Liability and Indemnification

Article 17 – Duties, Responsibilities, and Exculpation

Article 18 – Insurance

Article 19 – Authorization Not Exclusive

Article 20 – Assignment

Article 21 – Failure to Enforce

Article 22 – Issue Resolution Process

Article 23 – Termination of Agreement

Article 24 – Term of Agreement

Article 25 – Amending Agreement

Article 26 – Notices

Article 27 – Entire Agreement

Article 28 – Severability

Article 29 – Governing Law

Article 30 – Incorporation of Recitals and Appendices

Article 31 – Performance Bond

Article 32 – *Force Majeure*

Part Two – Appendices and Drawings

APPENDIX A – Fees and Charges

APPENDIX B – Pole Attachment Permit Application Process

APPENDIX C – Application for Permit

APPENDIX D – Specifications for Licensee's Attachments to Utility Poles

APPENDIX E – Distribution Line Minimum Design Review Information and Suggested Worksheet

APPENDIX F – Field Data Summary Sheet Instructions

DRAWING A-01 – Overhead Minimum Clearances

DRAWING A-02 – Overhead Minimum Clearances

DRAWING A-03 – Grounding Connections

DRAWING A-04 – Guy Wire Requirements

DRAWING A-05 – Power Service

DRAWING A-06 – Minimum Clearance at Pole / Midspan from Neutral

DRAWING A-07 – Minimum Clearance at Pole / Midspan from Secondary

DRAWING A-08 – Minimum Clearance at Pole / Midspan from Primary

DRAWING A-09 – Midspan Service Drop Clearance from Electric Service

DRAWING A-10 – DAS Streetlight Arm Attachment

DRAWING A-11 – DAS Bracket Arm Attachment

DRAWING A-12 – Climbing Space Requirements

Part One – Pole Attachment Licensing Agreement

This Pole Attachment Licensing Agreement (the “Agreement”) dated _____
March 26, 20 24 is made by and between the Stillwater Utilities Authority
 (“Utility”), located in the State of Oklahoma, and
Clarity LLC, d.b.a Bluepeak _____ (“Licensee”).

Recitals

- A. Licensee proposes to install and maintain Communications Facilities and associated equipment, Licensee’s Attachments, on Utility’s Poles to provide Communications Services; and
- B. Utility is willing, when it may lawfully do so, to issue one or more Permits authorizing the placement or installation of Licensee’s Attachments on Utility’s Poles, provided that Utility may refuse, on a nondiscriminatory basis, to issue a Permit where there is insufficient Capacity or for reasons relating to safety, reliability, generally applicable engineering purposes, and/or any other Applicable Standard; and

[NOTE: The following Recitals may be used where Licensee and Utility have an existing pole attachment agreement.]

- C. On _____, _____, Utility and Licensee entered into a **[Insert name of agreement]** (e.g., the “___ Agreement”); [and]
- D. By registered letter dated _____, 20____, Utility gave notice to Licensee that Utility/ Licenser was terminating the _____ Agreement effective _____, 2____; [and]
- E. The parties intend that this Agreement replace the _____ Agreement on its termination; [and]
- F. Therefore, in consideration of the mutual covenants, terms and conditions set out below the parties agree as follows:

AGREEMENT

Article 1—Definitions

For the purposes of this Agreement, the following terms, phrases, words, and their derivations, shall have the meaning given below, unless more specifically defined within a specific Article or Paragraph of this Agreement. When not inconsistent with the context, words used in the present tense include the future and past tense, and words in the singular number include the plural number. The words “shall” and “will” are mandatory

and “may” is permissive. Words not defined shall be given their common and ordinary meaning.

- 1.1 **Affiliate**: when used in relation to Licensee, means another entity that owns or controls, is owned or controlled by, or is under common ownership or control with Licensee.
- 1.2 **Applicable Standards**: means all applicable engineering and safety standards governing the installation, maintenance, and operation of facilities and the performance of all work in or around electric Utility Facilities and includes the most current versions of National Electric Safety Code (“NESC”), the National Electrical Code (“NEC”), and the regulations of the Occupational Safety and Health Administration (“OSHA”), each of which is incorporated by reference in this Agreement, and the safety, engineering and construction requirements and standards of Utility.
- 1.3 **Attaching Entity**: means any public or private entity, including Licensee that, pursuant to a license agreement with Utility, places an Attachment on Utility’s Pole to provide Communications Service.
- 1.4 **Attachment(s)**: means Licensee’s Communications Facilities that are placed directly on Utility’s Poles within the Communication Space, or Overlashed onto an existing Attachment, but does not include either a Riser or a service drop attached to a single Pole where Licensee has an existing Attachment on such Pole.
- 1.5 **Capacity**: means the ability of a Pole to accommodate an additional Attachment based on Applicable Standards, including space and loading considerations.
- 1.6 **Climbing Space**: means that portion of a Pole’s surface and surrounding space that is free from encumbrances to enable Utility employees and contractors to safely climb, access, and work on Utility Facilities and equipment.
- 1.7 **Communications Facilities**: means wireline or wireless facilities, including but not limited to, fiber optic, copper, and/or coaxial cables, wireless antennas, receivers or transceivers utilized to provide Communications Service. This term excludes power supplies, demarcation boxes, power transfer switches, grounding equipment, metering facilities and other associated equipment.
- 1.8 **Communications Service**: means the transmission or receipt of voice, video, data, broadband Internet, or other forms of digital or analog signals over Communications Facilities.
- 1.9 **Communication Space**: means the communication space as defined in the latest version of the National Electrical Safety Code.

- 1.10 **Licensee:** means the party listed as Licensee in the first paragraph of this agreement.
- 1.11 **Make-Ready Work:** means all work that Utility reasonably determines to be required to accommodate Licensee's Communications Facilities and/or to comply with all Applicable Standards. Such work includes, but is not limited to, rearrangement and/or transfer of Utility Facilities or existing Attachments, inspections, engineering work, permitting work, tree trimming (other than tree trimming performed for normal maintenance purposes), pole replacement and construction but does not include Licensee's routine maintenance.
- 1.12 **Occupancy:** means the use or reservation of space for Attachments on a Utility Pole.
- 1.13 **Overlash:** means to place an additional wire or cable Communications Facility onto an existing attached Communications Facility.
- 1.14 **Pedestals/Vaults/Enclosures:** means above- or below-ground housings that are not attached to Utility Poles but are used to enclose a cable/wire splice, power supplies, amplifiers, passive devices, and/or to provide a service connection point
- 1.15 **Permit:** means written or electronic authorization (see Appendix C) by Utility for Licensee to make or maintain Attachments to specific Utility Poles pursuant to the requirements of this Agreement. Licensee's attachments made prior to the Effective Date and authorized by Utility ("Existing Attachments") shall be deemed Permitted Attachments hereunder.
- 1.16 **Pole:** means a pole owned or controlled by Utility excluding transmission poles that is capable of supporting Attachments for Communications Facilities.
- 1.17 **Post-Construction Inspection:** means the inspection by Utility or Licensee or some combination of both to verify that the Attachments have been made in accordance with Applicable Standards and the Permit.
- 1.18 **Pre-Construction Survey:** means all work or operations required by Applicable Standards and/or Utility to determine the Make-Ready Work necessary to accommodate Licensee's Communications Facilities on a Pole. Such work includes, but is not limited to, field inspection and administrative processing.
- 1.19 **Reserved Capacity:** means capacity or space on a Pole that Utility has identified and reserved for its own future utility requirements at the time of the Permit grant, including the installation of communications circuits for operation of Utility's electric system.

- 1.20 **Riser:** means metallic or plastic encasement materials placed vertically on the Pole to guide and protect wires and cables.
- 1.21 **Tag:** means to place distinct markers on wires and cables, coded by color or other means specified by Utility and/or applicable federal, State or local regulations, that will readily identify the type of Attachment (*e.g.*, cable TV, telephone, high-speed broadband data, public safety) and its owner.
- 1.22 **Utility Facilities:** means all personal property and real property owned or controlled by Utility, including Poles and related facilities.

Article 2—Scope of Agreement

- 2.1 **Grant of License.** Subject to the provisions of this Agreement, Utility grants Licensee a revocable, nonexclusive license authorizing Licensee to install and maintain Attachments to Utility's Poles.
- 2.2 **Parties Bound by Agreement.** Licensee and Utility agree to be bound by all provisions of this Agreement.
- 2.3 **Permit Issuance Conditions.** Utility will issue one or more Permit(s) to Licensee only when Utility determines, in its sole judgment, exercised reasonably, that (i) it has sufficient Capacity to accommodate the requested Attachment(s), (ii) Licensee meets all requirements set forth in this Agreement, and (iii) such Permit(s) comply with all Applicable Standards.
- 2.4 **Reserved Capacity.** Access to space on Utility Poles will be made available to Licensee with the understanding that certain Poles may be subject to Reserve Capacity for future electric service use. At the time of Permit issuance, Utility shall notify Licensee if capacity on particular poles is being reserved for reasonably foreseeable future electric use. For Attachments made with notice of such a Reservation of Capacity, on giving Licensee at least sixty (60) calendar days prior notice, Utility may reclaim such Reserved Capacity at any time following the installation of Licensee's Attachment if required for Utility's future utility service. If reclaimed for Utility's use, Utility may at such time also install associated facilities, including the attachment of communications lines for internal Utility operational or governmental communications requirements. Utility shall give Licensee the option to remove its Attachment(s) from the affected Pole(s) or to pay for the cost of any Make-Ready Work needed to expand Capacity for core utility service requirements, so that Licensee can maintain its Attachment on the affected Pole(s). The allocation of the cost of any such Make-Ready Work (including the transfer, rearrangement, or relocation of third-party Attachments) shall be determined in accordance with Article 9. Licensee shall not be required to bear any of the costs or rearranging or replacing its Attachment(s), if such

rearrangement or replacement is required as a result of an additional attachment or the modification of an existing attachment sought by any other entity.

- 2.5 **No Interest in Property.** No use, however lengthy, of any Utility Facilities, and no payment of any fees or charges required under this Agreement, shall create or vest in Licensee any easement or other ownership or property right of any nature in any portion of such Facilities. Neither this Agreement, nor any Permit granted under this Agreement, shall constitute an assignment of any of Utility's rights to Utility Facilities. Notwithstanding anything in this Agreement to the contrary, Licensee shall, at all times, be and remain a Licensee only.
- 2.6 **Licensee's Right to Attach.** Nothing in this Agreement, other than a Permit issued pursuant to Article 6, shall be construed as granting Licensee any right to attach Licensee's Communications Facilities to any specific Pole.
- 2.7 **Utility's Rights over Poles.** The parties agree that this Agreement does not in any way limit Utility's right to locate, operate, maintain, or remove its Poles in the manner that will best enable it to fulfill its service requirements or to comply with any federal, state, or local legal requirement.
- 2.8 **Expansion of Capacity.** Utility will take reasonable steps to expand Pole Capacity when necessary to accommodate Licensee's request for Attachment. Notwithstanding the foregoing sentence, nothing in this Agreement shall be construed to require Utility to install, retain, extend, or maintain any Pole for use when such Pole is not needed for Utility's own service requirements.
- 2.9 **Other Agreements.** Except as expressly provided in this Agreement, nothing in this Agreement shall limit, restrict, or prohibit Utility from fulfilling any agreement or arrangement regarding its Poles into which Utility has previously entered, or may enter in the future, with others not party to this Agreement.
- 2.10 **Permitted Uses.** This Agreement is limited to the uses specifically stated in the recitals set forth above and no other use shall be allowed without Utility's express written consent to such use. Nothing in this Agreement shall be construed to require Utility to allow Licensee to use Utility's Poles after the termination of this Agreement.
- 2.11 **Overlapping.** The following provisions apply to Overlapping:
- 2.11.1 Licensee shall obtain a Permit for each Overlapping, in accordance with the requirements of Article 6. Absent such authorization, Overlapping constitutes an unauthorized Attachment and is subject to removal or, at

Utility's discretion, imposition of an Unauthorized Attachment fee, as specified in Appendix A. Item 3.

2.11.2 Authorized Overlapping to accommodate Attachments of Licensee or its Affiliate(s) shall not increase the Annual Attachment Fee paid by Licensee pursuant to Appendix A, Item 1. Licensee or Licensee's Affiliate shall, however, be responsible for all Make-Ready Work and other charges associated with the Overlapping. Licensee shall not have to pay a separate Annual Attachment Fee for such Overlapped Attachment.

2.11.3 At Licensee's request, Utility may allow Overlapping to accommodate facilities of a third party, not affiliated with Licensee. In such circumstances, the third party must enter into a License Agreement with Utility, obtain Permit(s), and pay a separate Attachment Fee (Appendix A, Item 1) as well as the costs of all necessary Make-Ready Work required to accommodate the Overlapping. Utility shall not grant such Permit(s) to third parties allowing Overlapping of Licensee's Communications Facilities without Licensee's consent. Authorized Overlapping shall not increase the fees and charges paid by Licensee pursuant to Appendix A, Item 1. Nothing in this Agreement shall prevent Licensee from seeking a contribution from an Overlapping third party to defray fees and charges paid by Licensee.

2.11.4 Make-Ready Work procedures set forth in Article 7 shall apply, as necessary, to all Overlapping.

2.11.5 Overlapping shall only be permitted if the existing attachment is located in the communication space.

2.12 **Enclosures.** Licensee shall not place Pedestals, Vaults, and/or other Enclosures on or within ten (10) feet of any Pole or other Utility Facilities without Utility's prior written permission. If permission is granted, all such installations shall be per the Specifications and Drawings in Appendix D of this Agreement and charges as provided in Appendix A. Such permission shall not be unreasonably withheld. Further, Licensee agrees to move any such above-ground enclosures in order to provide sufficient space for Utility to set a replacement Pole.

Article 3—Fees and Charges

3.1 **Payment of Fees and Charges.** Licensee shall pay to Utility the fees and charges specified in Appendix A and shall comply with the terms and conditions specified in this Agreement.

- 3.2 **Payment Period.** Unless otherwise expressly provided, Licensee shall pay any invoice its receives from Utility pursuant to this Agreement within thirty (30) calendar days after Utility issues the invoice.
- 3.3 **Billing of Attachment Fee.** Utility shall invoice Licensee for the per-pole Attachment Fee annually, in arrears. Utility will submit to Licensee an invoice for the annual rental period not later than June 30th of each year. The initial annual rental period shall commence upon the execution of this Agreement and conclude on June 30th of the next year, and each subsequent annual rental period shall commence on the following July 1st and conclude on June 30th of the subsequent year. The invoice shall set forth the total number of Utility's Poles on which Licensee was issued and/or holds Permit(s) for Attachments during such annual rental period, including any previously authorized and valid Permits.
- 3.4 **Refunds.** No fees and charges specified in Appendix A shall be refunded on account of any surrender of a Permit granted under this Agreement. Nor shall any refund be owed if a Pole is not used or abandoned by Utility.
- 3.5 **Late Charge.** If Utility does not receive payment for any fee or other amount owed within thirty (30) calendar days after it becomes due, Licensee shall pay interest to Utility at the rate of ten (10%) per month, or the maximum interest allowed by law, whichever is greater, on the amount due.
- 3.6 **Payment for Work.** Licensee will be responsible for payment to Utility for all work that Utility or Utility's contractors perform pursuant to this Agreement to accommodate Licensee's Communications Facilities.
- 3.7 **Advance Payment.** At its sole discretion, Utility may require that Licensee pay in advance all reasonable costs, including, but not limited to administrative, construction, inspections, and Make-Ready Work expenses, in connection with the initial installation or rearrangement of Licensee's Communications Facilities pursuant to the procedures set forth in Articles 6 and 7 below.
- 3.8 **True-Up.** Whenever Utility, in its discretion, requires advance payment of estimated expenses prior to undertaking an activity on behalf of Licensee and the actual cost of the activity exceeds the advance payment of estimated expenses, Licensee agrees to pay Utility for the difference in cost, provided that Utility documents such costs with sufficient detail to enable Licensee to verify the charges. To the extent that Utility's actual cost of the activity is less than the estimated cost, Utility shall refund to Licensee the difference in cost.
- 3.9 **Determination of Charges.** Wherever this Agreement requires Licensee to pay for work done or contracted by Utility, the charge for such work shall include all

reasonable material, labor, engineering, administrative, and applicable overhead costs. Utility shall bill its services based upon actual costs, and such costs will be determined in accordance with Utility's cost accounting systems used for recording capital and expense activities. All such invoices shall include an itemization of dates of work, location of work, labor and equipment costs per hour, persons employed, and costs of materials used. If Licensee was required to perform work and fails to perform such work, necessitating completion of the work by Utility, Utility may either charge an additional ten percent (10%) of its costs or assess the penalty specified in Appendix A.

- 3.10 **Work Performed by Utility.** Whenever this Agreement requires Utility to perform any work, Utility, at its sole discretion, may utilize its employees or contractors, or any combination of the two, to perform such work.
- 3.11 **Default for Nonpayment.** Nonpayment of any amount due under this Agreement beyond sixty (60) days shall constitute a material default of this Agreement.

Article 4—Specifications

- 4.1 **Installation/Maintenance of Communications Facilities.** After a Permit is issued pursuant to this Agreement, Licensee's Communications Facilities shall be installed and maintained in accordance with the requirements and specifications of Appendix D. All of Licensee's Communications Facilities must comply with all Applicable Standards. Licensee shall be responsible for the installation and maintenance of its Communications Facilities. Licensee shall, at its own expense, make and maintain its Attachment(s) in safe condition and good repair, in accordance with all Applicable Standards. Notwithstanding anything in this Agreement to the contrary, Licensee shall not be required to update or upgrade its Attachments if they met Applicable Standards at the time the attachments were made, unless such updates or upgrades are required by any revised Applicable Standards.
- 4.2 **Tagging.** Licensee shall Tag all of its Communications Facilities as specified in Appendix D and/or applicable federal, State, and local regulations upon installation of such Facilities. Within one year of the execution of this Agreement, Licensee shall also tag any untagged Communications Facilities that were on Utility Poles on the effective date of this Agreement. Failure to provide proper tagging will be considered a violation of the Applicable Standards.
- 4.3 **Interference.** Licensee shall not allow its Communications Facilities to impair the ability of Utility or any third party to use Utility's Poles, nor shall Licensee allow its Communications Facilities to interfere with the operation of any Utility

Facilities, third-party facilities or City of Stillwater facilities including cables, conductors, traffic controls networks and/or systems, communication networks and/or systems, radio communication network and/or systems, emergency management networks and/or systems and all related facilities.

- 4.4 **Protective Equipment.** Licensee and its employees and contractors shall utilize and install adequate protective equipment to ensure the safety of people and facilities. Licensee shall, at its own expense, install protective devices designed to handle the electric voltage and current carried by Utility's facilities in the event of a contact with such facilities. Except as provided in Paragraph 16.1, Utility shall not be liable for any actual or consequential damages to Licensee's Communications Facilities, Licensee's customers' facilities, or to any of Licensee's employees, contractors, customers, or other persons.
- 4.5 **Utility Right to Correct.** If Licensee's Communications Facilities, or any part of them, are installed, used, or maintained in violation of this Agreement, and Licensee has not corrected the violation(s) within thirty (30) calendar days from receipt of written notice of the violation(s) from Utility, Utility at its option, may correct such conditions. Utility will attempt to notify Licensee in writing prior to performing such work whenever practicable. When Utility believes, however, that such violation(s) pose an immediate threat to the safety of any person, interfere with the performance of Utility's service obligations, or present an immediate threat to the physical integrity of Utility Facilities, Utility may perform such work and/or take such action as it deems necessary without first giving written notice to Licensee. As soon as practicable afterward, Utility will advise Licensee of the work performed or the action taken. Licensee shall be responsible for all actual and reasonable costs incurred by Utility in taking action pursuant to this Paragraph, and Licensee shall indemnify Utility against any liability, costs, and expenses, including reasonable attorney's and expert fees, arising out of or relating to any such work.
- 4.6 **Restoration of Utility Service.** Utility's service restoration requirements shall take precedence over any and all work operations of Licensee on Utility's Poles.
- 4.7 **Effect of Failure to Exercise Access Rights.** If Licensee does not exercise any access right granted pursuant to this Agreement and/or applicable Permit(s) within ninety (90) calendar days of the effective date of such right and any extension to such Permit(s), Utility may, but shall have no obligation to, use the space scheduled for Licensee's Attachment(s) for its own needs or make the space available to other Attaching Entities. In such instances, Utility shall endeavor to make other space available to Licensee, upon written application under Article 6, as soon as reasonably possible and subject to all requirements of this Agreement, including the Make-Ready Work provisions. If Utility uses the space for its own

needs or makes them available to other parties, then from the date that Utility or a third party begins to use such space, For purposes of this paragraph, Licensee's access rights shall not be deemed effective until any necessary Make-Ready Work has been performed.

- 4.8 Removal of Nonfunctional Attachments.** At its sole expense, Licensee shall remove any of its Attachments or any part thereof that becomes nonfunctional and no longer fit for service ("Nonfunctional Attachment") as provided in this Paragraph 4.8. A Nonfunctional Attachment that Licensee has failed to remove as required in this paragraph shall constitute an unauthorized Attachment and is subject to the Unauthorized Attachment fee specified in Appendix A, Item 3. Except as otherwise provided in this Agreement, Licensee shall remove Nonfunctional Attachments within one (1) year of the Attachment becoming nonfunctional, unless Licensee receives written notice from Utility that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s), in which case Licensee shall remove the Nonfunctional Attachment within sixty (60) days of receiving the notice. Where Licensee has received a Permit to Overlash a Nonfunctional Attachment, such Nonfunctional Attachment may remain in place until Utility notifies Licensee that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s). Licensee shall give Utility notice of any Nonfunctional Attachments as provided in Article 15.

Article 5—Private and Regulatory Compliance

- 5.1 Necessary Authorizations.** Before Licensee occupies any of Utility's Poles, Licensee shall obtain from the appropriate public or private authority, or from any property owner or other appropriate person, any required authorization to construct, operate, or maintain its Communications Facilities on public or private property. Utility retains the right to require evidence that appropriate authorization has been obtained before any Permit is issued to Licensee. Licensee's obligations under this Article 5 include, but are not limited to, its obligation to obtain and pay for all necessary approvals to occupy public/private rights-of-way and easements and all necessary licenses and authorizations to provide the services that it provides over its Communications Facilities. Licensee shall defend, indemnify, and reimburse Utility for all losses, costs, and expenses, including reasonable attorney's fees that Utility may incur as a result of claims by governmental bodies, owners of private property, or other persons, that Licensee does not have sufficient rights or authority to attach Licensee's Communications Facilities on Utility's Poles or to provide particular services.

- 5.2 **Lawful Purpose and Use.** Licensee's Communications Facilities must at all times serve a lawful purpose, and the use of such Facilities must comply with all applicable federal, State and local laws.
- 5.3 **Forfeiture of Utility's Rights.** No Permit granted under this Agreement shall extend, or be deemed to extend, to any of Utility's Poles to the extent that Licensee's Attachment would result in a forfeiture of Utility's rights. Any Permit that would result in forfeiture of Utility's rights shall be deemed invalid as of the date that Utility granted it. Further, if any of Licensee's existing Communications Facilities, whether installed pursuant to a valid Permit or not, would cause such forfeiture, Licensee shall promptly remove its Facilities upon receipt of written notice from Utility. If Licensee does not remove its Communications Facilities in question within thirty (30) days of receiving written notice from Utility, Utility may at its option perform such removal at Licensee's expense. Notwithstanding the forgoing, Licensee shall have the right to contest any such forfeiture before any of its rights are terminated, provided that Licensee shall indemnify Utility for liability, costs, and expenses, including reasonable attorney's fees, that may accrue during Licensee's challenge.
- 5.4 **Effect of Consent to Construction/Maintenance.** Consent by Utility to the construction or maintenance of any Attachments by Licensee shall not be deemed consent, authorization, or acknowledgment that Licensee has obtained all required Authorizations with respect to such Attachment.

Article 6—Permit Application Procedures

- 6.1 **Permit Required.** Licensee shall not make any Attachments to any of Utility's Poles without first applying for and obtaining a Permit pursuant to the applicable requirements of Appendix B. If updates or upgrades are required by Applicable Standards, Licensee shall not be required to obtain Permits for Attachment(s) existing as of the effective date of this Agreement. Such grandfathered Attachments shall, however, be subject to the Attachment Fees specified in Appendix A and the tagging provisions in Paragraph 4.2. Licensee shall provide Utility a list of all such pre-existing Attachments within six (6) months of the effective date of this Agreement.
- 6.2 **Permits for Overlashing.** As set out in Paragraph 2.11, Permits are required for any Overlashing allowed under this Agreement and Licensee, Licensee's Affiliate or other third party, as applicable, shall pay any necessary Make-Ready Work costs to accommodate such Overlashing.
- 6.3 **Professional Certification.** Unless otherwise waived in writing by Utility, as part of the Permit application process and at Licensee's sole expense, a qualified and experienced professional engineer, or an employee or contractor of Licensee who

has been approved by Utility, must participate in the Pre-Construction Survey, conduct the Post-Construction Inspection, and certify that Licensee's Communications Facilities can be and were installed on the identified Poles in compliance with the standards in Paragraph 4.1 and in accordance with the Permit. The professional engineer's qualifications must include experience performing such work, or substantially similar work, on electric distribution systems. The Utility may require the Licensee's professional engineer to conduct a post-construction inspection that the Utility will verify by means that it deems to be reasonable.

Utility, at its discretion, may waive the requirements of this Paragraph 6.3, with respect to service drops.

- 6.4 Utility Review of Permit Application.** Upon receipt of a properly executed Application for Permit (Appendix C), which shall include the Pre-Construction Survey, certified per Paragraph 6.3 above, and detailed plans for the proposed Attachments in the form specified in Appendix D, Utility will review the Permit Application and discuss any issues with Licensee, including engineering or Make-Ready Work requirements associated with the Permit Application. Utility acceptance of the submitted design documents does not relieve Licensee of full responsibility for any errors and/or omissions in the engineering analysis. Unless otherwise agreed, the Permit application process shall be consistent with the following timeline:

- 6.4.1 Review Period.** Utility shall review and respond to properly executed and complete Permit Applications for routine installations as promptly as is reasonable with a goal of providing a response during normal circumstances of within seventy-five (75) days of receipt. For Permit Applications seeking Attachments to 50 or more Poles, the Utility may require additional time to review. The Utility's response will either provide a written explanation as to why the Application is being denied, in whole or in part, or provide an estimate of the costs of all necessary Make-Ready Work.
- 6.4.2** Upon receipt of Utility's Make-Ready estimate, Licensee shall have fourteen (14) days to approve the estimate and provide payment in accordance with this Agreement and the specifications of the estimate.
- 6.4.3** Utility will complete routine Make-Ready Work within sixty (60) days of receipt of payment. If there are extenuating circumstances that make the necessary Make-Ready more complicated or time-consuming, including, but not limited to the number of Poles, seasonal weather conditions, the Utility shall identify those factors in the Make-Ready estimate and the parties shall agree upon a reasonable timeframe for completion.

6.4.4 Utility may toll the time period for completion of Make-Ready Work by written notice in order to respond to severe storms, natural disasters, or other emergency situations.

- 6.5 **Permit as Authorization to Attach.** Upon completion of any necessary Make-Ready Work and receipt of payment for such work, Utility will sign and return the Permit Application, which shall serve as authorization for Licensee to make its Attachment(s).

Article 7—Make-Ready Work/Installation

- 7.1 **Estimate for Make-Ready Work.** If Utility determines that it can accommodate Licensee's request for Attachment(s), including Overlapping of an existing Attachment, it will, upon request, advise Licensee of any estimated Make-Ready Work charges necessary to accommodate the Attachment.
- 7.2 **Payment of Make-Ready Work.** Upon completion of the Make-Ready Work, Utility shall invoice Licensee for Utility's actual cost of such Make-Ready Work. Alternatively, Utility, at its discretion, may require payment in advance for Make-Ready Work based upon the estimated cost of such work. In such case, upon completion Licensee shall pay Utility's actual cost of Make-Ready Work. The costs of the work shall be itemized in accordance with Paragraph 3.9 and trued up in accordance with Paragraph 3.8.
- 7.3 **Who May Perform Make-Ready Work.** Make-Ready Work shall be performed only by Utility and/or a contractor authorized by Utility to perform such work. If Utility chooses not to or cannot perform the Make-Ready Work to accommodate Licensee's Communications Facilities within sixty (60) calendar days of Licensee's agreement, to Make-Ready Work estimate, Licensee may request the ability to use a qualified contractor to perform such work and shall specify when such work would be performed. In all instances, "qualified contractors," if allowed, must be pre-approved by Utility for such work on an annual basis.
- 7.4 **Scheduling of Make-Ready Work.** In performing all Make-Ready Work to accommodate Licensee's Communications Facilities, Utility will attempt to include such work in its normal work schedule. If Licensee requests that the Make-Ready Work be performed on a priority basis or outside of Utility's normal work hours, Licensee will pay any resulting increased costs. Nothing in this Agreement shall be construed to require Utility to perform Licensee's work before other scheduled work or Utility service restoration.
- 7.5 **Notification of Make-Ready Work.** Before starting Make-Ready Work, Utility shall notify all Attaching Entities of the date and location of the scheduled work

and shall afford all such entities an opportunity to make any modifications to their existing Attachments in connection with the Make-Ready Work.

7.6 **Written Approval of Installation Plans Required.** Before making any Attachments to Utility's Poles, including Overlashing of existing Attachments, Licensee must obtain Utility's written detailed plan approval for the Attachments. Such detailed plans shall accompany a Permit application as required under Paragraph 6.4.

7.7 **Licensee's Installation/Removal/Maintenance Work.**

7.7.1 All of Licensee's installation, removal, and maintenance work, by either Licensee's employees or authorized contractors, shall be performed at Licensee's sole cost and expense, in a good and workmanlike manner, and must not adversely affect the structural integrity of Utility's Poles or other Facilities or other Attaching Entity's facilities or equipment. All such work is subject to the insurance requirements of Article 18.

7.7.2 All of Licensee's installation, removal, and maintenance work, either by its employees or authorized contractors, shall comply with all applicable regulations specified in Paragraph 4.1. Licensee shall assure that any person installing, maintaining, or removing its Communications Facilities is fully qualified and familiar with all Applicable Standards, the provisions of Article 17, and the Minimum Design Specifications contained in Appendix D.

Article 8—Transfers

8.1 **Required Transfers of Licensee's Communications Facilities.** If Utility reasonably determines that a transfer of Licensee's Communications Facilities is necessary, Utility will, at its option, either require Licensee to perform such transfer at its own expense within thirty (30) calendar days after receiving notice from Utility, or perform the transfer itself, using its personnel, and/or contractors. If Licensee fails to transfer its Facilities within thirty (30) calendar days after receiving such notice from Utility, Utility shall have the right to transfer Licensee's Facilities using its personnel and/or contractors. The costs of such transfers shall be apportioned as specified under Article 9. Utility shall not be liable for damage to Licensee's Facilities except to the extent provided in Paragraph 16.1. The written advance notification requirement of this Paragraph shall not apply in emergency situations. In emergency situations, Utility shall provide such advance notice as is practical, given the urgency of the particular situation. Utility shall then provide written notice of any such actions taken within ten (10) days following the occurrence. Irrespective of who owns Facilities that

are Overlashed on to Licensee's Attachments, Licensee is responsible for the transfer of such Facilities and the costs of doing so.

Article 9—Modifications and/or Replacements

- 9.1 Licensee's Action Requiring Modification/Replacement.** If any Pole to which Licensee desires to make Attachment(s) is unable to support or accommodate the additional facilities in accordance with all Applicable Standards, Utility will notify Licensee of the necessary Make-Ready Work, and associated costs, to provide adequate Pole space, including, but not limited to, replacement of the Pole and/or rearrangement or transfer of Utility's Facilities, as well as the facilities of other Attaching Entities. Licensee shall be responsible for separately entering into an agreement with other Attaching Entities concerning the allocation of costs for the relocation or rearrangement of such entities' existing Attachments. If Licensee elects to go forward with the necessary changes, Licensee shall pay to Utility the actual cost of the Make-Ready Work, performed by Utility, in accordance with Paragraph 3.9. Utility, in its discretion, may require advance payment. Licensee shall also be responsible for obtaining and furnishing to Utility before the commencement of any Make-Ready Work, agreements between Licensee and the other Attaching Entities (including Overlashers) concerning the relocation or rearrangement of their Attachments and the costs involved.
- 9.2 Treatment of Multiple Requests for Same Pole.** If Utility receives Permit Applications for the same Pole from two or more prospective licensees within sixty (60) calendar days of the initial request, and accommodating their respective requests would require modification of the Pole or replacement of the Pole, Utility will allocate among such licensees the applicable costs associated with such modification or replacement.
- 9.3 Guying.** The use of guying to accommodate Licensee's Attachments shall be provided by, and at the expense of, Licensee and to the satisfaction of Utility, as specified in Appendix D. Licensee shall not attach its guy wires to Utility's anchors without prior written permission of Utility. If permission is granted, charges may apply.
- 9.4 Allocation of Costs.** The costs for any rearrangement or transfer of Licensee's Communications Facilities or the replacement of a Pole (including any related costs for tree cutting or trimming required to clear the new location of Utility's cables or wires) shall be allocated to Utility and/or Licensee and/or other Attaching Entity on the following basis:
- 9.4.1** If Utility intends to modify or replace a Pole solely for its own requirements, it shall be responsible for the costs related to the modification/replacement of the Pole. Licensee shall not be responsible

for costs associated with the rearrangement or transfer of Licensee's Communications Facilities, unless and to the extent the rearrangement or transfer is necessary in connection with Utility's reacquisition of Reserved Capacity from Licensee. Prior to making any such modification or replacement, Utility shall provide Licensee written notification of its intent in order to provide Licensee a reasonable opportunity to modify or add to its existing Attachment. Should Licensee decide to do so, it must seek Utility's written permission in accordance with this Agreement. If Licensee elects to add to or modify its Communications Facilities, Licensee shall pay its Pro-Rata of the costs incurred by Utility in making the space on the Poles accessible to Licensee.

- 9.4.2 If the modification or replacement of a Pole is necessitated by the requirements of Licensee, Licensee shall be responsible for all costs caused by the modification or replacement of the Pole as well as the costs associated with the transfer or rearrangement of any other Attaching Entity's Communications Facilities. At the time Licensee submits a Permit Application to Utility, Licensee shall submit evidence, in writing, that it has made arrangements to reimburse all affected Attaching Entities for their costs caused by the transfer or rearrangement of their Facilities. Utility shall not be obligated in any way to enforce or administer Licensee's responsibility for the costs associated with the transfer or rearrangement of another Attaching Entity's Facilities pursuant to this Paragraph 9.4.2.
- 9.4.3 If the modification or the replacement of a Pole is the result of an additional Attachment or the modification of an existing Attachment sought by an Attaching Entity other than Utility or Licensee, the Attaching Entity requesting the additional or modified Attachment shall bear the entire cost of the modification or replacement, as well as the costs for rearranging or transferring Licensee's Communications Facilities. Licensee shall cooperate with such third-party Attaching Entity to determine the costs of moving Licensee's facilities.
- 9.4.4 If the Pole must be modified or replaced for reasons unrelated to the use of the Pole by Attaching Entities (*e.g.*, storm, accident, deterioration), Utility shall pay the costs of such modification or replacement and Licensee shall pay the costs of rearranging or transferring its Communications Facilities.

- 9.5 **Utility Not Required to Relocate.** Nothing in this Agreement shall be construed to require Utility to relocate its Attachments or to modify or replace its Poles for the benefit of Licensee.

Article 10—Abandonment or Removal of Utility Facilities

- 10.1 **Notice of Abandonment or Removal of Utility Facilities.** If Utility desires at any time to abandon, remove, or underground any Utility Facilities to which Licensee's Communications Facilities are attached, it shall give Licensee notice in writing to that effect at least sixty (60) calendar days prior to the date on which it intends to abandon or remove such Utility's Facilities. Notice may be limited to thirty (30) calendar days if Utility is required to remove or abandon its Utility Facilities as the result of the action of a third party and the lengthier notice period is not practical. Such notice shall indicate whether Utility is offering Licensee an option to purchase the Pole(s). If, following the expiration of the thirty (30) day period, Licensee has not yet removed and/or transferred all of its Communications Facilities and has not entered into an agreement to purchase Utility's Facilities pursuant to Paragraph 10.2, Utility shall have the right, but not the obligation, to remove or transfer Licensee's Communications Facilities at Licensee's expense. Utility shall give Licensee prior written notice of any such removal or transfer of Licensee's Facilities.
- 10.2 **Option to Purchase Abandoned Poles.** Should Utility desire to abandon any Pole, Utility may, in its sole discretion, grant Licensee the option of purchasing such Pole at a price to be negotiated with Utility. Licensee must notify Utility in writing within thirty (30) calendar days of the date of Utility's notice of abandonment that Licensee desires to purchase the abandoned Pole. Thereafter, Licensee must also secure and deliver proof of all necessary governmental approvals and easements allowing Licensee to independently own and access the Pole within forty-five (45) calendar days. Should Licensee fail to secure the necessary governmental approvals, or should Utility and Licensee fail to enter into an agreement for Licensee to purchase the Pole within forty-five (45) calendar days, Licensee must remove its Attachments as required under Paragraph 10.1. Nothing in this Agreement shall be construed as requiring Utility to sell Licensee Poles that Utility intends to remove or abandon.
- 10.3 **Underground Relocation.** If Utility moves any portion of its aerial system underground, Licensee shall remove its Communications Facilities from any affected Poles within sixty (60) calendar days of receipt of notice from Utility and must either relocate its affected Facilities underground with Utility or find other means to accommodate its Facilities. If Licensee does not remove its Attachments within sixty (60) days, Utility shall have the right to remove or transfer Licensee's Communications Facilities at Licensee's expense. Licensee's

failure to remove its Facilities as required under this Paragraph 10.3 shall subject Licensee to the penalty provisions of Appendix A.

Article 11—Removal of Licensee’s Facilities

Removal on Expiration/Termination. At the expiration or other termination of this License Agreement or individual Permit(s), Licensee shall remove its Communications Facilities from the affected Poles at its own expense. If Licensee fails to remove such Facilities within sixty (60) calendar days of expiration or termination or some greater period as allowed by Utility, Utility shall have the right, but not the obligation, to remove or transfer such Facilities removed at Licensee’s expense.

Article 12—Termination of Permit

12.1 Automatic Termination of Permit. Any Permit issued pursuant to this Agreement shall automatically terminate when Licensee ceases to have authority to construct and operate its Communications Facilities on public or private property at the location of the particular Pole(s) covered by the Permit. Permits will also expire if the Licensee’s facilities are not installed and operational within six (6) months of the Permit issuance date.

12.2 Surrender of Permit. Licensee may at any time surrender any Permit for Attachment(s) and remove its Communications Facilities from the affected Pole(s), provided, however, that before commencing any such removal, Licensee must obtain Utility’s written approval of Licensee’s plans for removal, including the name of the person or entity performing such work and the date(s) and time(s) during which such work will be completed. All such work is subject to the insurance requirements of Article 18. No refund of any fees or costs will be made upon removal. If Licensee surrenders such Permit pursuant to the provisions of this Article, but fails to remove its Attachments from Utility’s Facilities within thirty (30) calendar days, Utility shall have the right, but not the obligation, to remove or transfer Licensee’s Attachments at Licensee’s expense.

Article 13—Inspection of Licensee’s Facilities

13.1 Inspections. Utility may conduct an inventory and inspection of Attachments at any time. Within thirty (30) calendar days of receiving written notice from Utility, Licensee shall correct all Attachments that Utility identifies as being out of compliance with Applicable Standards. If Utility finds that five percent (5%) or more of Licensee’s Attachments are either in non-compliance or not permitted, Licensee shall pay its *pro-rata* share of the costs of the inspection.

13.2 Notice. Utility will give Licensee reasonable advance written notice of such inspections, except in those instances in which safety considerations justify the need for such inspection without delay.

- 13.3 **No Liability.** Inspections performed under this Article 13, or the failure to do so, shall not operate to impose upon Utility any liability of any kind whatsoever or to relieve Licensee of any responsibility, obligations, or liability, whether assumed under this Agreement or otherwise existing.
- 13.4 **Attachment Records.** Notwithstanding the above inspection provisions, Licensee shall furnish to Utility annually an up-to-date electronic map depicting the locations of its Attachments, in a format specified by Utility.

Article 14—Unauthorized Occupancy or Access

- 14.1 **Penalty Fee.** If any of Licensee's Attachments are found occupying any Pole for which no Permit has been issued, Utility, without prejudice to its other rights or remedies under this Agreement, may assess an Unauthorized Access Penalty Fee, as specified in Appendix A, Item 3. If Licensee fails to pay such Fee within thirty (30) calendar days of receiving notification of it, Utility shall have the right, but not the obligation, to remove such Communications Facilities at Licensee's expense.
- 14.2 **No Ratification of Unauthorized Use.** No act or failure to act by Utility with regard to any unauthorized use shall be deemed as ratification of the unauthorized use. Unless the parties agree otherwise, a Permit for a previously unauthorized Attachment shall not operate retroactively or constitute a waiver by Utility of any of its rights or privileges under this Agreement or otherwise, and Licensee shall remain subject to all obligations and liabilities arising out of or relating to its unauthorized use.

Article 15—Reporting Requirements

At the time that Licensee pays its annual Attachment Fee, Licensee shall also provide the following information to Utility:

- 15.1 The Poles on which Licensee has installed, during the relevant reporting period, Risers and service drops, for which no Permit was required.
- 15.2 All Attachments that have become nonfunctional during the relevant reporting period. The report shall identify the Pole on which the nonfunctional Attachment is located, describe the nonfunctional equipment, and indicate the approximate date the Attachment became nonfunctional.
- 15.3 Any equipment Licensee has removed from Poles during the relevant reporting period. The report shall identify the Pole from which the equipment was removed, describe the removed equipment, and indicate the approximate date of removal. This requirement does not apply where Licensee is surrendering a Permit pursuant to Paragraph 12.2.

Article 16—Liability and Indemnification

16.1 Liability. Utility reserves to itself the right to maintain and operate its Poles in the manner that will best enable it to fulfill its service requirements. Licensee agrees to use Utility's Poles at Licensee's sole risk.

16.2 Indemnification. Licensee, and any agent, contractor, or subcontractor of Licensee, shall defend, indemnify, and hold harmless Utility and its officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, payments (including payments made by Utility under any Workers' Compensation Laws or under any plan for employees' disability and death benefits), and expenses (including reasonable attorney's fees of Utility and all other costs and expenses of litigation) ("Covered Claims") arising in any way, including any act, omission, failure, negligence, or willful misconduct, in connection with the construction, maintenance, repair, presence, use, relocation, transfer, removal or operation by Licensee, or by Licensee's officers, directors, employees, agents, or contractors, of Licensee's Communications Facilities, except to the extent of Utility's gross negligence or willful misconduct solely giving rise to such Covered Claims. Such Covered Claims include, but are not limited to, the following:

16.2.1 Intellectual property infringement, libel and slander, trespass, unauthorized use of television or radio broadcast programs and other program material, and infringement of patents;

16.2.2 Cost of work performed by Utility that was necessitated by Licensee's failure, or the failure of Licensee's officers, directors, employees, agents or contractors, to install, maintain, use, transfer, or remove Licensee's Communications Facilities in accordance with the requirements and specifications of this Agreement, or from any other work this Agreement authorizes Utility to perform on Licensee's behalf;

16.2.3 Damage to property, injury to or death of any person arising out of the performance or nonperformance of any work or obligation undertaken by Licensee, or Licensee's officers, directors, employees, agents, or contractors, pursuant to this Agreement;

16.2.4 Liabilities incurred as a result of Licensee's violation, or a violation by Licensee's officers, directors, employees, agents, or contractors, of any law, rule, or regulation of the United States, any State, or any other governmental entity or administrative agency.

- 16.3 Environmental Hazards.** Licensee represents and warrants that its use of Utility's Poles will not generate any Hazardous Substances, that it will not store or dispose on or about Utility's Poles or transport to Utility's Poles any hazardous substances and that Licensee's Communications Facilities will not constitute or contain and will not generate any hazardous substance in violation of federal, state, or local law now or hereafter in effect, including any amendments. "Hazardous Substance" shall be interpreted broadly to mean any substance or material designated or defined as hazardous or toxic waste, hazardous or toxic material, hazardous or toxic or radioactive substance, dangerous radio frequency radiation, or other similar terms by any federal, state, or local laws, regulations or rules now or hereafter in effect, including any amendments. Licensee further represents and warrants that in the event of breakage, leakage, incineration, or other disaster, its Communications Facilities would not release any Hazardous Substances. Licensee and its agents, contractors, and subcontractors shall defend, indemnify, and hold harmless Utility and its respective officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, punitive damages, or expenses (including reasonable attorney's fees and all other costs and expenses of litigation) arising from or due to the release, threatened release, storage, or discovery of any Hazardous Substances on, under, or adjacent to Utility's Poles attributable to Licensee's use of Utility's Poles.
- Should Utility's Poles be declared to contain Hazardous Substances, Utility, Licensee, and all Attaching Entities shall share proportionately in the cost of disposal of the affected Poles based on each entity's individual percentage use of same. For Attaching Entities, such percentage shall be derived from the sum of space occupied by each Attaching Entity plus its share of the common space, including the NESC safety space. For Utility, such percentage shall be equal to the space above the NESC safety space plus its share of the common Space. If the source or presence of the Hazardous Substance is solely attributable to particular parties, such costs shall be borne solely by those parties.
- 16.4 Municipal Liability Limits.** No provision of this Agreement is intended, or shall be construed, to be a waiver for any purpose by Utility of any applicable State limits on municipal liability or governmental immunity. No indemnification provision contained in this Agreement under which Licensee indemnifies Utility shall be construed in any way to limit any other indemnification provision contained in this Agreement.
- 16.5** If Utility brings a successful action in a court of competent jurisdiction to enforce this Agreement, Licensee shall pay Utility's reasonable attorney's fees.

Article 17—Duties, Responsibilities, and Exculpation

- 17.1 Duty to Inspect.** Licensee acknowledges and agrees that Utility does not warrant the condition or safety of Utility's Facilities, or the premises surrounding the Facilities, and Licensee further acknowledges and agrees that it has an obligation to inspect Utility's Poles and/or premises surrounding the Poles, prior to commencing any work on Utility's Poles or entering the premises surrounding such Poles.
- 17.2 Knowledge of Work Conditions.** By executing this Agreement, Licensee warrants that it has acquainted, or will fully acquaint, itself and its employees and/or contractors and agents with the conditions relating to the work that Licensee will undertake under this Agreement and that it fully understands or will acquaint itself with the facilities, difficulties, and restrictions attending the execution of such work.
- 17.3 DISCLAIMER. UTILITY MAKES NO EXPRESS OR IMPLIED WARRANTIES WITH REGARD TO UTILITY'S POLES, ALL OF WHICH ARE HEREBY DISCLAIMED, AND UTILITY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EXCEPT TO THE EXTENT EXPRESSLY AND UNAMBIGUOUSLY SET FORTH IN THIS AGREEMENT. UTILITY EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**
- 17.4 Duty of Competent Supervision and Performance.** The parties further understand and agree that, in the performance of work under this Agreement, Licensee and its agents, employees, contractors, and subcontractors will work near electrically energized lines, transformers, or other Utility Facilities. The parties understand and intend that energy generated, stored, or transported by Utility Facilities will not be interrupted during the continuance of this Agreement, except in emergencies endangering life or threatening grave personal injury or property. Licensee shall ensure that its employees, agents, contractors, and subcontractors have the necessary qualifications, skill, knowledge, training, and experience to protect themselves, their fellow employees, agents, contractors, and subcontractors; employees, agents, contractors, and subcontractors of Utility; and the general public, from harm or injury while performing work permitted pursuant to this Agreement. In addition, Licensee shall furnish its employees, agents, contractors, and subcontractors competent supervision and sufficient and adequate tools and equipment for their work to be performed in a safe manner. Licensee agrees that in emergency situations in which it may be necessary to de-energize any part of Utility's equipment, Licensee shall ensure that work is suspended until the equipment has been de-energized and that no such work is conducted unless and until the equipment is made safe.

- 17.5 **Requests to De-energize.** If Utility de-energizes any equipment or line at Licensee's request and for its benefit and convenience in performing a particular segment of any work, Licensee shall reimburse Utility in accordance with Paragraph 3.9, for all costs and expenses that Utility incurs in complying with Licensee's request. Before Utility de-energizes any equipment or line, it shall provide, upon request, an estimate of all costs and expenses to be incurred in accommodating Licensee's request.
- 17.6 **Interruption of Service.** If Licensee causes an interruption of service by damaging or interfering with any equipment of Utility, Licensee shall, at its own expense, immediately do all things reasonable to avoid injury or damages, direct and incidental, resulting therefrom and shall notify Utility immediately.
- 17.7 **Duty to Inform.** Licensee further warrants that it understands the imminent dangers (INCLUDING SERIOUS BODILY INJURY OR DEATH FROM ELECTROCUTION) inherent in the work necessary to make installations on Utility's Poles by Licensee's employees, agents, contractors, or subcontractors, and Licensee accepts the duty and sole responsibility to notify and inform Licensee's employees, agents, contractors, or subcontractors of such dangers, and to keep them informed regarding same.

Article 18—Insurance

- 18.1 **Policies Required.** At all times during the term of this Agreement, Licensee shall keep in force and effect all insurance policies as described below. These insurance requirements shall extend to all agents, contractors, subcontractors or others working on behalf of the Licensee in performing any and all work contemplated under this Agreement:
- 18.1.1 **Workers' Compensation and Employers' Liability Insurance.** Statutory workers' compensation benefits and employers' liability insurance with a limit of liability no less than that required by Oklahoma law at the time of the application of this provision for each accident. This policy shall be endorsed to include a waiver of subrogation in favor of Utility. Licensee shall require subcontractors and others not protected under its insurance to obtain and maintain such insurance.
- 18.1.2 **Commercial General Liability Insurance.** Policy will be written to provide coverage for, but not limited to, the following: premises and operations, products and completed operations, personal injury, blanket contractual coverage, broad form property damage, and independent contractor's coverage.

- 18.1.3 **Automobile Liability Insurance.** Business automobile policy covering all owned, hired and non-owned private passenger autos and commercial vehicles.
- 18.1.4 **Umbrella Liability Insurance.** Coverage is to be in excess of the sum employers' liability, commercial general liability, and automobile liability insurance required above.
- 18.1.5 **Property Insurance.** Each party will be responsible for maintaining property insurance on its own facilities, buildings, and other improvements, including all equipment, fixtures, and utility structures, fencing, or support systems that may be placed on, within, or around Utility Facilities to fully protect against hazards of fire, vandalism and malicious mischief, and such other perils as are covered by policies of insurance commonly referred to and known as "extended coverage" insurance or self-insure such exposures.
- 18.2 **Qualification; Priority; Contractors' Coverage.** The insurer must be authorized to do business under the laws of the State of Oklahoma and have an "A" or better rating in Best's Guide. Such insurance will be primary. All contractors and all of their subcontractors who perform work on behalf of Licensee shall carry, in full force and effect, workers' compensation and employers' liability, comprehensive general liability, and automobile liability insurance coverages of the type that Licensee is required to obtain under this Article 18 with the same limits.
- 18.3 **Certificate of Insurance; Other Requirements.** Prior to the execution of this Agreement and prior to each insurance policy expiration date during the term of this Agreement, Licensee will furnish Utility with a certificate of insurance ("Certificate") and, upon request, certified copies of the required insurance policies. The Certificate shall reference this Agreement and workers' compensation and property insurance waivers of subrogation required by this Agreement. Utility shall be given thirty (30) calendar days advance notice of cancellation or nonrenewal of insurance during the term of this Agreement. Utility, its council members, board members, commissioners, agencies, officers, officials, employees and representatives (collectively, "Additional Insureds") shall be named as Additional Insureds under all of the policies, except workers' compensation, which shall be so stated on the Certificate of Insurance. All policies, other than workers' compensation, shall be written on an occurrence and not on a claims-made basis. All policies may be written with deductibles, not to exceed \$100,000, or such greater amount as expressly allowed in writing by Utility. Licensee shall defend, indemnify and hold harmless Utility and Additional Insureds from and against payment of any deductible and payment of any premium on any policy required under this Article. Licensee shall obtain

Certificates from its agents, contractors, and their subcontractors and provide a copy of such Certificates to Utility upon request.

- 18.4 Limits.** The minimum limits of liability for policies required by this Article shall be provided to Licensee by Utility. The limits of liability may be increased or decreased as required by Utility in the event of any factors or occurrences, including substantial increases in the level of jury verdicts or judgments or the passage of state, federal, or other governmental compensation plans, or laws that would materially increase or decrease Licensee's exposure to risk.
- 18.5 Prohibited Exclusions.** No policies of insurance required to be obtained by Licensee or its contractors or subcontractors shall contain provisions that: (1) exclude coverage of liability assumed by this Agreement with Utility except as to infringement of patents or copyrights or for libel and slander in program material, (2) exclude coverage of liability arising from excavating, collapse, or underground work, (3) exclude coverage for injuries to Utility's employees or agents, or (4) exclude coverage of liability for injuries or damages caused by Licensee's contractors or the contractors' employees, or agents. This list of prohibited provisions shall not be interpreted as exclusive.
- 18.6 Deductible/Self-insurance Retention Amounts.** Licensee shall be fully responsible for any deductible or self-insured retention amounts contained in its insurance program or for any deficiencies in the amounts of insurance maintained.

Article 19—Authorization Not Exclusive

Utility shall have the right to grant, renew, and extend rights and privileges to others not party to this Agreement by contract or otherwise, to use Utility Facilities covered by this Agreement. Such rights shall not interfere with the rights granted to Licensee by the specific Permits issued pursuant to this Agreement.

Article 20—Assignment

- 20.1 Limitations on Assignment.** Licensee shall not assign its rights or obligations under this Agreement, nor any part of such rights or obligations, without the prior written consent of Utility, which consent shall not be unreasonably withheld.
- 20.2 Obligations of Assignee/Transferee and Licensee.** No assignment or transfer under this Article 20 shall be allowed until the assignee or transferee becomes a signatory to this Agreement and assumes all obligations of Licensee arising under this Agreement. Licensee shall furnish Utility with prior written notice of the transfer or assignment, together with the name and address of the transferee or assignee. Notwithstanding any assignment or transfer, Licensee shall remain fully liable under this Agreement and shall not be released from performing any of the

terms, covenants, or conditions of this Agreement without the express written consent to the release of Licensee by Utility.

- 20.3 Sub-licensing.** Without Utility's prior written consent, Licensee shall not sub-license or lease to any third party, including but not limited to, allowing third parties to place Attachments on Utility's Facilities, including Overlapping, or to place Attachments for the benefit of such third parties on Utility's Poles. Any such action shall constitute a material breach of this Agreement. The use of Licensee's Communications Facilities by third parties (including but not limited to leases of dark fiber) that involves no additional Attachment or Overlapping is not subject to this Paragraph 20.3.

Article 21—Failure to Enforce

Failure of Utility or Licensee to take action to enforce compliance with any of the terms or conditions of this Agreement or to give notice or declare this Agreement or any authorization granted hereunder terminated shall not constitute a waiver or relinquishment of any term or condition of this Agreement, but the same shall be and remain at all times in full force and effect until terminated, in accordance with this Agreement.

Article 22— Issue Resolution Process

- 22.1 Dispute Resolution.** Except for an action seeking a temporary restraining order or an injunction or to compel compliance with this dispute resolution procedure, the parties can invoke the dispute resolution procedures in this Article at any time to resolve a controversy, claim, or breach arising under this Agreement. Each party will bear its own costs for dispute resolution activity.
- 22.2 Initial Meeting.** At either party's written request, each party will designate knowledgeable, responsible, senior representatives to meet and negotiate in good faith to resolve a dispute. The representatives will have discretion to decide the format, frequency, duration, and conclusion of these discussions. The parties will conduct any meeting in-person or via conference call, as reasonably appropriate.
- 22.3 Executive Meeting.** If ninety (90) days after the first in-person meeting of the senior representatives, the parties have not resolved the dispute to their mutual satisfaction, each party will designate executive representatives at the director level or above to meet and negotiate in good faith to resolve the dispute. To facilitate the negotiations, the parties may agree in writing to use mediation.
- 22.4 Unresolved Dispute.** If after sixty (60) days from the first executive-level, in-person meeting, the parties have not resolved the dispute to their mutual satisfaction; either party may invoke any legal means available to resolve the dispute, including enforcement of the default and termination procedures set out in Article 24.

- 22.5 **Confidential Settlement.** Unless the parties otherwise agree in writing, communication between the parties under this Article will be treated as confidential information developed for settlement purposes, exempt from discovery and inadmissible in litigation.
- 22.6 **Business as Usual.** During any dispute resolution procedure or lawsuit, the Utilities will continue providing services to each other and performing their obligations under this Agreement.

Article 23—Termination of Agreement

- 23 Utility shall have the right, pursuant to the procedures set out in this Article 23, to terminate this entire Agreement, or any Permit issued under it, whenever Licensee is in default of any material term or condition of this Agreement, including, but not limited to, the following circumstances:
- 23.1.1 Construction, operation, or maintenance of Licensee's Communications Facilities in violation of law, or in aid of any unlawful act or undertaking; or
 - 23.1.2 Construction, operation, or maintenance of Licensee's Communications Facilities after any authorization required of Licensee has lawfully been denied or revoked by any governmental authority or any private holder of easements or other rights, or violation of any other agreement with Utility; or
 - 23.1.3 Construction, operation, or maintenance of Licensee's Communications Facilities without the insurance coverage required under Article 18.
- 23.2 Utility will notify Licensee in writing of any defaults by Licensee under this Agreement. Licensee shall take immediate corrective action to eliminate any such defaults within fifteen (15) calendar days, or such longer period as the parties may agree, and shall confirm in writing to Utility that the cited condition or conditions have ceased or been corrected, or are in the process of being corrected.
- 23.3 If Licensee contests the existence of the default, it may invoke the dispute resolution procedures of Article 22.
- 23.4 If the parties are unable to resolve the dispute and Licensee fails to discontinue or correct a default in a timely manner or fails to give the required confirmation, Utility may immediately terminate this Agreement or any Permit(s) granted under it. In the event of termination of this Agreement or any of Licensee's rights, privileges, or authorizations, Utility may seek removal of Licensee's Communications Facilities pursuant to the terms of Article 11, from any or all of

Utility's Poles. In such instance, Licensee shall remain liable to Utility for all fees and charges accrued pursuant to the terms of this Agreement.

Article 24—Term of Agreement

- 24.1 This Agreement shall become effective upon its execution and, if not terminated in accordance with other provisions of this Agreement, shall continue in effect for a term of five (5) years and, unless terminated by either party, agreement may be renewed for one (1) additional five (5) year term by mutual assent of the parties. Either party may terminate this Agreement at the end of the initial term by giving written notice of intent to terminate the Agreement at the end of the term. Such a notice must be given least ninety (90) calendar days prior to the end of the then-current term.
- 24.2 Even after the termination of this Agreement, Licensee's indemnity obligations shall continue with respect to any claims or demands related to Licensee's Communications Facilities, as provided for in Article 16.

Article 25—Amending Agreement

This Agreement shall not be amended, changed, or altered except in writing and with approval by authorized representatives of both parties.

Article 26—Notices

- 26.1 Wherever in this Agreement notice is required to be given by either party to the other, such notice shall be in writing and shall be effective when personally delivered to, or when mailed by certified mail with return receipt requested, with postage prepaid, and except where specifically provided for elsewhere, properly addressed as follows:

If to Utility, at: ATTN: City Clerk

723 S Lewis St., Stillwater, OK 74074

If to Licensee, at: _____

or to such other address as either party, from time to time, may give the other party in writing.

- 26.2 The above notwithstanding the parties may agree to utilize electronic communications such as email for notifications related to the Permits application and approval process and necessary transfer or pole modifications.
- 26.3 Licensee shall maintain a staffed 24-hour emergency telephone number, not available to the general public, where Utility can contact Licensee to report damage to Licensee's facilities or other situations requiring immediate communications

between the parties. Such contact person shall be qualified and able to respond to Utility's concerns and requests.

Article 27—Entire Agreement

This Agreement and its appendices constitute the entire agreement between the parties concerning attachments of Licensee's Communications Facilities on Utility's Poles within the geographical service area covered by this Agreement. Unless otherwise expressly stated in this Agreement, all previous agreements, whether written or oral, between Utility and Licensee are superseded and of no further effect.

Article 28 -- Severability

If any provision or portion thereof of this Agreement is or becomes invalid under any applicable statute or rule of law, and such invalidity does not materially alter the essence of this Agreement to either party, such provision shall not render unenforceable this entire Agreement. Rather, the parties intend that the remaining provisions shall be administered as if the Agreement did not include the invalid provision.

Article 29 —Governing Law

All matters relating to this Agreement shall be governed by the laws (without reference to choice of law) of the State of Oklahoma.

Article 30—Incorporation of Recitals and Appendices

The recitals stated above and all appendices to this Agreement are incorporated into and constitute part of this Agreement.

Article 31—Performance Bond

On execution of this Agreement, Licensee shall provide to Utility a performance bond or letter of credit in an amount of (\$1000 per Small Wireless Facility). The bond shall be with an entity and in a form acceptable to Utility. The purpose of the bond is to ensure Licensee's performance of all of its obligations under this Agreement and for the payment by Licensee of any claims, liens, taxes, liquidated damages, penalties, and fees due to Utility that arise by reason of the construction, operation, maintenance, or removal of Licensee's Communications Facilities on or about Utility's Poles.

Article 32—Force Majeure

32.1 If either Utility or Licensee is prevented or delayed from fulfilling any term or provision of this Agreement by reason of fire, flood, earthquake, or like acts of nature, wars, revolution, civil commotion, explosion, acts of terrorism, embargo, acts of the government in its sovereign capacity, material changes of laws or regulations, labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts, unavailability of equipment of vendor, or any other such cause not attributable to the negligence or fault of the party delayed in performing the acts required by the Agreement, then performance of such acts shall be excused for the period of the unavoidable delay, and the affected party

shall endeavor to remove or overcome such inability as soon as reasonably possible.


- 32.2 Utility shall not impose any charges on Licensee stemming solely from Licensee's inability to perform required acts during a period of unavoidable delay as described in Paragraph 32.1, provided that Licensee present Utility with a written description of such force majeure within a reasonable time after occurrence of the event or cause relied on, and further provided that this provision shall not operate to excuse Licensee from the timely payment of any fees or charges due Utility under this Agreement.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement in duplicate on the day and year first written above.

(UTILITY)

(LICENSEE)

BY: _____

BY: 

Title: _____

Title: CBDO

UTILITY

STATE OF OKLAHOMA

: ss

County of Payne

I, the undersigned, a Notary Public in and for the State of Oklahoma, hereby certify that on the ____ day of _____, 2____, personally appeared before me [NAME] _____, [TITLE] _____ to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Notary Public in and for the
State of Oklahoma, residing at
_____, Oklahoma

LICENSEE

STATE OF [INSERT STATE] Colorado


: ss

County of Denver

I, the undersigned, a Notary Public in and for the State of Colorado, hereby certify that on the 26th day of March, 2024, personally appeared before me [NAME] Mike Harris, [TITLE] CBDO to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.





Notary Public in and for the
State of Colorado, residing at

Part Two – Appendices and Drawings

APPENDIX A— Fees and Charges

Pole Attachment Fees and Charges

Effective Date / /

1. Annual Pole Attachment Rate(s):

Occupancy Rate: \$20.00 per small wireless facility/per year

Collocation (Attachment) Rate: \$20.00 per pole/per year

2. Non-Recurring Fees:

One-time License Agreement Fee \$350.00

Permit Application Fee \$200.00 per Permit Application
(1-5 Attachments)

Permit Application Fee \$100.00 per Permit Application
(6 -25 Attachments)

Make Ready Work Charges See Article 3 of Agreement

Miscellaneous Charges See Article 3 of Agreement [or
Attach Fee Schedule for Work
Performed for the Licensee]

Inspection Fees..... See Article 3 of Agreement

3. Unauthorized Attachment Penalty Fee:

5 x annual collocation (attachment) rate, per occurrence.

4. Failure To Timely Transfer, Abandon, or Remove Facilities Penalty:

1/5 annual attachment fee per day, per pole, first 30 days; after the initial
30 days the penalty shall be equal to the annual collocation (attachment)
rate per day, per pole.

NOTE: The Utility may increase the fees and rates it adopts under this appendix by ten percent (10%) every five (5) years rounded to the nearest dollar.

APPENDIX B—Pole Attachment

Permit Application Process

The following procedure is to be followed by each Licensee seeking to make new Attachments on Utility's Poles, or overlash to existing pole tenant facilities on Utility's Poles. Note that no entity may make any Attachments to Utility's Poles or overlash to existing pole tenant facilities on Utility's Poles without having first entered into a binding Pole Attachment Licensing Agreement with Utility. Third parties seeking to overlash to an existing pole tenant facility must also have a written overlash agreement with the pole tenant to be overlash. The overlash agreement must be provided to the Utility at the time of application.

1. Licensee shall submit a written request to perform a Pre-Construction Inspection. The request must include a preliminary route description. Licensee shall have a professional engineer or utility-approved employee or contractor, participate in a Pre-Construction Inspection, which will include a review of the proposed Attachment(s) to determine the feasibility of the request and identify any potential Make-Ready Work. Appendix F to this Agreement contains the minimum design review information that an applicant must provide and a worksheet for determining the minimum specifications that the proposed Attachment must meet.
2. Following the Pre-Construction Inspection, Licensee shall submit a completed Permit Application (Appendix C) that includes: route map, information required in Appendix F, installation plans, recommendations on Make-Ready Work, and a pole-loading analysis stamped by a professional engineer. Licensee shall prepare the Permit Application in adherence with the Applicable Standards (Section 1.2 of Agreement) and specifications (Appendix D).
3. At the Licensee's expense, the Utility will review the recommendations from the inspection and the pole-loading analysis, and discuss any issues with the Licensee.
4. Upon receipt of written authorization, Utility will proceed with Make-Ready Work according to the specific agreed-upon installation plans and the terms of the Agreement, including payment for the Make-Ready Work charges as set out by Utility and agreed to by the Licensee.
5. Upon completion of the Make-Ready Work, the Utility will *sign* and return the Application for Permit authorizing the Licensee to make its Attachment(s) in accordance with agreed-upon installation plans.

6. Unless waived in writing by the Utility, the Licensee's professional engineer, utility-approved employee, or contractor shall submit written certification that he/she has completed the Post-Construction Inspection and that the installation was done in accordance with the provisions of the Permit. The Post-Construction Inspection shall be submitted within ninety (90) calendar days after installation is complete. The Utility will verify the inspection by means that it deems to be reasonable.

APPENDIX C - Application for Permit

Application Date: 3 / 26 / 24

To: Stillwater Utilities Authority
Attn: Electric Engineering
411 E 3rd Ave
Stillwater, OK 74074

Desire to: Attach to Utility Pole(s)

Remove Attachment from Utility Pole(s)

Overlash to existing facility attached to Utility Pole(s)

Permit No. _____

Occupancy Permit No. _____

Number of Poles this permit 63 Sheet 1 of 1

Licensee Name: Bluepeak

Address:

Contact Person: Matt Lanza Phone 331 431 8226

Title: Sr. PM of Aerial D&E

Utility Contact Person: Vernon Hall Phone 405 742 8367

Title: Power Distrobution Engineering Specialist

Narrative Description of proposed activity: Aerial Strand attachment for Fiber Optics

Application for Permit

In accordance with the terms and conditions of the Pole Attachment Licensing Agreement dated _____, application is hereby made for a Permit to attach to and/or vacate Pole(s) in the locations detailed on the attached Route Map(s). Also, attached is documentation as required by Appendix F of the Agreement. If applicable, the engineer's name, this State's registration number, and phone number are:

Name: _____ Phone: _____

Registration #: _____

Permission is hereby granted to Licensee to attach and/or vacate poles listed on the attached Field Data Summary Sheets, subject to payment of the necessary Make-Ready Work charges as set out by Utility and agreed to by the Licensee.

SUBMITTED:

APPROVED:

Licensee Bluepeak Utility _____

By Matt Lanza By _____

Title Sr. PM of Aerial D&E Title _____

Date 3/25/24 Date _____

Inspection required

APPENDIX D - Specifications for Licensee's Attachments to Utility Poles

Licensee, when making Attachments to Utility Poles, will adhere to the following engineering and construction practices.

A. All Attachments shall be made in accordance with the Applicable Standards, as defined in Paragraph 1.2 of this Agreement.

B. Clearances

1. **Attachment and Cable Clearances:** Licensee's Attachments on Utility Poles, including metal attachment clamps and bolts, metal cross-arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the National Electrical Safety Code ("NESC") and in drawings and specifications Utility may from time to time furnish Licensee. (See Drawings A-01 to A-99.)

Note: Attachments shall only be placed within the communication space as defined in the NESC.

2. **Service Drop Clearance:** From the pole to the home/building the parallel minimum separation between Utility's service drops and communications service drops shall be twelve (12) inches, per NESC 235C1b (exception 3). (see drawing A-5)
3. All other drop clearances at the midspan must conform to NESC table 235-6.

Sag and Mid-Span Clearances: Licensee will be particularly careful to leave proper sag in its lines and cables and shall observe the established sag of power line conductors and other cables so that minimum clearances are: (a) achieved at poles located on both ends of the span; and (b) retained throughout the span. At mid-span, a minimum of twelve (12) inches of separation must be maintained between all telecommunication cables that meet NESC rule 230E1 (includes common phone, CATV, and fiber optic cables lashed to an effectively grounded messenger strand, or self-supporting cables).

NESC table 235-6 requires:

- 12" from neutral (by exception #16)
- 30" from supply lines carrying 0 to 8.7 kV (secondary)
- 30" plus 0.4" per kV in excess of 8.7 (primary)

4. **Vertical Risers:** All Risers, including those providing 120/240 volt power for Licensee's equipment enclosure, shall be placed on the quarter faces of the Pole and must be installed in conduit with weatherhead (if possible), attached to the Pole with stand-off brackets. A two (2) inch clearance in any direction from cable, bolts, clamps, metal supports, and other equipment shall be maintained. (*See* Drawings A-02 and A-04.)
5. **Climbing Space:** A clear Climbing Space must be maintained at all times on the face of the Pole. All Attachments must be placed so as to allow and maintain a clear and proper Climbing Space on the face of the Utility Pole. Licensee's cable/wire Attachments shall be placed on the same side of the Pole as those of other Attaching Entities. In general, all other Attachments and Risers should be placed on Pole quarter faces. (*See* Drawing A-09.)
6. **Pedestals and Enclosures:** Every effort should be made to install Pedestals, vaults and/or Enclosures at a minimum of ten (10) feet from Poles or other Utility Facilities, or the distance specified by the utility, whichever is greater.

C. Down Guys and Anchors

1. Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on the Utility's Poles by Licensee's Attachments. Anchors must be guyed adequately.
2. Anchors and guy wires must be installed on each Utility Pole where an angle or a dead-end occurs. Licensee shall make guy attachments to Poles at or below its cable Attachment. No proposed anchor can be within four (4) feet of an existing anchor without written consent of Utility.
3. Licensee may not attach guy wires to the anchors of Utility or third-party user without the anchor owner's specific prior written consent.
4. No Attachment may be installed on a Utility Pole until all required guys and anchors are installed. No Attachment may be modified, added to, or relocated in such a way as will materially increase the stress or loading on Utility Poles until all required guys and anchors are installed.
5. Licensee's down guys, if needed, shall be bonded, to the vertical ground wires of Utility's Pole, in accordance to NESC rule 92C. If there is no vertical ground present at the pole, the connections to the system neutral are to be made by the utility as an item of Make-Ready Work. Utility will determine if guys should be grounded or insulated.

D. Certification of Licensee's Design

1. Licensee's Attachment Permit application must be signed and sealed by a professional engineer, registered in the [State], certifying that Licensee's aerial cable design fully complies with the NESC and Utility's Construction Standards and any other applicable federal, state or local codes and/or requirements.
2. This certification shall include the confirmation that the design is in accordance with pole strength requirements of the NESC, taking into account the effects of Utility's Facilities and other Attaching Entities' facilities that exist on the Poles without regard to the condition of the existing facilities.

E. Miscellaneous Requirements

1. **Cable Bonding:** Licensee's messenger cable shall be bonded according to NESC rule 92C1 as a minimum, or at every pole with a vertical ground, as determined by the utility. If no ground exists on a pole to be bonded, Licensee shall install a Pole ground in accordance with the attached detail drawing. (See Drawings A-03 to A-04.)
2. **Customer Premises:** Licensee's service drop into customer premises shall be protected as required by the most current edition of the NEC.
3. **Communication Cables:** All Communications cables/wires not owned by Utility shall be attached within the Communications space that is located 40 inches below the lowest Utility conductors. (See Drawings A-01 through A-11.)
4. **Riser Installations:** All Licensee's Riser installations shall be in utility-approved conduit materials and placed on stand-off brackets. Ground wires may be attached directly to Pole. (See Drawings A-02 to A-04.)
5. **Tagging:** All Licensee's cables shall be identified with a band-type communications cable tag or other identification acceptable to Utility at each Attachment within twelve (12) inches of the Pole. The communications tag shall be consistent with communication industry standards and shall include at least the following: Licensee name, emergency contact number, and cable type. At the discretion of Utility, Tags shall be color-coded to permit identification of Attaching Entity by observation from the ground.

F. Utility Construction Drawings and Specifications

1. Refer to the attached Utility Construction Drawings, and obtain additional construction specifications from Utility in accordance with its requirements.

2. Apply the Utility's construction drawings and specifications in accordance with the NESC, NEC, and any other federal, state, or local code requirements.

APPENDIX E - Distribution Line Minimum Design Review Information and Suggested Worksheet

The following guidelines are provided, and corresponding information must be submitted with each Permit application for Pole Attachments on Utility's system. Utility may direct that certain Attachments do not require the submittal of Design Review Information. These Attachments are noted at the end of this section.

Each Permit application must include a report from a professional engineer registered to practice in the State of Oklahoma, and experienced in electric utility system design, or a utility-approved employee or contractor of Licensee. This report must clearly identify the proposed construction and must verify that the Attachments proposed will maintain Utility's compliance with NESC Class B construction for the loading district as outlined in the NESC Section 25.

Utility may or may not require that all of the following information be submitted at the time of the Permit application. The applicant shall have performed all required calculations and be ready to provide the detailed information below within fifteen (15) calendar days of notice. Applicant shall keep copies of the engineering data available for a period of twenty (20) years.

In determining compliance, the following minimum conditions shall be used in the calculations for pole strength:

1. All single-phase lines shall be assumed to have been reconductored to 477 ACSR 26/7, code name Hawk conductor for both phase and neutral. If a larger conductor size exists, the larger size shall be used in the calculations.
2. All three-phase lines shall be assumed to have been to 477 ACSR 26/7, code name Hawk conductor for three (3) phases and neutral. If existing conductors are larger than 4/0 AWG ACSR, the larger size shall be used in the calculations.
3. All pole lines shall assume a secondary/service conductor, installed from pole to pole, of #4/0 AWG triplex cable, with an ACSR messenger.
4. For pole strength calculations, all poles shall be as they actually exist, or be considered Class 4 for calculations.
5. All line angles or dead ends shall be guyed and anchored. Transverse pole strength shall not be assigned to attaching pole users for line angles, *i.e.*, pole should be viewed as being void of other cables, conductors, wires, or guys and considering only the applicant's wires/cables for guying calculations.
6. Points of attachment shall be as they actually exist on the poles.

7. For a Utility-approved joint use of anchors, the Licensee shall utilize guy insulators in its guys.
8. Lessee shall comply with any NESC and/or Utility safety factors, whichever are more conservative, in their designs. The engineer for the Permit applicant shall provide for each application the following confirmations:

Required permits that have been obtained (insert n/a if not applicable):

- _____ (y/n) U.S. Corp of Engineers.
- _____ (y/n) Highway —state, county, city.
- _____ (y/n) Railroad.
- _____ (y/n) Local zoning boards, town boards, etc.
- _____ (y/n) Joint-use permits, if required.
- _____ (y/n) Notified other pole users of contacts or crossings.

Confirm that you have:

- _____ (y/n) Obtained appropriate franchise(s).
- _____ (y/n) Obtained pole/anchor easements from landowners.
- _____ (y/n) Obtained crossing and overhang permits.
- _____ (y/n) Obtained permit to survey R/W.
- _____ (y/n) Completed State of Oklahoma Department of Transportation requirements.
- _____ (y/n) Placed permit number on plans.
- _____ (y/n) Complied with Underground Facility Location requirements.
- _____ (y/n) Included sag/tension data on proposed cable.

Calculations are based upon the latest edition of the NESC and the latest editions of the requirements of the State of Oklahoma.

It is Licensee's responsibility to obtain all necessary permits and provide the Utility with a copy of each.

The engineer for the Permit applicant shall provide for each Pole(s) the following information:

Project ID _____

Pole number _____ [if pole tag missing, contact Utility]

Pole class _____ [existing -i.e., 4, 3, 2...]

Pole size _____ [existing—i.e., 35, 40...]

Pole type _____ [Southern Yellow Pine, Douglas Fir...]

Pole fore span _____ [feet]

Pole fore span direction _____ [degrees from Magnetic North]

Pole back span _____ [feet]

Pole back span direction _____ [degrees from Magnetic North]

Calculated bending

moment at ground level _____ [ft-lbs]

Existing:

Power phase condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power neutral condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power sec condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power service #1 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #2 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #3 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Telco #1 cables _____ qty of _____ dia @ _____ ft above ground line

Telco service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

Telco service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV #2 cables _____ qty of _____ dia @ _____ ft above ground line

CATV service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

User #3 cables _____ qty of _____ dia @ _____ ft above ground line

User #4 cables _____ qty of _____ dia @ _____ ft above ground line

User #5 cables _____ qty of _____ dia @ _____ ft above ground line

User #6 cables _____ qty of _____ dia @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Proposed:

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____ ° _____ ' _____ ", _____ ° _____ ' _____ "

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____, _____, _____

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #2 type _____ qty of _____ size @ _____ ft above ground line

AGL = Above Ground Level

The minimum vertical clearance under all loading conditions measured from the proposed cable to ground level on each conductor span shall be stated above. Variations in topography resulting in ground elevation changes shall be considered when stating the minimum vertical clearance within a given span.

Calculated pole bending moment at ground level: _____ [ft-lbs]

Pole breaking bending moment at ground level: _____ [ft-lbs]

Calculated transverse safety factor: _____ [ratio should be greater than 1.00]

Proposed loading data [provide similar data for each cable proposed]:

A. Weight data (cable and messenger)

1. Vertical weight, bare = _____ [# /ft]

B. Tension data (final tensions on messenger)—

1. NESC maximum load for area of construction: _____ [lbs]

2. 60° F, NO wind: _____ [lbs]

Permit applicant's engineer shall provide for each transverse guy, or dead end to which guys and/or anchors are attached, the following information:

Pole number _____

Calculated cable messenger tension under

NESC maximum loading conditions _____ [lbs]

If connection is:

A dead end, is it a single or double? _____ [S, D]

A change in tension, what is change? _____ [lbs]

A line angle, what is angle change? _____ [degrees]

What is tension change at angle? _____ [lbs]

For each dead end:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each change in tension:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each line angle:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each anchor:

Anchor distance to nearest anchor _____ [feet]

Calculated anchor tension _____ [lbs]


Rated anchor strength _____ [lbs]

Soil composition _____ [sandy, loam, clay, rock]


APPENDIX F - Field Data Summary Sheet Instructions

<u>Column</u>	<u>Instructions</u>
Utility Pole Number	If a Pole stencil is not in place, it may be left for Utility if the accompanying sketch is adequate to determine the Location.
Communication Company's	This must correspond with the plan sheet or
Plan Sheet Pole Number	Pole Sketch Pole identification number.
Pole Height and Class.....	List the present Pole height and class and list the proposed Pole height and class if it is necessary for Utility to replace the Pole for clearance, etc.
Guy Attachments.....	All unbalanced loading on Poles must be guyed. Attachments to Utility's anchors will not be allowed.
Attachment Height.....	Communications Company attachment height above ground level. List guy lead in feet.
Inches Below Utility	The number of inches Communications Company is to be attached below Utility while maintaining clearance as required in Item #4.
Span Length	List the back span length for each attachment.
Inches Sag.....	List the messenger sag for the design listed on the cover sheet at 60 degrees Fahrenheit.
Ground Clearance.....	List the ground clearance at the low point of the back span. Must not be less than the National Electrical Safety Code (latest edition).

Drawing A-01— Overhead Minimum Clearances




Drawing A-02 — Overhead Minimum Clearances



Drawing A-03 — Grounding Connections

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and lugs, metal cross arm supports, bolls and other equipments, must be attached so as to maintain the minimum separations specified in the NEBC and in these drawings and specifications.



NOTE 1:



1. Licensee shall bond to utility pole ground wherever utility has a down ground on the pole. If the ground is under the metal U-guard, contact utility to make the ground connection.
2. If no pole ground exists install a pole down ground on the pole. Protect the pole ground with a ground wire wrapping. Top of ground rod shall be at least 12" below grade.
3. Bond wire shall be #6 bare copper or larger. If bond wire is unsupported more than 12" long, staple to pole.
4. When communications are underground, the power is overhead and it is required that the communications ground be interconnected to the power supply ground. The connection shall be made below grade.
5. In no case shall licensee ground be connected to guys/anchors.
6. If a neutral isolation device is installed on this pole the attachor must contact SEU for special grounding instructions.
7. Licensee's messenger cable shall be bonded to SEU's pole ground wire at each pole that has a ground wire.

	GROUNDING CONNECTIONS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-03

Drawing A-04 — Guy Wire Requirements

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the NESC and in these drawings and specifications.



CONTACT SEU TO DETERMINE IF
GUYS ARE TO BE INSULATED OR
GROUNDED.

NOTE 1:


- Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on utility's poles Licensee's attachments.
- Anchor and guy wires must be set on each utility pole where there is a turn or angle and on all dead-end utility poles.
- Licensee may not place guy wires on the anchors of SEU or third party user without prior written consent of all attaching entities and anchor owners.
- No attachment may be installed on a utility pole until all required guys and anchors are installed. Nor may any attachment be modified or relocated in such a way as will materially increase the stress or loading on utility poles until all required guys and anchors are installed.
- Licensee's down guys shall not be banded to ground or neutral wires or SEU's pole and shall not provide a current path to ground from the pole ground or power system neutral. If permitted or required by SEU, grounded guys should be installed.
- On jointly used structures, guys that pass within 12" of supply conductors, and also pass within 12" of communication cables, shall be protected with a suitable insulating covering where the guy passes the supply conductors, unless the guy is effectively grounded or insulated with a strain insulator at a point below the lowest supply conductor and above the highest communication cable.

	GUY WIRE REQUIREMENTS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-04

Drawing A-05 — Power Service

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal stress arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.




NOTE 1:


1. This installation shall comply with all applicable electrical codes and state, city, village, town, and SEU requirements.
2. Service entrance conductors shall extend 30" beyond weatherhead and have 600 volt rated insulation.
3. Communication power supply cable.
4. Communication power supply.
5. 6" maximum between service entrance conduit and communications cable, if possible.
6. Grounding shall be in accordance with National Electric Code Article 250. Top of rod to be 6" below grade.
7. Location of all licensee equipment is to be approved by SEU and shall be relocated by licensee if incorrect.
8. Proof of compliance shall be appropriately certified, install disconnect and overcurrent protection with meter.
9. All wires on poles will be placed in rigid steel or aluminum metallic conduit on the quarter face of the pole.
10. This service detail applies to all commercial users requiring power for pole mounted devices.

	POWER SERVICE		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-05

Drawing A-06 — Minimum Clearance at Pole/Midspan from Neutral




Drawing A-07 — Minimum Clearance at Pole/Midspan from Secondary




	MINIMUM CLEARANCE AT POLE MIDSPAN FROM SECONDARY		
	AUGUST 2018	POLE ATTACHMENTS	A-07
Department of Electric Utility			

Drawing A-08 — Minimum Clearance at Pole/Midspan from Primary




Drawing A-09 — Midspan Service Drop Clearance from Electric Service




Drawing A-10 — DAS Streetlight Arm Attachment

NOTES:
Drawing depicts one of many possible situations please contact SEU if
you have questions.



	DAS STREETLIGHT ARM ATTACHMENT		
	AUGUST 2019 Department of Electric Utility	POLE ATTACHMENTS	A-10


Drawing A-11 — DAS Bracket Arm Attachment



Drawing A-12 — Climbing Space Requirements

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.



NOTE 1:

1. For new cable installations locate cable on the same side of the pole as SEU's lowest conductor.
2. Standoff brackets to mount cable to pole are not allowed without approval of SEU.
3. Climbing and work space through the communication space shall extend from 40" below the lowest communication cable to the top of the pole.
4. On transformer poles the communication service drops shall be located so that they originate from the messenger on the side of the pole opposite the transformer.
5. Minimum clearance for climbing and working space shall be followed as per NEC Section 236.

	CLIMBING SPACE REQUIREMENTS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-12

POLE ATTACHMENT BOND

Bond No.: 800150420

KNOW ALL MEN BY THESE PRESENTS,

THAT Clarity Telecom, LLC dba Bluepeak, as Principal, and Atlantic Specialty Insurance Company, having its executive office in 605 Highway 169 North, Suite 800 Plymouth, MN 55441, as Surety, are held and firmly bound unto Stillwater Utilities Authority 411 E 3rd Avenue, Stillwater, OK 74074, hereinafter referred to as Obligee, in the penal sum of Twenty Four Thousand Four Hundred Forty Four Dollars and 00/100 DOLLARS (\$ 24,444.00) for the payment of which, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents, the liability of the Surety being limited to said penal sum regardless of the number of years this bond remains in force or is renewed, of the number of premiums that shall be payable or paid, the number of Subscribers to the system and/or legal fees which may be required and incurred.

WHEREAS, Principal has entered into a written agreement with the Obligee for the use of its poles in connection with the furnishing of telecommunications services, which agreement sets forth the terms and conditions which govern the use of such poles, which agreement is hereby specifically referred to and made part hereof, with like force and effect as if herein at length set forth.

NOW THEREFORE, the condition of this obligation is such, that if the above bound Principal shall perform in accordance with the aforesaid agreement, then this obligation shall be void, otherwise to remain in full force and effect unless cancelled or terminated as set forth below.

This bond may be terminated or cancelled by Surety by giving thirty (30) days prior notice in writing from Surety to Principal and said Obligee, such notice to be given by certified mail. Such termination or cancellation shall not affect any liability incurred or accrued under this Bond prior to the effective date of such termination or cancellation.

AND PROVIDED FURTHER that no action, suit or proceeding shall be had or maintained against the Surety on this instrument unless the same be brought or instituted and process served upon the Surety within twelve months after cancellation of this bond as set forth in the preceding paragraph.

IN WITNESS WHEREOF, the said Principal and Surety have signed and sealed this instrument this 27th day of March, 2024.


WITNESS:

[Signature]
NAME

Location:
BP Stillwater Z1 DA34 AER (63 Poles),
OCCROW24-0005_POLATT24-0003 (63 Attachments)

Clarity Telecom, LLC dba Bluepeak
PRINCIPAL
BY: [Signature]
CFO
TITLE

Atlantic Specialty Insurance Company
SURETY
BY: [Signature]
Michelle Deligne, Attorney-in-Fact





Power of Attorney

Surety Bond No: 800150420

Principal: Clarity Telecom, LLC dba Bluepeak
Obligee: Stillwater Utilities Authority

KNOW ALL MEN BY THESE PRESENTS, that ATLANTIC SPECIALTY INSURANCE COMPANY, a New York corporation with its principal office in Plymouth, Minnesota, does hereby constitute and appoint: Michelle Deligne, each individually if there be more than one named, its true and lawful Attorney-in-Fact, to make, execute, seal and deliver, for and on its behalf as surety, any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof; provided that no bond or undertaking executed under this authority shall exceed in amount the sum of: **sixty million dollars (\$60,000,000)** and the execution of such bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof in pursuance of these presents, shall be as binding upon said Company as if they had been fully signed by an authorized officer of the Company and sealed with the Company seal. This Power of Attorney is made and executed by authority of the following resolutions adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the President, any Senior Vice President or Vice-President (each an "Authorized Officer") may execute for and in behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and affix the seal of the Company thereto; and that the Authorized Officer may appoint and authorize an Attorney-in-Fact to execute on behalf of the Company any and all such instruments and to affix the Company seal thereto; and that the Authorized Officer may at any time remove any such Attorney-in-Fact and revoke all power and authority given to any such Attorney-in-Fact.

Resolved: That the Attorney-in-Fact may be given full power and authority to execute for and in the name and on behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed and sealed by an Authorized Officer and, further, the Attorney-in-Fact is hereby authorized to verify any affidavit required to be attached to bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof.

This power of attorney is signed and sealed by facsimile under the authority of the following Resolution adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the signature of an Authorized Officer, the signature of the Secretary or the Assistant Secretary, and the Company seal may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing an Attorney-in-Fact for purposes only of executing and sealing any bond, undertaking, recognizance or other written obligation in the nature thereof, and any such signature and seal where so used, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

IN WITNESS WHEREOF, ATLANTIC SPECIALTY INSURANCE COMPANY has caused these presents to be signed by an Authorized Officer and the seal of the Company to be affixed this fifth day of March, 2020.


STATE OF MINNESOTA
HENNEPIN COUNTY



By

Paul J. Brehm, Senior Vice President

On this fifth day of March, 2020, before me personally came Paul J. Brehm, Senior Vice President of ATLANTIC SPECIALTY INSURANCE COMPANY, to me personally known to be the individual and officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, that he is the said officer of the Company aforesaid, and that the seal affixed to the preceding instrument is the seal of said Company and that the said seal and the signature as such officer was duly affixed and subscribed to the said instrument by the authority and at the direction of the Company.



Notary Public

I, the undersigned, Assistant Secretary of ATLANTIC SPECIALTY INSURANCE COMPANY, a New York Corporation, do hereby certify that the foregoing power of attorney is in full force and has not been revoked, and the resolutions set forth above are now in force.

Signed and sealed. Dated 27th day of March, 2024.



Christopher V. Jerry, Secretary

Stillwater Utilities Authority Pole Attachment Licensing Agreement

Original issue: 07/16/18

Table of Contents

Part One – Pole Attachment Licensing Agreement

Recitals

Article 1 – Definitions

Article 2 – Scope of Agreement

Article 3 – Fees and Charges

Article 4 – Specifications

Article 5 – Private and Regulatory Compliance

Article 6 – Permit Application Procedures

Article 7 – Make-Ready Work/Installation

Article 8 – Transfers

Article 9 – Pole Modifications and/or Replacements

Article 10 – Abandonment or Removal of Utility Facilities

Article 11 – Removal of Licensee’s Facilities

Article 12 – Termination of Permit

Article 13 – Inspection of Licensee’s Facilities

Article 14 – Unauthorized Occupancy or Access

Article 15 – Reporting Requirements

Article 16 – Liability and Indemnification

Article 17 – Duties, Responsibilities, and Exculpation

Article 18 – Insurance

Article 19 – Authorization Not Exclusive

Article 20 – Assignment

Article 21 – Failure to Enforce

Article 22 – Issue Resolution Process

Article 23 – Termination of Agreement

Article 24 – Term of Agreement

Article 25 – Amending Agreement

Article 26 – Notices

Article 27 – Entire Agreement

Article 28 – Severability

Article 29 – Governing Law

Article 30 – Incorporation of Recitals and Appendices

Article 31 – Performance Bond

Article 32 – *Force Majeure*

Part Two – Appendices and Drawings

APPENDIX A – Fees and Charges

APPENDIX B – Pole Attachment Permit Application Process

APPENDIX C – Application for Permit

APPENDIX D – Specifications for Licensee's Attachments to Utility Poles

APPENDIX E – Distribution Line Minimum Design Review Information and Suggested Worksheet

APPENDIX F – Field Data Summary Sheet Instructions

DRAWING A-01 – Overhead Minimum Clearances

DRAWING A-02 – Overhead Minimum Clearances

DRAWING A-03 – Grounding Connections

DRAWING A-04 – Guy Wire Requirements

DRAWING A-05 – Power Service

DRAWING A-06 – Minimum Clearance at Pole / Midspan from Neutral

DRAWING A-07 – Minimum Clearance at Pole / Midspan from Secondary

DRAWING A-08 – Minimum Clearance at Pole / Midspan from Primary

DRAWING A-09 – Midspan Service Drop Clearance from Electric Service

DRAWING A-10 – DAS Streetlight Arm Attachment

DRAWING A-11 – DAS Bracket Arm Attachment

DRAWING A-12 – Climbing Space Requirements

Part One – Pole Attachment Licensing Agreement

This Pole Attachment Licensing Agreement (the “Agreement”) dated _____
March 26, 20 24 is made by and between the Stillwater Utilities Authority
 (“Utility”), located in the State of Oklahoma, and

Clarity LLC, d.b.a Bluepeak (“Licensee”).

Recitals

- A. Licensee proposes to install and maintain Communications Facilities and associated equipment, Licensee’s Attachments, on Utility’s Poles to provide Communications Services; and
- B. Utility is willing, when it may lawfully do so, to issue one or more Permits authorizing the placement or installation of Licensee’s Attachments on Utility’s Poles, provided that Utility may refuse, on a nondiscriminatory basis, to issue a Permit where there is insufficient Capacity or for reasons relating to safety, reliability, generally applicable engineering purposes, and/or any other Applicable Standard; and

[NOTE: The following Recitals may be used where Licensee and Utility have an existing pole attachment agreement.]

- C. On _____, _____, Utility and Licensee entered into a **[Insert name of agreement]** (e.g., the “_____ Agreement”); [and]
- D. By registered letter dated _____, 20____, Utility gave notice to Licensee that Utility/ Licenser was terminating the _____ Agreement effective _____, 2____; [and]
- E. The parties intend that this Agreement replace the _____ Agreement on its termination; [and]
- F. Therefore, in consideration of the mutual covenants, terms and conditions set out below the parties agree as follows:

AGREEMENT

Article 1—Definitions

For the purposes of this Agreement, the following terms, phrases, words, and their derivations, shall have the meaning given below, unless more specifically defined within a specific Article or Paragraph of this Agreement. When not inconsistent with the context, words used in the present tense include the future and past tense, and words in the singular number include the plural number. The words “shall” and “will” are mandatory

and “may” is permissive. Words not defined shall be given their common and ordinary meaning.

- 1.1 **Affiliate**: when used in relation to Licensee, means another entity that owns or controls, is owned or controlled by, or is under common ownership or control with Licensee.
- 1.2 **Applicable Standards**: means all applicable engineering and safety standards governing the installation, maintenance, and operation of facilities and the performance of all work in or around electric Utility Facilities and includes the most current versions of National Electric Safety Code (“NESC”), the National Electrical Code (“NEC”), and the regulations of the Occupational Safety and Health Administration (“OSHA”), each of which is incorporated by reference in this Agreement, and the safety, engineering and construction requirements and standards of Utility.
- 1.3 **Attaching Entity**: means any public or private entity, including Licensee that, pursuant to a license agreement with Utility, places an Attachment on Utility’s Pole to provide Communications Service.
- 1.4 **Attachment(s)**: means Licensee’s Communications Facilities that are placed directly on Utility’s Poles within the Communication Space, or Overlashed onto an existing Attachment, but does not include either a Riser or a service drop attached to a single Pole where Licensee has an existing Attachment on such Pole.
- 1.5 **Capacity**: means the ability of a Pole to accommodate an additional Attachment based on Applicable Standards, including space and loading considerations.
- 1.6 **Climbing Space**: means that portion of a Pole’s surface and surrounding space that is free from encumbrances to enable Utility employees and contractors to safely climb, access, and work on Utility Facilities and equipment.
- 1.7 **Communications Facilities**: means wireline or wireless facilities, including but not limited to, fiber optic, copper, and/or coaxial cables, wireless antennas, receivers or transceivers utilized to provide Communications Service. This term excludes power supplies, demarcation boxes, power transfer switches, grounding equipment, metering facilities and other associated equipment.
- 1.8 **Communications Service**: means the transmission or receipt of voice, video, data, broadband Internet, or other forms of digital or analog signals over Communications Facilities.
- 1.9 **Communication Space**: means the communication space as defined in the latest version of the National Electrical Safety Code.

- 1.10 **Licensee:** means the party listed as Licensee in the first paragraph of this agreement.
- 1.11 **Make-Ready Work:** means all work that Utility reasonably determines to be required to accommodate Licensee's Communications Facilities and/or to comply with all Applicable Standards. Such work includes, but is not limited to, rearrangement and/or transfer of Utility Facilities or existing Attachments, inspections, engineering work, permitting work, tree trimming (other than tree trimming performed for normal maintenance purposes), pole replacement and construction but does not include Licensee's routine maintenance.
- 1.12 **Occupancy:** means the use or reservation of space for Attachments on a Utility Pole.
- 1.13 **Overlash:** means to place an additional wire or cable Communications Facility onto an existing attached Communications Facility.
- 1.14 **Pedestals/Vaults/Enclosures:** means above- or below-ground housings that are not attached to Utility Poles but are used to enclose a cable/wire splice, power supplies, amplifiers, passive devices, and/or to provide a service connection point
- 1.15 **Permit:** means written or electronic authorization (see Appendix C) by Utility for Licensee to make or maintain Attachments to specific Utility Poles pursuant to the requirements of this Agreement. Licensee's attachments made prior to the Effective Date and authorized by Utility ("Existing Attachments") shall be deemed Permitted Attachments hereunder.
- 1.16 **Pole:** means a pole owned or controlled by Utility excluding transmission poles that is capable of supporting Attachments for Communications Facilities.
- 1.17 **Post-Construction Inspection:** means the inspection by Utility or Licensee or some combination of both to verify that the Attachments have been made in accordance with Applicable Standards and the Permit.
- 1.18 **Pre-Construction Survey:** means all work or operations required by Applicable Standards and/or Utility to determine the Make-Ready Work necessary to accommodate Licensee's Communications Facilities on a Pole. Such work includes, but is not limited to, field inspection and administrative processing.
- 1.19 **Reserved Capacity:** means capacity or space on a Pole that Utility has identified and reserved for its own future utility requirements at the time of the Permit grant, including the installation of communications circuits for operation of Utility's electric system.

- 1.20 **Riser:** means metallic or plastic encasement materials placed vertically on the Pole to guide and protect wires and cables.
- 1.21 **Tag:** means to place distinct markers on wires and cables, coded by color or other means specified by Utility and/or applicable federal, State or local regulations, that will readily identify the type of Attachment (*e.g.*, cable TV, telephone, high-speed broadband data, public safety) and its owner.
- 1.22 **Utility Facilities:** means all personal property and real property owned or controlled by Utility, including Poles and related facilities.

Article 2—Scope of Agreement

- 2.1 **Grant of License.** Subject to the provisions of this Agreement, Utility grants Licensee a revocable, nonexclusive license authorizing Licensee to install and maintain Attachments to Utility's Poles.
- 2.2 **Parties Bound by Agreement.** Licensee and Utility agree to be bound by all provisions of this Agreement.
- 2.3 **Permit Issuance Conditions.** Utility will issue one or more Permit(s) to Licensee only when Utility determines, in its sole judgment, exercised reasonably, that (i) it has sufficient Capacity to accommodate the requested Attachment(s), (ii) Licensee meets all requirements set forth in this Agreement, and (iii) such Permit(s) comply with all Applicable Standards.
- 2.4 **Reserved Capacity.** Access to space on Utility Poles will be made available to Licensee with the understanding that certain Poles may be subject to Reserve Capacity for future electric service use. At the time of Permit issuance, Utility shall notify Licensee if capacity on particular poles is being reserved for reasonably foreseeable future electric use. For Attachments made with notice of such a Reservation of Capacity, on giving Licensee at least sixty (60) calendar days prior notice, Utility may reclaim such Reserved Capacity at any time following the installation of Licensee's Attachment if required for Utility's future utility service. If reclaimed for Utility's use, Utility may at such time also install associated facilities, including the attachment of communications lines for internal Utility operational or governmental communications requirements. Utility shall give Licensee the option to remove its Attachment(s) from the affected Pole(s) or to pay for the cost of any Make-Ready Work needed to expand Capacity for core utility service requirements, so that Licensee can maintain its Attachment on the affected Pole(s). The allocation of the cost of any such Make-Ready Work (including the transfer, rearrangement, or relocation of third-party Attachments) shall be determined in accordance with Article 9. Licensee shall not be required to bear any of the costs or rearranging or replacing its Attachment(s), if such

rearrangement or replacement is required as a result of an additional attachment or the modification of an existing attachment sought by any other entity.

- 2.5 **No Interest in Property.** No use, however lengthy, of any Utility Facilities, and no payment of any fees or charges required under this Agreement, shall create or vest in Licensee any easement or other ownership or property right of any nature in any portion of such Facilities. Neither this Agreement, nor any Permit granted under this Agreement, shall constitute an assignment of any of Utility's rights to Utility Facilities. Notwithstanding anything in this Agreement to the contrary, Licensee shall, at all times, be and remain a Licensee only.
- 2.6 **Licensee's Right to Attach.** Nothing in this Agreement, other than a Permit issued pursuant to Article 6, shall be construed as granting Licensee any right to attach Licensee's Communications Facilities to any specific Pole.
- 2.7 **Utility's Rights over Poles.** The parties agree that this Agreement does not in any way limit Utility's right to locate, operate, maintain, or remove its Poles in the manner that will best enable it to fulfill its service requirements or to comply with any federal, state, or local legal requirement.
- 2.8 **Expansion of Capacity.** Utility will take reasonable steps to expand Pole Capacity when necessary to accommodate Licensee's request for Attachment. Notwithstanding the foregoing sentence, nothing in this Agreement shall be construed to require Utility to install, retain, extend, or maintain any Pole for use when such Pole is not needed for Utility's own service requirements.
- 2.9 **Other Agreements.** Except as expressly provided in this Agreement, nothing in this Agreement shall limit, restrict, or prohibit Utility from fulfilling any agreement or arrangement regarding its Poles into which Utility has previously entered, or may enter in the future, with others not party to this Agreement.
- 2.10 **Permitted Uses.** This Agreement is limited to the uses specifically stated in the recitals set forth above and no other use shall be allowed without Utility's express written consent to such use. Nothing in this Agreement shall be construed to require Utility to allow Licensee to use Utility's Poles after the termination of this Agreement.
- 2.11 **Overlashing.** The following provisions apply to Overlashing:
- 2.11.1 Licensee shall obtain a Permit for each Overlashing, in accordance with the requirements of Article 6. Absent such authorization, Overlashing constitutes an unauthorized Attachment and is subject to removal or, at

Utility's discretion, imposition of an Unauthorized Attachment fee, as specified in Appendix A, Item 3.

2.11.2 Authorized Overlashing to accommodate Attachments of Licensee or its Affiliate(s) shall not increase the Annual Attachment Fee paid by Licensee pursuant to Appendix A, Item 1. Licensee or Licensee's Affiliate shall, however, be responsible for all Make-Ready Work and other charges associated with the Overlashing. Licensee shall not have to pay a separate Annual Attachment Fee for such Overlashed Attachment.

2.11.3 At Licensee's request, Utility may allow Overlashing to accommodate facilities of a third party, not affiliated with Licensee. In such circumstances, the third party must enter into a License Agreement with Utility, obtain Permit(s), and pay a separate Attachment Fee (Appendix A, Item 1) as well as the costs of all necessary Make-Ready Work required to accommodate the Overlashing. Utility shall not grant such Permit(s) to third parties allowing Overlashing of Licensee's Communications Facilities without Licensee's consent. Authorized Overlashing shall not increase the fees and charges paid by Licensee pursuant to Appendix A, Item 1. Nothing in this Agreement shall prevent Licensee from seeking a contribution from an Overlashing third party to defray fees and charges paid by Licensee.

2.11.4 Make-Ready Work procedures set forth in Article 7 shall apply, as necessary, to all Overlashing.

2.11.5 Overlashing shall only be permitted if the existing attachment is located in the communication space.

2.12 **Enclosures.** Licensee shall not place Pedestals, Vaults, and/or other Enclosures on or within ten (10) feet of any Pole or other Utility Facilities without Utility's prior written permission. If permission is granted, all such installations shall be per the Specifications and Drawings in Appendix D of this Agreement and charges as provided in Appendix A. Such permission shall not be unreasonably withheld. Further, Licensee agrees to move any such above-ground enclosures in order to provide sufficient space for Utility to set a replacement Pole.

Article 3—Fees and Charges

3.1 **Payment of Fees and Charges.** Licensee shall pay to Utility the fees and charges specified in Appendix A and shall comply with the terms and conditions specified in this Agreement.

- 3.2 **Payment Period.** Unless otherwise expressly provided, Licensee shall pay any invoice its receives from Utility pursuant to this Agreement within thirty (30) calendar days after Utility issues the invoice.
- 3.3 **Billing of Attachment Fee.** Utility shall invoice Licensee for the per-pole Attachment Fee annually, in arrears. Utility will submit to Licensee an invoice for the annual rental period not later than June 30th of each year. The initial annual rental period shall commence upon the execution of this Agreement and conclude on June 30th of the next year, and each subsequent annual rental period shall commence on the following July 1st and conclude on June 30th of the subsequent year. The invoice shall set forth the total number of Utility's Poles on which Licensee was issued and/or holds Permit(s) for Attachments during such annual rental period, including any previously authorized and valid Permits.
- 3.4 **Refunds.** No fees and charges specified in Appendix A shall be refunded on account of any surrender of a Permit granted under this Agreement. Nor shall any refund be owed if a Pole is not used or abandoned by Utility.
- 3.5 **Late Charge.** If Utility does not receive payment for any fee or other amount owed within thirty (30) calendar days after it becomes due, Licensee shall pay interest to Utility at the rate of ten (10%) per month, or the maximum interest allowed by law, whichever is greater, on the amount due.
- 3.6 **Payment for Work.** Licensee will be responsible for payment to Utility for all work that Utility or Utility's contractors perform pursuant to this Agreement to accommodate Licensee's Communications Facilities.
- 3.7 **Advance Payment.** At its sole discretion, Utility may require that Licensee pay in advance all reasonable costs, including, but not limited to administrative, construction, inspections, and Make-Ready Work expenses, in connection with the initial installation or rearrangement of Licensee's Communications Facilities pursuant to the procedures set forth in Articles 6 and 7 below.
- 3.8 **True-Up.** Whenever Utility, in its discretion, requires advance payment of estimated expenses prior to undertaking an activity on behalf of Licensee and the actual cost of the activity exceeds the advance payment of estimated expenses, Licensee agrees to pay Utility for the difference in cost, provided that Utility documents such costs with sufficient detail to enable Licensee to verify the charges. To the extent that Utility's actual cost of the activity is less than the estimated cost, Utility shall refund to Licensee the difference in cost.
- 3.9 **Determination of Charges.** Wherever this Agreement requires Licensee to pay for work done or contracted by Utility, the charge for such work shall include all

reasonable material, labor, engineering, administrative, and applicable overhead costs. Utility shall bill its services based upon actual costs, and such costs will be determined in accordance with Utility's cost accounting systems used for recording capital and expense activities. All such invoices shall include an itemization of dates of work, location of work, labor and equipment costs per hour, persons employed, and costs of materials used. If Licensee was required to perform work and fails to perform such work, necessitating completion of the work by Utility, Utility may either charge an additional ten percent (10%) of its costs or assess the penalty specified in Appendix A.

- 3.10 **Work Performed by Utility.** Whenever this Agreement requires Utility to perform any work, Utility, at its sole discretion, may utilize its employees or contractors, or any combination of the two, to perform such work.
- 3.11 **Default for Nonpayment.** Nonpayment of any amount due under this Agreement beyond sixty (60) days shall constitute a material default of this Agreement.

Article 4—Specifications

- 4.1 **Installation/Maintenance of Communications Facilities.** After a Permit is issued pursuant to this Agreement, Licensee's Communications Facilities shall be installed and maintained in accordance with the requirements and specifications of Appendix D. All of Licensee's Communications Facilities must comply with all Applicable Standards. Licensee shall be responsible for the installation and maintenance of its Communications Facilities. Licensee shall, at its own expense, make and maintain its Attachment(s) in safe condition and good repair, in accordance with all Applicable Standards. Notwithstanding anything in this Agreement to the contrary, Licensee shall not be required to update or upgrade its Attachments if they met Applicable Standards at the time the attachments were made, unless such updates or upgrades are required by any revised Applicable Standards.
- 4.2 **Tagging.** Licensee shall Tag all of its Communications Facilities as specified in Appendix D and/or applicable federal, State, and local regulations upon installation of such Facilities. Within one year of the execution of this Agreement, Licensee shall also tag any untagged Communications Facilities that were on Utility Poles on the effective date of this Agreement. Failure to provide proper tagging will be considered a violation of the Applicable Standards.
- 4.3 **Interference.** Licensee shall not allow its Communications Facilities to impair the ability of Utility or any third party to use Utility's Poles, nor shall Licensee allow its Communications Facilities to interfere with the operation of any Utility

Facilities, third-party facilities or City of Stillwater facilities including cables, conductors, traffic controls networks and/or systems, communication networks and/or systems, radio communication network and/or systems, emergency management networks and/or systems and all related facilities.

- 4.4 **Protective Equipment.** Licensee and its employees and contractors shall utilize and install adequate protective equipment to ensure the safety of people and facilities. Licensee shall, at its own expense, install protective devices designed to handle the electric voltage and current carried by Utility's facilities in the event of a contact with such facilities. Except as provided in Paragraph 16.1, Utility shall not be liable for any actual or consequential damages to Licensee's Communications Facilities, Licensee's customers' facilities, or to any of Licensee's employees, contractors, customers, or other persons.
- 4.5 **Utility Right to Correct.** If Licensee's Communications Facilities, or any part of them, are installed, used, or maintained in violation of this Agreement, and Licensee has not corrected the violation(s) within thirty (30) calendar days from receipt of written notice of the violation(s) from Utility, Utility at its option, may correct such conditions. Utility will attempt to notify Licensee in writing prior to performing such work whenever practicable. When Utility believes, however, that such violation(s) pose an immediate threat to the safety of any person, interfere with the performance of Utility's service obligations, or present an immediate threat to the physical integrity of Utility Facilities, Utility may perform such work and/or take such action as it deems necessary without first giving written notice to Licensee. As soon as practicable afterward, Utility will advise Licensee of the work performed or the action taken. Licensee shall be responsible for all actual and reasonable costs incurred by Utility in taking action pursuant to this Paragraph, and Licensee shall indemnify Utility against any liability, costs, and expenses, including reasonable attorney's and expert fees, arising out of or relating to any such work.
- 4.6 **Restoration of Utility Service.** Utility's service restoration requirements shall take precedence over any and all work operations of Licensee on Utility's Poles.
- 4.7 **Effect of Failure to Exercise Access Rights.** If Licensee does not exercise any access right granted pursuant to this Agreement and/or applicable Permit(s) within ninety (90) calendar days of the effective date of such right and any extension to such Permit(s), Utility may, but shall have no obligation to, use the space scheduled for Licensee's Attachment(s) for its own needs or make the space available to other Attaching Entities. In such instances, Utility shall endeavor to make other space available to Licensee, upon written application under Article 6, as soon as reasonably possible and subject to all requirements of this Agreement, including the Make-Ready Work provisions. If Utility uses the space for its own

needs or makes them available to other parties, then from the date that Utility or a third party begins to use such space. For purposes of this paragraph, Licensee's access rights shall not be deemed effective until any necessary Make-Ready Work has been performed.

- 4.8 Removal of Nonfunctional Attachments.** At its sole expense, Licensee shall remove any of its Attachments or any part thereof that becomes nonfunctional and no longer fit for service ("Nonfunctional Attachment") as provided in this Paragraph 4.8. A Nonfunctional Attachment that Licensee has failed to remove as required in this paragraph shall constitute an unauthorized Attachment and is subject to the Unauthorized Attachment fee specified in Appendix A, Item 3. Except as otherwise provided in this Agreement, Licensee shall remove Nonfunctional Attachments within one (1) year of the Attachment becoming nonfunctional, unless Licensee receives written notice from Utility that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s), in which case Licensee shall remove the Nonfunctional Attachment within sixty (60) days of receiving the notice. Where Licensee has received a Permit to Overlash a Nonfunctional Attachment, such Nonfunctional Attachment may remain in place until Utility notifies Licensee that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s). Licensee shall give Utility notice of any Nonfunctional Attachments as provided in Article 15.

Article 5—Private and Regulatory Compliance

- 5.1 Necessary Authorizations.** Before Licensee occupies any of Utility's Poles, Licensee shall obtain from the appropriate public or private authority, or from any property owner or other appropriate person, any required authorization to construct, operate, or maintain its Communications Facilities on public or private property. Utility retains the right to require evidence that appropriate authorization has been obtained before any Permit is issued to Licensee. Licensee's obligations under this Article 5 include, but are not limited to, its obligation to obtain and pay for all necessary approvals to occupy public/private rights-of-way and easements and all necessary licenses and authorizations to provide the services that it provides over its Communications Facilities. Licensee shall defend, indemnify, and reimburse Utility for all losses, costs, and expenses, including reasonable attorney's fees that Utility may incur as a result of claims by governmental bodies, owners of private property, or other persons, that Licensee does not have sufficient rights or authority to attach Licensee's Communications Facilities on Utility's Poles or to provide particular services.

- 5.2 **Lawful Purpose and Use.** Licensee's Communications Facilities must at all times serve a lawful purpose, and the use of such Facilities must comply with all applicable federal, State and local laws.
- 5.3 **Forfeiture of Utility's Rights.** No Permit granted under this Agreement shall extend, or be deemed to extend, to any of Utility's Poles to the extent that Licensee's Attachment would result in a forfeiture of Utility's rights. Any Permit that would result in forfeiture of Utility's rights shall be deemed invalid as of the date that Utility granted it. Further, if any of Licensee's existing Communications Facilities, whether installed pursuant to a valid Permit or not, would cause such forfeiture, Licensee shall promptly remove its Facilities upon receipt of written notice from Utility. If Licensee does not remove its Communications Facilities in question within thirty (30) days of receiving written notice from Utility, Utility may at its option perform such removal at Licensee's expense. Notwithstanding the forgoing, Licensee shall have the right to contest any such forfeiture before any of its rights are terminated, provided that Licensee shall indemnify Utility for liability, costs, and expenses, including reasonable attorney's fees, that may accrue during Licensee's challenge.
- 5.4 **Effect of Consent to Construction/Maintenance.** Consent by Utility to the construction or maintenance of any Attachments by Licensee shall not be deemed consent, authorization, or acknowledgment that Licensee has obtained all required Authorizations with respect to such Attachment.

Article 6—Permit Application Procedures

- 6.1 **Permit Required.** Licensee shall not make any Attachments to any of Utility's Poles without first applying for and obtaining a Permit pursuant to the applicable requirements of Appendix B. If updates or upgrades are required by Applicable Standards, Licensee shall not be required to obtain Permits for Attachment(s) existing as of the effective date of this Agreement. Such grandfathered Attachments shall, however, be subject to the Attachment Fees specified in Appendix A and the tagging provisions in Paragraph 4.2. Licensee shall provide Utility a list of all such pre-existing Attachments within six (6) months of the effective date of this Agreement.
- 6.2 **Permits for Overlapping.** As set out in Paragraph 2.11, Permits are required for any Overlapping allowed under this Agreement and Licensee, Licensee's Affiliate or other third party, as applicable, shall pay any necessary Make-Ready Work costs to accommodate such Overlapping.
- 6.3 **Professional Certification.** Unless otherwise waived in writing by Utility, as part of the Permit application process and at Licensee's sole expense, a qualified and experienced professional engineer, or an employee or contractor of Licensee who

has been approved by Utility, must participate in the Pre-Construction Survey, conduct the Post-Construction Inspection, and certify that Licensee's Communications Facilities can be and were installed on the identified Poles in compliance with the standards in Paragraph 4.1 and in accordance with the Permit. The professional engineer's qualifications must include experience performing such work, or substantially similar work, on electric distribution systems. The Utility may require the Licensee's professional engineer to conduct a post-construction inspection that the Utility will verify by means that it deems to be reasonable.

Utility, at its discretion, may waive the requirements of this Paragraph 6.3, with respect to service drops.

- 6.4 Utility Review of Permit Application.** Upon receipt of a properly executed Application for Permit (Appendix C), which shall include the Pre-Construction Survey, certified per Paragraph 6.3 above, and detailed plans for the proposed Attachments in the form specified in Appendix D, Utility will review the Permit Application and discuss any issues with Licensee, including engineering or Make-Ready Work requirements associated with the Permit Application. Utility acceptance of the submitted design documents does not relieve Licensee of full responsibility for any errors and/or omissions in the engineering analysis. Unless otherwise agreed, the Permit application process shall be consistent with the following timeline:

- 6.4.1 Review Period.** Utility shall review and respond to properly executed and complete Permit Applications for routine installations as promptly as is reasonable with a goal of providing a response during normal circumstances of within seventy-five (75) days of receipt. For Permit Applications seeking Attachments to 50 or more Poles, the Utility may require additional time to review. The Utility's response will either provide a written explanation as to why the Application is being denied, in whole or in part, or provide an estimate of the costs of all necessary Make-Ready Work.
- 6.4.2** Upon receipt of Utility's Make-Ready estimate, Licensee shall have fourteen (14) days to approve the estimate and provide payment in accordance with this Agreement and the specifications of the estimate.
- 6.4.3** Utility will complete routine Make-Ready Work within sixty (60) days of receipt of payment. If there are extenuating circumstances that make the necessary Make-Ready more complicated or time-consuming, including, but not limited to the number of Poles, seasonal weather conditions, the Utility shall identify those factors in the Make-Ready estimate and the parties shall agree upon a reasonable timeframe for completion.

6.4.4 Utility may toll the time period for completion of Make-Ready Work by written notice in order to respond to severe storms, natural disasters, or other emergency situations.

- 6.5 **Permit as Authorization to Attach.** Upon completion of any necessary Make-Ready Work and receipt of payment for such work, Utility will sign and return the Permit Application, which shall serve as authorization for Licensee to make its Attachment(s).

Article 7—Make-Ready Work/Installation

- 7.1 **Estimate for Make-Ready Work.** If Utility determines that it can accommodate Licensee's request for Attachment(s), including Overlapping of an existing Attachment, it will, upon request, advise Licensee of any estimated Make-Ready Work charges necessary to accommodate the Attachment.
- 7.2 **Payment of Make-Ready Work.** Upon completion of the Make-Ready Work, Utility shall invoice Licensee for Utility's actual cost of such Make-Ready Work. Alternatively, Utility, at its discretion, may require payment in advance for Make-Ready Work based upon the estimated cost of such work. In such case, upon completion Licensee shall pay Utility's actual cost of Make-Ready Work. The costs of the work shall be itemized in accordance with Paragraph 3.9 and trued up in accordance with Paragraph 3.8.
- 7.3 **Who May Perform Make-Ready Work.** Make-Ready Work shall be performed only by Utility and/or a contractor authorized by Utility to perform such work. If Utility chooses not to or cannot perform the Make-Ready Work to accommodate Licensee's Communications Facilities within sixty (60) calendar days of Licensee's agreement, to Make-Ready Work estimate, Licensee may request the ability to use a qualified contractor to perform such work and shall specify when such work would be performed. In all instances, "qualified contractors," if allowed, must be pre-approved by Utility for such work on an annual basis.
- 7.4 **Scheduling of Make-Ready Work.** In performing all Make-Ready Work to accommodate Licensee's Communications Facilities, Utility will attempt to include such work in its normal work schedule. If Licensee requests that the Make-Ready Work be performed on a priority basis or outside of Utility's normal work hours, Licensee will pay any resulting increased costs. Nothing in this Agreement shall be construed to require Utility to perform Licensee's work before other scheduled work or Utility service restoration.
- 7.5 **Notification of Make-Ready Work.** Before starting Make-Ready Work, Utility shall notify all Attaching Entities of the date and location of the scheduled work

and shall afford all such entities an opportunity to make any modifications to their existing Attachments in connection with the Make-Ready Work.

- 7.6 **Written Approval of Installation Plans Required.** Before making any Attachments to Utility's Poles, including Overlapping of existing Attachments, Licensee must obtain Utility's written detailed plan approval for the Attachments. Such detailed plans shall accompany a Permit application as required under Paragraph 6.4.

7.7 **Licensee's Installation/Removal/Maintenance Work.**

7.7.1 All of Licensee's installation, removal, and maintenance work, by either Licensee's employees or authorized contractors, shall be performed at Licensee's sole cost and expense, in a good and workmanlike manner, and must not adversely affect the structural integrity of Utility's Poles or other Facilities or other Attaching Entity's facilities or equipment. All such work is subject to the insurance requirements of Article 18.

7.7.2 All of Licensee's installation, removal, and maintenance work, either by its employees or authorized contractors, shall comply with all applicable regulations specified in Paragraph 4.1. Licensee shall assure that any person installing, maintaining, or removing its Communications Facilities is fully qualified and familiar with all Applicable Standards, the provisions of Article 17, and the Minimum Design Specifications contained in Appendix D.

Article 8—Transfers

- 8.1 **Required Transfers of Licensee's Communications Facilities.** If Utility reasonably determines that a transfer of Licensee's Communications Facilities is necessary, Utility will, at its option, either require Licensee to perform such transfer at its own expense within thirty (30) calendar days after receiving notice from Utility, or perform the transfer itself, using its personnel, and/or contractors. If Licensee fails to transfer its Facilities within thirty (30) calendar days after receiving such notice from Utility, Utility shall have the right to transfer Licensee's Facilities using its personnel and/or contractors. The costs of such transfers shall be apportioned as specified under Article 9. Utility shall not be liable for damage to Licensee's Facilities except to the extent provided in Paragraph 16.1. The written advance notification requirement of this Paragraph shall not apply in emergency situations. In emergency situations, Utility shall provide such advance notice as is practical, given the urgency of the particular situation. Utility shall then provide written notice of any such actions taken within ten (10) days following the occurrence. Irrespective of who owns Facilities that

are Overlashed on to Licensee's Attachments. Licensee is responsible for the transfer of such Facilities and the costs of doing so.

Article 9—Modifications and/or Replacements

- 9.1 Licensee's Action Requiring Modification/Replacement.** If any Pole to which Licensee desires to make Attachment(s) is unable to support or accommodate the additional facilities in accordance with all Applicable Standards, Utility will notify Licensee of the necessary Make-Ready Work, and associated costs, to provide adequate Pole space, including, but not limited to, replacement of the Pole and/or rearrangement or transfer of Utility's Facilities, as well as the facilities of other Attaching Entities. Licensee shall be responsible for separately entering into an agreement with other Attaching Entities concerning the allocation of costs for the relocation or rearrangement of such entities' existing Attachments. If Licensee elects to go forward with the necessary changes, Licensee shall pay to Utility the actual cost of the Make-Ready Work, performed by Utility, in accordance with Paragraph 3.9. Utility, in its discretion, may require advance payment. Licensee shall also be responsible for obtaining and furnishing to Utility before the commencement of any Make-Ready Work, agreements between Licensee and the other Attaching Entities (including Overlashers) concerning the relocation or rearrangement of their Attachments and the costs involved.
- 9.2 Treatment of Multiple Requests for Same Pole.** If Utility receives Permit Applications for the same Pole from two or more prospective licensees within sixty (60) calendar days of the initial request, and accommodating their respective requests would require modification of the Pole or replacement of the Pole, Utility will allocate among such licensees the applicable costs associated with such modification or replacement.
- 9.3 Guying.** The use of guying to accommodate Licensee's Attachments shall be provided by, and at the expense of, Licensee and to the satisfaction of Utility, as specified in Appendix D. Licensee shall not attach its guy wires to Utility's anchors without prior written permission of Utility. If permission is granted, charges may apply.
- 9.4 Allocation of Costs.** The costs for any rearrangement or transfer of Licensee's Communications Facilities or the replacement of a Pole (including any related costs for tree cutting or trimming required to clear the new location of Utility's cables or wires) shall be allocated to Utility and/or Licensee and/or other Attaching Entity on the following basis:
- 9.4.1** If Utility intends to modify or replace a Pole solely for its own requirements, it shall be responsible for the costs related to the modification/replacement of the Pole. Licensee shall not be responsible

for costs associated with the rearrangement or transfer of Licensee's Communications Facilities, unless and to the extent the rearrangement or transfer is necessary in connection with Utility's reacquisition of Reserved Capacity from Licensee. Prior to making any such modification or replacement, Utility shall provide Licensee written notification of its intent in order to provide Licensee a reasonable opportunity to modify or add to its existing Attachment. Should Licensee decide to do so, it must seek Utility's written permission in accordance with this Agreement. If Licensee elects to add to or modify its Communications Facilities, Licensee shall pay its Pro-Rata of the costs incurred by Utility in making the space on the Poles accessible to Licensee.

- 9.4.2** If the modification or replacement of a Pole is necessitated by the requirements of Licensee, Licensee shall be responsible for all costs caused by the modification or replacement of the Pole as well as the costs associated with the transfer or rearrangement of any other Attaching Entity's Communications Facilities. At the time Licensee submits a Permit Application to Utility, Licensee shall submit evidence, in writing, that it has made arrangements to reimburse all affected Attaching Entities for their costs caused by the transfer or rearrangement of their Facilities. Utility shall not be obligated in any way to enforce or administer Licensee's responsibility for the costs associated with the transfer or rearrangement of another Attaching Entity's Facilities pursuant to this Paragraph 9.4.2.
- 9.4.3** If the modification or the replacement of a Pole is the result of an additional Attachment or the modification of an existing Attachment sought by an Attaching Entity other than Utility or Licensee, the Attaching Entity requesting the additional or modified Attachment shall bear the entire cost of the modification or replacement, as well as the costs for rearranging or transferring Licensee's Communications Facilities. Licensee shall cooperate with such third-party Attaching Entity to determine the costs of moving Licensee's facilities.
- 9.4.4** If the Pole must be modified or replaced for reasons unrelated to the use of the Pole by Attaching Entities (*e.g.*, storm, accident, deterioration), Utility shall pay the costs of such modification or replacement and Licensee shall pay the costs of rearranging or transferring its Communications Facilities.

- 9.5 **Utility Not Required to Relocate.** Nothing in this Agreement shall be construed to require Utility to relocate its Attachments or to modify or replace its Poles for the benefit of Licensee.

Article 10—Abandonment or Removal of Utility Facilities

- 10.1 **Notice of Abandonment or Removal of Utility Facilities.** If Utility desires at any time to abandon, remove, or underground any Utility Facilities to which Licensee's Communications Facilities are attached, it shall give Licensee notice in writing to that effect at least sixty (60) calendar days prior to the date on which it intends to abandon or remove such Utility's Facilities. Notice may be limited to thirty (30) calendar days if Utility is required to remove or abandon its Utility Facilities as the result of the action of a third party and the lengthier notice period is not practical. Such notice shall indicate whether Utility is offering Licensee an option to purchase the Pole(s). If, following the expiration of the thirty (30) day period, Licensee has not yet removed and/or transferred all of its Communications Facilities and has not entered into an agreement to purchase Utility's Facilities pursuant to Paragraph 10.2, Utility shall have the right, but not the obligation, to remove or transfer Licensee's Communications Facilities at Licensee's expense. Utility shall give Licensee prior written notice of any such removal or transfer of Licensee's Facilities.
- 10.2 **Option to Purchase Abandoned Poles.** Should Utility desire to abandon any Pole, Utility may, in its sole discretion, grant Licensee the option of purchasing such Pole at a price to be negotiated with Utility. Licensee must notify Utility in writing within thirty (30) calendar days of the date of Utility's notice of abandonment that Licensee desires to purchase the abandoned Pole. Thereafter, Licensee must also secure and deliver proof of all necessary governmental approvals and easements allowing Licensee to independently own and access the Pole within forty-five (45) calendar days. Should Licensee fail to secure the necessary governmental approvals, or should Utility and Licensee fail to enter into an agreement for Licensee to purchase the Pole within forty-five (45) calendar days, Licensee must remove its Attachments as required under Paragraph 10.1. Nothing in this Agreement shall be construed as requiring Utility to sell Licensee Poles that Utility intends to remove or abandon.
- 10.3 **Underground Relocation.** If Utility moves any portion of its aerial system underground, Licensee shall remove its Communications Facilities from any affected Poles within sixty (60) calendar days of receipt of notice from Utility and must either relocate its affected Facilities underground with Utility or find other means to accommodate its Facilities. If Licensee does not remove its Attachments within sixty (60) days, Utility shall have the right to remove or transfer Licensee's Communications Facilities at Licensee's expense. Licensee's

failure to remove its Facilities as required under this Paragraph 10.3 shall subject Licensee to the penalty provisions of Appendix A.

Article 11—Removal of Licensee’s Facilities

Removal on Expiration/Termination. At the expiration or other termination of this License Agreement or individual Permit(s), Licensee shall remove its Communications Facilities from the affected Poles at its own expense. If Licensee fails to remove such Facilities within sixty (60) calendar days of expiration or termination or some greater period as allowed by Utility, Utility shall have the right, but not the obligation, to remove or transfer such Facilities removed at Licensee’s expense.

Article 12—Termination of Permit

12.1 Automatic Termination of Permit. Any Permit issued pursuant to this Agreement shall automatically terminate when Licensee ceases to have authority to construct and operate its Communications Facilities on public or private property at the location of the particular Pole(s) covered by the Permit. Permits will also expire if the Licensee’s facilities are not installed and operational within six (6) months of the Permit issuance date.

12.2 Surrender of Permit. Licensee may at any time surrender any Permit for Attachment(s) and remove its Communications Facilities from the affected Pole(s), provided, however, that before commencing any such removal, Licensee must obtain Utility’s written approval of Licensee’s plans for removal, including the name of the person or entity performing such work and the date(s) and time(s) during which such work will be completed. All such work is subject to the insurance requirements of Article 18. No refund of any fees or costs will be made upon removal. If Licensee surrenders such Permit pursuant to the provisions of this Article, but fails to remove its Attachments from Utility’s Facilities within thirty (30) calendar days, Utility shall have the right, but not the obligation, to remove or transfer Licensee’s Attachments at Licensee’s expense.

Article 13—Inspection of Licensee’s Facilities

13.1 Inspections. Utility may conduct an inventory and inspection of Attachments at any time. Within thirty (30) calendar days of receiving written notice from Utility, Licensee shall correct all Attachments that Utility identifies as being out of compliance with Applicable Standards. If Utility finds that five percent (5%) or more of Licensee’s Attachments are either in non-compliance or not permitted, Licensee shall pay its *pro-rata* share of the costs of the inspection.

13.2 Notice. Utility will give Licensee reasonable advance written notice of such inspections, except in those instances in which safety considerations justify the need for such inspection without delay.

13.3 No Liability. Inspections performed under this Article 13, or the failure to do so, shall not operate to impose upon Utility any liability of any kind whatsoever or to relieve Licensee of any responsibility, obligations, or liability, whether assumed under this Agreement or otherwise existing.

13.4 Attachment Records. Notwithstanding the above inspection provisions, Licensee shall furnish to Utility annually an up-to-date electronic map depicting the locations of its Attachments, in a format specified by Utility.

Article 14—Unauthorized Occupancy or Access

14.1 Penalty Fee. If any of Licensee's Attachments are found occupying any Pole for which no Permit has been issued, Utility, without prejudice to its other rights or remedies under this Agreement, may assess an Unauthorized Access Penalty Fee, as specified in Appendix A, Item 3. If Licensee fails to pay such Fee within thirty (30) calendar days of receiving notification of it, Utility shall have the right, but not the obligation, to remove such Communications Facilities at Licensee's expense.

14.2 No Ratification of Unauthorized Use. No act or failure to act by Utility with regard to any unauthorized use shall be deemed as ratification of the unauthorized use. Unless the parties agree otherwise, a Permit for a previously unauthorized Attachment shall not operate retroactively or constitute a waiver by Utility of any of its rights or privileges under this Agreement or otherwise, and Licensee shall remain subject to all obligations and liabilities arising out of or relating to its unauthorized use.

Article 15—Reporting Requirements

At the time that Licensee pays its annual Attachment Fee, Licensee shall also provide the following information to Utility:

15.1 The Poles on which Licensee has installed, during the relevant reporting period, Risers and service drops, for which no Permit was required.

15.2 All Attachments that have become nonfunctional during the relevant reporting period. The report shall identify the Pole on which the nonfunctional Attachment is located, describe the nonfunctional equipment, and indicate the approximate date the Attachment became nonfunctional.

15.3 Any equipment Licensee has removed from Poles during the relevant reporting period. The report shall identify the Pole from which the equipment was removed, describe the removed equipment, and indicate the approximate date of removal. This requirement does not apply where Licensee is surrendering a Permit pursuant to Paragraph 12.2.

Article 16—Liability and Indemnification

16.1 Liability. Utility reserves to itself the right to maintain and operate its Poles in the manner that will best enable it to fulfill its service requirements. Licensee agrees to use Utility’s Poles at Licensee’s sole risk.

16.2 Indemnification. Licensee, and any agent, contractor, or subcontractor of Licensee, shall defend, indemnify, and hold harmless Utility and its officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, payments (including payments made by Utility under any Workers’ Compensation Laws or under any plan for employees’ disability and death benefits), and expenses (including reasonable attorney’s fees of Utility and all other costs and expenses of litigation) (“Covered Claims”) arising in any way, including any act, omission, failure, negligence, or willful misconduct, in connection with the construction, maintenance, repair, presence, use, relocation, transfer, removal or operation by Licensee, or by Licensee’s officers, directors, employees, agents, or contractors, of Licensee’s Communications Facilities, except to the extent of Utility’s gross negligence or willful misconduct solely giving rise to such Covered Claims. Such Covered Claims include, but are not limited to, the following:

16.2.1 Intellectual property infringement, libel and slander, trespass, unauthorized use of television or radio broadcast programs and other program material, and infringement of patents;

16.2.2 Cost of work performed by Utility that was necessitated by Licensee’s failure, or the failure of Licensee’s officers, directors, employees, agents or contractors, to install, maintain, use, transfer, or remove Licensee’s Communications Facilities in accordance with the requirements and specifications of this Agreement, or from any other work this Agreement authorizes Utility to perform on Licensee’s behalf;

16.2.3 Damage to property, injury to or death of any person arising out of the performance or nonperformance of any work or obligation undertaken by Licensee, or Licensee’s officers, directors, employees, agents, or contractors, pursuant to this Agreement;

16.2.4 Liabilities incurred as a result of Licensee’s violation, or a violation by Licensee’s officers, directors, employees, agents, or contractors, of any law, rule, or regulation of the United States, any State, or any other governmental entity or administrative agency.

- 16.3 Environmental Hazards.** Licensee represents and warrants that its use of Utility's Poles will not generate any Hazardous Substances, that it will not store or dispose on or about Utility's Poles or transport to Utility's Poles any hazardous substances and that Licensee's Communications Facilities will not constitute or contain and will not generate any hazardous substance in violation of federal, state, or local law now or hereafter in effect, including any amendments. "Hazardous Substance" shall be interpreted broadly to mean any substance or material designated or defined as hazardous or toxic waste, hazardous or toxic material, hazardous or toxic or radioactive substance, dangerous radio frequency radiation, or other similar terms by any federal, state, or local laws, regulations or rules now or hereafter in effect, including any amendments. Licensee further represents and warrants that in the event of breakage, leakage, incineration, or other disaster, its Communications Facilities would not release any Hazardous Substances. Licensee and its agents, contractors, and subcontractors shall defend, indemnify, and hold harmless Utility and its respective officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, punitive damages, or expenses (including reasonable attorney's fees and all other costs and expenses of litigation) arising from or due to the release, threatened release, storage, or discovery of any Hazardous Substances on, under, or adjacent to Utility's Poles attributable to Licensee's use of Utility's Poles.
- Should Utility's Poles be declared to contain Hazardous Substances, Utility, Licensee, and all Attaching Entities shall share proportionately in the cost of disposal of the affected Poles based on each entity's individual percentage use of same. For Attaching Entities, such percentage shall be derived from the sum of space occupied by each Attaching Entity plus its share of the common space, including the NESC safety space. For Utility, such percentage shall be equal to the space above the NESC safety space plus its share of the common Space. If the source or presence of the Hazardous Substance is solely attributable to particular parties, such costs shall be borne solely by those parties.
- 16.4 Municipal Liability Limits.** No provision of this Agreement is intended, or shall be construed, to be a waiver for any purpose by Utility of any applicable State limits on municipal liability or governmental immunity. No indemnification provision contained in this Agreement under which Licensee indemnifies Utility shall be construed in any way to limit any other indemnification provision contained in this Agreement.
- 16.5** If Utility brings a successful action in a court of competent jurisdiction to enforce this Agreement, Licensee shall pay Utility's reasonable attorney's fees.

Article 17—Duties, Responsibilities, and Exculpation

- 17.1 **Duty to Inspect.** Licensee acknowledges and agrees that Utility does not warrant the condition or safety of Utility's Facilities, or the premises surrounding the Facilities, and Licensee further acknowledges and agrees that it has an obligation to inspect Utility's Poles and/or premises surrounding the Poles, prior to commencing any work on Utility's Poles or entering the premises surrounding such Poles.
- 17.2 **Knowledge of Work Conditions.** By executing this Agreement, Licensee warrants that it has acquainted, or will fully acquaint, itself and its employees and/or contractors and agents with the conditions relating to the work that Licensee will undertake under this Agreement and that it fully understands or will acquaint itself with the facilities, difficulties, and restrictions attending the execution of such work.
- 17.3 **DISCLAIMER. UTILITY MAKES NO EXPRESS OR IMPLIED WARRANTIES WITH REGARD TO UTILITY'S POLES, ALL OF WHICH ARE HEREBY DISCLAIMED, AND UTILITY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EXCEPT TO THE EXTENT EXPRESSLY AND UNAMBIGUOUSLY SET FORTH IN THIS AGREEMENT. UTILITY EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**
- 17.4 **Duty of Competent Supervision and Performance.** The parties further understand and agree that, in the performance of work under this Agreement, Licensee and its agents, employees, contractors, and subcontractors will work near electrically energized lines, transformers, or other Utility Facilities. The parties understand and intend that energy generated, stored, or transported by Utility Facilities will not be interrupted during the continuance of this Agreement, except in emergencies endangering life or threatening grave personal injury or property. Licensee shall ensure that its employees, agents, contractors, and subcontractors have the necessary qualifications, skill, knowledge, training, and experience to protect themselves, their fellow employees, agents, contractors, and subcontractors; employees, agents, contractors, and subcontractors of Utility; and the general public, from harm or injury while performing work permitted pursuant to this Agreement. In addition, Licensee shall furnish its employees, agents, contractors, and subcontractors competent supervision and sufficient and adequate tools and equipment for their work to be performed in a safe manner. Licensee agrees that in emergency situations in which it may be necessary to de-energize any part of Utility's equipment, Licensee shall ensure that work is suspended until the equipment has been de-energized and that no such work is conducted unless and until the equipment is made safe.

- 17.5 **Requests to De-energize.** If Utility de-energizes any equipment or line at Licensee's request and for its benefit and convenience in performing a particular segment of any work, Licensee shall reimburse Utility in accordance with Paragraph 3.9, for all costs and expenses that Utility incurs in complying with Licensee's request. Before Utility de-energizes any equipment or line, it shall provide, upon request, an estimate of all costs and expenses to be incurred in accommodating Licensee's request.
- 17.6 **Interruption of Service.** If Licensee causes an interruption of service by damaging or interfering with any equipment of Utility, Licensee shall, at its own expense, immediately do all things reasonable to avoid injury or damages, direct and incidental, resulting therefrom and shall notify Utility immediately.
- 17.7 **Duty to Inform.** Licensee further warrants that it understands the imminent dangers (INCLUDING SERIOUS BODILY INJURY OR DEATH FROM ELECTROCUTION) inherent in the work necessary to make installations on Utility's Poles by Licensee's employees, agents, contractors, or subcontractors, and Licensee accepts the duty and sole responsibility to notify and inform Licensee's employees, agents, contractors, or subcontractors of such dangers, and to keep them informed regarding same.

Article 18—Insurance

- 18.1 **Policies Required.** At all times during the term of this Agreement, Licensee shall keep in force and effect all insurance policies as described below. These insurance requirements shall extend to all agents, contractors, subcontractors or others working on behalf of the Licensee in performing any and all work contemplated under this Agreement:
- 18.1.1 **Workers' Compensation and Employers' Liability Insurance.** Statutory workers' compensation benefits and employers' liability insurance with a limit of liability no less than that required by Oklahoma law at the time of the application of this provision for each accident. This policy shall be endorsed to include a waiver of subrogation in favor of Utility. Licensee shall require subcontractors and others not protected under its insurance to obtain and maintain such insurance.
- 18.1.2 **Commercial General Liability Insurance.** Policy will be written to provide coverage for, but not limited to, the following: premises and operations, products and completed operations, personal injury, blanket contractual coverage, broad form property damage, and independent contractor's coverage.

- 18.1.3 **Automobile Liability Insurance.** Business automobile policy covering all owned, hired and non-owned private passenger autos and commercial vehicles.
- 18.1.4 **Umbrella Liability Insurance.** Coverage is to be in excess of the sum employers' liability, commercial general liability, and automobile liability insurance required above.
- 18.1.5 **Property Insurance.** Each party will be responsible for maintaining property insurance on its own facilities, buildings, and other improvements, including all equipment, fixtures, and utility structures, fencing, or support systems that may be placed on, within, or around Utility Facilities to fully protect against hazards of fire, vandalism and malicious mischief, and such other perils as are covered by policies of insurance commonly referred to and known as "extended coverage" insurance or self-insure such exposures.
- 18.2 **Qualification; Priority; Contractors' Coverage.** The insurer must be authorized to do business under the laws of the State of Oklahoma and have an "A" or better rating in Best's Guide. Such insurance will be primary. All contractors and all of their subcontractors who perform work on behalf of Licensee shall carry, in full force and effect, workers' compensation and employers' liability, comprehensive general liability, and automobile liability insurance coverages of the type that Licensee is required to obtain under this Article 18 with the same limits.
- 18.3 **Certificate of Insurance; Other Requirements.** Prior to the execution of this Agreement and prior to each insurance policy expiration date during the term of this Agreement, Licensee will furnish Utility with a certificate of insurance ("Certificate") and, upon request, certified copies of the required insurance policies. The Certificate shall reference this Agreement and workers' compensation and property insurance waivers of subrogation required by this Agreement. Utility shall be given thirty (30) calendar days advance notice of cancellation or nonrenewal of insurance during the term of this Agreement. Utility, its council members, board members, commissioners, agencies, officers, officials, employees and representatives (collectively, "Additional Insureds") shall be named as Additional Insureds under all of the policies, except workers' compensation, which shall be so stated on the Certificate of Insurance. All policies, other than workers' compensation, shall be written on an occurrence and not on a claims-made basis. All policies may be written with deductibles, not to exceed \$100,000, or such greater amount as expressly allowed in writing by Utility. Licensee shall defend, indemnify and hold harmless Utility and Additional Insureds from and against payment of any deductible and payment of any premium on any policy required under this Article. Licensee shall obtain

Certificates from its agents, contractors, and their subcontractors and provide a copy of such Certificates to Utility upon request.

- 18.4 Limits.** The minimum limits of liability for policies required by this Article shall be provided to Licensee by Utility. The limits of liability may be increased or decreased as required by Utility in the event of any factors or occurrences, including substantial increases in the level of jury verdicts or judgments or the passage of state, federal, or other governmental compensation plans, or laws that would materially increase or decrease Licensee's exposure to risk.
- 18.5 Prohibited Exclusions.** No policies of insurance required to be obtained by Licensee or its contractors or subcontractors shall contain provisions that: (1) exclude coverage of liability assumed by this Agreement with Utility except as to infringement of patents or copyrights or for libel and slander in program material, (2) exclude coverage of liability arising from excavating, collapse, or underground work, (3) exclude coverage for injuries to Utility's employees or agents, or (4) exclude coverage of liability for injuries or damages caused by Licensee's contractors or the contractors' employees, or agents. This list of prohibited provisions shall not be interpreted as exclusive.
- 18.6 Deductible/Self-insurance Retention Amounts.** Licensee shall be fully responsible for any deductible or self-insured retention amounts contained in its insurance program or for any deficiencies in the amounts of insurance maintained.

Article 19—Authorization Not Exclusive

Utility shall have the right to grant, renew, and extend rights and privileges to others not party to this Agreement by contract or otherwise, to use Utility Facilities covered by this Agreement. Such rights shall not interfere with the rights granted to Licensee by the specific Permits issued pursuant to this Agreement.

Article 20—Assignment

- 20.1 Limitations on Assignment.** Licensee shall not assign its rights or obligations under this Agreement, nor any part of such rights or obligations, without the prior written consent of Utility, which consent shall not be unreasonably withheld.
- 20.2 Obligations of Assignee/Transferee and Licensee.** No assignment or transfer under this Article 20 shall be allowed until the assignee or transferee becomes a signatory to this Agreement and assumes all obligations of Licensee arising under this Agreement. Licensee shall furnish Utility with prior written notice of the transfer or assignment, together with the name and address of the transferee or assignee. Notwithstanding any assignment or transfer, Licensee shall remain fully liable under this Agreement and shall not be released from performing any of the

terms, covenants, or conditions of this Agreement without the express written consent to the release of Licensee by Utility.

- 20.3 **Sub-licensing.** Without Utility's prior written consent, Licensee shall not sub-license or lease to any third party, including but not limited to, allowing third parties to place Attachments on Utility's Facilities, including Overlapping, or to place Attachments for the benefit of such third parties on Utility's Poles. Any such action shall constitute a material breach of this Agreement. The use of Licensee's Communications Facilities by third parties (including but not limited to leases of dark fiber) that involves no additional Attachment or Overlapping is not subject to this Paragraph 20.3.

Article 21—Failure to Enforce

Failure of Utility or Licensee to take action to enforce compliance with any of the terms or conditions of this Agreement or to give notice or declare this Agreement or any authorization granted hereunder terminated shall not constitute a waiver or relinquishment of any term or condition of this Agreement, but the same shall be and remain at all times in full force and effect until terminated, in accordance with this Agreement.

Article 22— Issue Resolution Process

- 22.1 **Dispute Resolution.** Except for an action seeking a temporary restraining order or an injunction or to compel compliance with this dispute resolution procedure, the parties can invoke the dispute resolution procedures in this Article at any time to resolve a controversy, claim, or breach arising under this Agreement. Each party will bear its own costs for dispute resolution activity.
- 22.2 **Initial Meeting.** At either party's written request, each party will designate knowledgeable, responsible, senior representatives to meet and negotiate in good faith to resolve a dispute. The representatives will have discretion to decide the format, frequency, duration, and conclusion of these discussions. The parties will conduct any meeting in-person or via conference call, as reasonably appropriate.
- 22.3 **Executive Meeting.** If ninety (90) days after the first in-person meeting of the senior representatives, the parties have not resolved the dispute to their mutual satisfaction, each party will designate executive representatives at the director level or above to meet and negotiate in good faith to resolve the dispute. To facilitate the negotiations, the parties may agree in writing to use mediation.
- 22.4 **Unresolved Dispute.** If after sixty (60) days from the first executive-level, in-person meeting, the parties have not resolved the dispute to their mutual satisfaction; either party may invoke any legal means available to resolve the dispute, including enforcement of the default and termination procedures set out in Article 24.

- 22.5 Confidential Settlement.** Unless the parties otherwise agree in writing, communication between the parties under this Article will be treated as confidential information developed for settlement purposes, exempt from discovery and inadmissible in litigation.
- 22.6 Business as Usual.** During any dispute resolution procedure or lawsuit, the Utilities will continue providing services to each other and performing their obligations under this Agreement.

Article 23—Termination of Agreement

- 23** Utility shall have the right, pursuant to the procedures set out in this Article 23, to terminate this entire Agreement, or any Permit issued under it, whenever Licensee is in default of any material term or condition of this Agreement, including, but not limited to, the following circumstances:
- 23.1.1** Construction, operation, or maintenance of Licensee's Communications Facilities in violation of law, or in aid of any unlawful act or undertaking; or
 - 23.1.2** Construction, operation, or maintenance of Licensee's Communications Facilities after any authorization required of Licensee has lawfully been denied or revoked by any governmental authority or any private holder of easements or other rights, or violation of any other agreement with Utility; or
 - 23.1.3** Construction, operation, or maintenance of Licensee's Communications Facilities without the insurance coverage required under Article 18.
- 23.2** Utility will notify Licensee in writing of any defaults by Licensee under this Agreement. Licensee shall take immediate corrective action to eliminate any such defaults within fifteen (15) calendar days, or such longer period as the parties may agree, and shall confirm in writing to Utility that the cited condition or conditions have ceased or been corrected, or are in the process of being corrected.
- 23.3** If Licensee contests the existence of the default, it may invoke the dispute resolution procedures of Article 22.
- 23.4** If the parties are unable to resolve the dispute and Licensee fails to discontinue or correct a default in a timely manner or fails to give the required confirmation, Utility may immediately terminate this Agreement or any Permit(s) granted under it. In the event of termination of this Agreement or any of Licensee's rights, privileges, or authorizations, Utility may seek removal of Licensee's Communications Facilities pursuant to the terms of Article 11, from any or all of

Utility's Poles. In such instance, Licensee shall remain liable to Utility for all fees and charges accrued pursuant to the terms of this Agreement.

Article 24—Term of Agreement

- 24.1 This Agreement shall become effective upon its execution and, if not terminated in accordance with other provisions of this Agreement, shall continue in effect for a term of five (5) years and, unless terminated by either party, agreement may be renewed for one (1) additional five (5) year term by mutual assent of the parties. Either party may terminate this Agreement at the end of the initial term by giving written notice of intent to terminate the Agreement at the end of the term. Such a notice must be given least ninety (90) calendar days prior to the end of the then-current term.
- 24.2 Even after the termination of this Agreement, Licensee's indemnity obligations shall continue with respect to any claims or demands related to Licensee's Communications Facilities, as provided for in Article 16.

Article 25—Amending Agreement

This Agreement shall not be amended, changed, or altered except in writing and with approval by authorized representatives of both parties.

Article 26—Notices

- 26.1 Wherever in this Agreement notice is required to be given by either party to the other, such notice shall be in writing and shall be effective when personally delivered to, or when mailed by certified mail with return receipt requested, with postage prepaid, and except where specifically provided for elsewhere, properly addressed as follows:

If to Utility, at: ATTN: City Clerk

723 S Lewis St., Stillwater, OK 74074

If to Licensee, at: _____

or to such other address as either party, from time to time, may give the other party in writing.

- 26.2 The above notwithstanding the parties may agree to utilize electronic communications such as email for notifications related to the Permits application and approval process and necessary transfer or pole modifications.
- 26.3 Licensee shall maintain a staffed 24-hour emergency telephone number, not available to the general public, where Utility can contact Licensee to report damage to Licensee's facilities or other situations requiring immediate communications

between the parties. Such contact person shall be qualified and able to respond to Utility's concerns and requests.

Article 27—Entire Agreement

This Agreement and its appendices constitute the entire agreement between the parties concerning attachments of Licensee's Communications Facilities on Utility's Poles within the geographical service area covered by this Agreement. Unless otherwise expressly stated in this Agreement, all previous agreements, whether written or oral, between Utility and Licensee are superseded and of no further effect.

Article 28 -- Severability

If any provision or portion thereof of this Agreement is or becomes invalid under any applicable statute or rule of law, and such invalidity does not materially alter the essence of this Agreement to either party, such provision shall not render unenforceable this entire Agreement. Rather, the parties intend that the remaining provisions shall be administered as if the Agreement did not include the invalid provision.

Article 29 —Governing Law

All matters relating to this Agreement shall be governed by the laws (without reference to choice of law) of the State of Oklahoma.

Article 30—Incorporation of Recitals and Appendices

The recitals stated above and all appendices to this Agreement are incorporated into and constitute part of this Agreement.

Article 31—Performance Bond

On execution of this Agreement, Licensee shall provide to Utility a performance bond or letter of credit in an amount of (\$1000 per Small Wireless Facility). The bond shall be with an entity and in a form acceptable to Utility. The purpose of the bond is to ensure Licensee's performance of all of its obligations under this Agreement and for the payment by Licensee of any claims, liens, taxes, liquidated damages, penalties, and fees due to Utility that arise by reason of the construction, operation, maintenance, or removal of Licensee's Communications Facilities on or about Utility's Poles.

Article 32—Force Majeure

32.1 If either Utility or Licensee is prevented or delayed from fulfilling any term or provision of this Agreement by reason of fire, flood, earthquake, or like acts of nature, wars, revolution, civil commotion, explosion, acts of terrorism, embargo, acts of the government in its sovereign capacity, material changes of laws or regulations, labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts, unavailability of equipment of vendor, or any other such cause not attributable to the negligence or fault of the party delayed in performing the acts required by the Agreement, then performance of such acts shall be excused for the period of the unavoidable delay, and the affected party

shall endeavor to remove or overcome such inability as soon as reasonably possible.

- 32.2 Utility shall not impose any charges on Licensee stemming solely from Licensee's inability to perform required acts during a period of unavoidable delay as described in Paragraph 32.1, provided that Licensee present Utility with a written description of such force majeure within a reasonable time after occurrence of the event or cause relied on, and further provided that this provision shall not operate to excuse Licensee from the timely payment of any fees or charges due Utility under this Agreement.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement in duplicate on the day and year first written above.

(UTILITY)

(LICENSEE)

BY: _____

BY: Michael Hany

Title: _____

Title: CEO

UTILITY

STATE OF OKLAHOMA

: ss

County of Payne

I, the undersigned, a Notary Public in and for the State of Oklahoma, hereby certify that on the ____ day of _____, 2____, personally appeared before me [NAME] _____, [TITLE] _____ to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Notary Public in and for the
State of Oklahoma, residing at
_____, Oklahoma

LICENSEE

STATE OF [INSERT STATE] Colorado


: SS

County of Denver

I, the undersigned, a Notary Public in and for the State of Colorado, hereby certify that on the 26th day of March, 2024, personally appeared before me [NAME] Mike Harry, [TITLE] CBO to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Cynthia J Bishop



Notary Public in and for the
State of Colorado, residing at
_____, _____

Part Two – Appendices and Drawings

APPENDIX A— Fees and Charges

Pole Attachment Fees and Charges

Effective Date / /

1. Annual Pole Attachment Rate(s):

Occupancy Rate: \$20.00 per small wireless facility/per year

Collocation (Attachment) Rate: \$20.00 per pole/per year

2. Non-Recurring Fees:

One-time License Agreement Fee \$350.00

Permit Application Fee \$200.00 per Permit Application
(1-5 Attachments)

Permit Application Fee \$100.00 per Permit Application
(6 -25 Attachments)

Make Ready Work Charges See Article 3 of Agreement

Miscellaneous Charges..... See Article 3 of Agreement [or
Attach Fee Schedule for Work
Performed for the Licensee]

Inspection Fees..... See Article 3 of Agreement

3. Unauthorized Attachment Penalty Fee:

5 x annual collocation (attachment) rate, per occurrence.

4. Failure To Timely Transfer, Abandon, or Remove Facilities Penalty:

1/5 annual attachment fee per day, per pole, first 30 days; after the initial
30 days the penalty shall be equal to the annual collocation (attachment)
rate per day, per pole.

NOTE: The Utility may increase the fees and rates it adopts under this appendix by ten percent (10%) every five (5) years rounded to the nearest dollar.

APPENDIX B—Pole Attachment

Permit Application Process

The following procedure is to be followed by each Licensee seeking to make new Attachments on Utility's Poles, or overlash to existing pole tenant facilities on Utility's Poles. Note that no entity may make any Attachments to Utility's Poles or overlash to existing pole tenant facilities on Utility's Poles without having first entered into a binding Pole Attachment Licensing Agreement with Utility. Third parties seeking to overlash to an existing pole tenant facility must also have a written overlash agreement with the pole tenant to be overlash. The overlash agreement must be provided to the Utility at the time of application.

1. Licensee shall submit a written request to perform a Pre-Construction Inspection. The request must include a preliminary route description. Licensee shall have a professional engineer or utility-approved employee or contractor, participate in a Pre-Construction Inspection, which will include a review of the proposed Attachment(s) to determine the feasibility of the request and identify any potential Make-Ready Work. Appendix F to this Agreement contains the minimum design review information that an applicant must provide and a worksheet for determining the minimum specifications that the proposed Attachment must meet.
2. Following the Pre-Construction Inspection, Licensee shall submit a completed Permit Application (Appendix C) that includes: route map, information required in Appendix F, installation plans, recommendations on Make-Ready Work, and a pole-loading analysis stamped by a professional engineer. Licensee shall prepare the Permit Application in adherence with the Applicable Standards (Section 1.2 of Agreement) and specifications (Appendix D).
3. At the Licensee's expense, the Utility will review the recommendations from the inspection and the pole-loading analysis, and discuss any issues with the Licensee.
4. Upon receipt of written authorization, Utility will proceed with Make-Ready Work according to the specific agreed-upon installation plans and the terms of the Agreement, including payment for the Make-Ready Work charges as set out by Utility and agreed to by the Licensee.
5. Upon completion of the Make-Ready Work, the Utility will *sign* and return the Application for Permit authorizing the Licensee to make its Attachment(s) in accordance with agreed-upon installation plans.

6. Unless waived in writing by the Utility, the Licensee's professional engineer, utility-approved employee, or contractor shall submit written certification that he/she has completed the Post-Construction Inspection and that the installation was done in accordance with the provisions of the Permit. The Post-Construction Inspection shall be submitted within ninety (90) calendar days after installation is complete. The Utility will verify the inspection by means that it deems to be reasonable.

APPENDIX C - Application for Permit

Application Date: 3 / 26 / 24

To: Stillwater Utilities Authority
Attn: Electric Engineering
411 E 3rd Ave
Stillwater, OK 74074

Desire to: Attach to Utility Pole(s)

Remove Attachment from Utility Pole(s)

Overlash to existing facility attached to Utility Pole(s)

Permit No. _____

Occupancy Permit No. _____

Number of Poles this permit 50

Sheet 1 of 7

Licensee Name: Bluepeak

Address:

Contact Person: Matt Lanza Phone 331 431 8226

Title: Sr. PM of Aerial D&E

Utility Contact Person: Vernon Hall Phone 405 742 8367

Title: Power Distrobution Engineering Specialist

Narrative Description of proposed activity: Aerial Strand attachment for Fiber Optics

Application for Permit

In accordance with the terms and conditions of the Pole Attachment Licensing Agreement dated _____, application is hereby made for a Permit to attach to and/or vacate Pole(s) in the locations detailed on the attached Route Map(s). Also, attached is documentation as required by Appendix F of the Agreement. If applicable, the engineer's name, this State's registration number, and phone number are:

Name: _____ Phone: _____

Registration #: _____

Permission is hereby granted to Licensee to attach and/or vacate poles listed on the attached Field Data Summary Sheets, subject to payment of the necessary Make-Ready Work charges as set out by Utility and agreed to by the Licensee.

SUBMITTED:

APPROVED:

Licensee Bluepeak Utility _____

By Matt Lanza By _____

Title Sr. PM of Aerial D&E Title _____

Date 3/25/24 Date _____

Inspection required

APPENDIX D - Specifications for Licensee's Attachments to Utility Poles

Licensee, when making Attachments to Utility Poles, will adhere to the following engineering and construction practices.

A. All Attachments shall be made in accordance with the Applicable Standards, as defined in Paragraph 1.2 of this Agreement.

B. Clearances

1. **Attachment and Cable Clearances:** Licensee's Attachments on Utility Poles, including metal attachment clamps and bolts, metal cross-arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the National Electrical Safety Code ("NESC") and in drawings and specifications Utility may from time to time furnish Licensee. (See Drawings A-01 to A-99.)

Note: Attachments shall only be placed within the communication space as defined in the NESC.

2. **Service Drop Clearance:** From the pole to the home/building the parallel minimum separation between Utility's service drops and communications service drops shall be twelve (12) inches, per NESC 235C1b (exception 3), (see drawing A-5)
3. All other drop clearances at the midspan must conform to NESC table 235-6.

Sag and Mid-Span Clearances: Licensee will be particularly careful to leave proper sag in its lines and cables and shall observe the established sag of power line conductors and other cables so that minimum clearances are: (a) achieved at poles located on both ends of the span; and (b) retained throughout the span. At mid-span, a minimum of twelve (12) inches of separation must be maintained between all telecommunication cables that meet NESC rule 230E1 (includes common phone, CATV, and fiber optic cables lashed to an effectively grounded messenger strand, or self-supporting cables).

NESC table 235-6 requires:

- 12" from neutral (by exception #16)
- 30" from supply lines carrying 0 to 8.7 kV (secondary)
- 30" plus 0.4" per kV in excess of 8.7 (primary)

4. **Vertical Risers:** All Risers, including those providing 120/240 volt power for Licensee's equipment enclosure, shall be placed on the quarter faces of the Pole and must be installed in conduit with weatherhead (if possible), attached to the Pole with stand-off brackets. A two (2) inch clearance in any direction from cable, bolts, clamps, metal supports, and other equipment shall be maintained. (*See* Drawings A-02 and A-04.)
5. **Climbing Space:** A clear Climbing Space must be maintained at all times on the face of the Pole. All Attachments must be placed so as to allow and maintain a clear and proper Climbing Space on the face of the Utility Pole. Licensee's cable/wire Attachments shall be placed on the same side of the Pole as those of other Attaching Entities. In general, all other Attachments and Risers should be placed on Pole quarter faces. (*See* Drawing A-09.)
6. **Pedestals and Enclosures:** Every effort should be made to install Pedestals, vaults and/or Enclosures at a minimum of ten (10) feet from Poles or other Utility Facilities, or the distance specified by the utility, whichever is greater.

C. Down Guys and Anchors

1. Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on the Utility's Poles by Licensee's Attachments. Anchors must be guyed adequately.
2. Anchors and guy wires must be installed on each Utility Pole where an angle or a dead-end occurs. Licensee shall make guy attachments to Poles at or below its cable Attachment. No proposed anchor can be within four (4) feet of an existing anchor without written consent of Utility.
3. Licensee may not attach guy wires to the anchors of Utility or third-party user without the anchor owner's specific prior written consent.
4. No Attachment may be installed on a Utility Pole until all required guys and anchors are installed. No Attachment may be modified, added to, or relocated in such a way as will materially increase the stress or loading on Utility Poles until all required guys and anchors are installed.
5. Licensee's down guys, if needed, shall be bonded, to the vertical ground wires of Utility's Pole, in accordance to NESC rule 92C. If there is no vertical ground present at the pole, the connections to the system neutral are to be made by the utility as an item of Make-Ready Work. Utility will determine if guys should be grounded or insulated.

D. Certification of Licensee's Design

1. Licensee's Attachment Permit application must be signed and sealed by a professional engineer, registered in the [State], certifying that Licensee's aerial cable design fully complies with the NESC and Utility's Construction Standards and any other applicable federal, state or local codes and/or requirements.
2. This certification shall include the confirmation that the design is in accordance with pole strength requirements of the NESC, taking into account the effects of Utility's Facilities and other Attaching Entities' facilities that exist on the Poles without regard to the condition of the existing facilities.

E. Miscellaneous Requirements

1. **Cable Bonding:** Licensee's messenger cable shall be bonded according to NESC rule 92C1 as a minimum, or at every pole with a vertical ground, as determined by the utility. If no ground exists on a pole to be bonded, Licensee shall install a Pole ground in accordance with the attached detail drawing. (See Drawings A-03 to A-04.)
2. **Customer Premises:** Licensee's service drop into customer premises shall be protected as required by the most current edition of the NEC.
3. **Communication Cables:** All Communications cables/wires not owned by Utility shall be attached within the Communications space that is located 40 inches below the lowest Utility conductors. (See Drawings A-01 through A-11.)
4. **Riser Installations:** All Licensee's Riser installations shall be in utility-approved conduit materials and placed on stand-off brackets. Ground wires may be attached directly to Pole. (See Drawings A-02 to A-04.)
5. **Tagging:** All Licensee's cables shall be identified with a band-type communications cable tag or other identification acceptable to Utility at each Attachment within twelve (12) inches of the Pole. The communications tag shall be consistent with communication industry standards and shall include at least the following: Licensee name, emergency contact number, and cable type. At the discretion of Utility, Tags shall be color-coded to permit identification of Attaching Entity by observation from the ground.

F. Utility Construction Drawings and Specifications

1. Refer to the attached Utility Construction Drawings, and obtain additional construction specifications from Utility in accordance with its requirements.

2. Apply the Utility's construction drawings and specifications in accordance with the NESC, NEC, and any other federal, state, or local code requirements.

APPENDIX E - Distribution Line Minimum Design Review Information and Suggested Worksheet

The following guidelines are provided, and corresponding information must be submitted with each Permit application for Pole Attachments on Utility's system. Utility may direct that certain Attachments do not require the submittal of Design Review Information. These Attachments are noted at the end of this section.

Each Permit application must include a report from a professional engineer registered to practice in the State of Oklahoma, and experienced in electric utility system design, or a utility-approved employee or contractor of Licensee. This report must clearly identify the proposed construction and must verify that the Attachments proposed will maintain Utility's compliance with NESC Class B construction for the loading district as outlined in the NESC Section 25.

Utility may or may not require that all of the following information be submitted at the time of the Permit application. The applicant shall have performed all required calculations and be ready to provide the detailed information below within fifteen (15) calendar days of notice. Applicant shall keep copies of the engineering data available for a period of twenty (20) years.

In determining compliance, the following minimum conditions shall be used in the calculations for pole strength:

1. All single-phase lines shall be assumed to have been reconductored to 477 ACSR 26/7, code name Hawk conductor for both phase and neutral. If a larger conductor size exists, the larger size shall be used in the calculations.
2. All three-phase lines shall be assumed to have been to 477 ACSR 26/7, code name Hawk conductor for three (3) phases and neutral. If existing conductors are larger than 4/0 AWG ACSR, the larger size shall be used in the calculations.
3. All pole lines shall assume a secondary/service conductor, installed from pole to pole, of #4/0 AWG triplex cable, with an ACSR messenger.
4. For pole strength calculations, all poles shall be as they actually exist, or be considered Class 4 for calculations.
5. All line angles or dead ends shall be guyed and anchored. Transverse pole strength shall not be assigned to attaching pole users for line angles, *i.e.*, pole should be viewed as being void of other cables, conductors, wires, or guys and considering only the applicant's wires/cables for guying calculations.
6. Points of attachment shall be as they actually exist on the poles.

7. For a Utility-approved joint use of anchors, the Licensee shall utilize guy insulators in its guys.
8. Lessee shall comply with any NESC and/or Utility safety factors, whichever are more conservative, in their designs. The engineer for the Permit applicant shall provide for each application the following confirmations:

Required permits that have been obtained (insert n/a if not applicable):

- _____ (y/n) U.S. Corp of Engineers.
- _____ (y/n) Highway—state, county, city.
- _____ (y/n) Railroad.
- _____ (y/n) Local zoning boards, town boards, etc.
- _____ (y/n) Joint-use permits, if required.
- _____ (y/n) Notified other pole users of contacts or crossings.

Confirm that you have:

- _____ (y/n) Obtained appropriate franchise(s).
- _____ (y/n) Obtained pole/anchor easements from landowners.
- _____ (y/n) Obtained crossing and overhang permits.
- _____ (y/n) Obtained permit to survey R/W.
- _____ (y/n) Completed State of Oklahoma Department of Transportation requirements.
- _____ (y/n) Placed permit number on plans.
- _____ (y/n) Complied with Underground Facility Location requirements.
- _____ (y/n) Included sag/tension data on proposed cable.

Calculations are based upon the latest edition of the NESC and the latest editions of the requirements of the State of Oklahoma.

It is Licensee's responsibility to obtain all necessary permits and provide the Utility with a copy of each.

The engineer for the Permit applicant shall provide for each Pole(s) the following information:

Project ID _____

Pole number _____ [if pole tag missing, contact Utility]

Pole class _____ [existing—*i.e.*, 4, 3, 2...]

Pole size _____ [existing—*i.e.*, 35, 40...]

Pole type _____ [Southern Yellow Pine, Douglas Fir...]

Pole fore span _____ [feet]

Pole fore span direction _____ [degrees from Magnetic North]

Pole back span _____ [feet]

Pole back span direction _____ [degrees from Magnetic North]

Calculated bending

moment at ground level _____ [ft-lbs]

Existing:

Power phase condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power neutral condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power sec condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power service #1 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #2 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #3 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Telco #1 cables _____ qty of _____ dia @ _____ ft above ground line

Telco service #1 _____ qty of _____ size @ _____ ft above ground line

@ _ ° _ ' _ "

Telco service #2 _____ qty of _____ size @ _____ ft above ground line

@ _ ° _ ' _ "

CATV #2 cables _____ qty of _____ dia @ _____ ft above ground line

CATV service #1 _____ qty of _____ size @ _____ ft above ground line

@ _ ° _ ' _ "

CATV service #2 _____ qty of _____ size @ _____ ft above ground line

@ _ ° _ ' _ "

User #3 cables _____ qty of _____ dia @ _____ ft above ground line

User #4 cables _____ qty of _____ dia @ _____ ft above ground line

User #5 cables _____ qty of _____ dia @ _____ ft above ground line

User #6 cables _____ qty of _____ dia @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Proposed:

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _ ° _ ' _ ", _ ° _ ' _ "

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____ ° _____ ' _____ ", _____ ° _____ ' _____ "

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #2 type _____ qty of _____ size @ _____ ft above ground line

AGL = Above Ground Level

The minimum vertical clearance under all loading conditions measured from the proposed cable to ground level on each conductor span shall be stated above. Variations in topography resulting in ground elevation changes shall be considered when stating the minimum vertical clearance within a given span.

Calculated pole bending moment at ground level: _____ [ft-lbs]

Pole breaking bending moment at ground level: _____ [ft-lbs]

Calculated transverse safety factor: _____ [ratio should be greater than 1.00]

Proposed loading data [provide similar data for each cable proposed]:

A. Weight data (cable and messenger) –

1. Vertical weight, bare = _____ [# /ft]

B. Tension data (final tensions on messenger)—

1. NESC maximum load for area of construction: _____ [lbs]

2. 60° F, NO wind: _____ [lbs]

Permit applicant's engineer shall provide for each transverse guy, or dead end to which guys and/or anchors are attached, the following information:

Pole number

Calculated cable messenger tension under

NESC maximum loading conditions _____ [lbs]

If connection is:

A dead end, is it a single or double? _____ [S, D]

A change in tension, what is change? _____ [lbs]

A line angle, what is angle change? _____ [degrees]

What is tension change at angle? _____ [lbs]

For each dead end:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each change in tension:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each line angle:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each anchor:

Anchor distance to nearest anchor _____ [feet]

Calculated anchor tension _____ [lbs]


Rated anchor strength _____ [lbs]

Soil composition _____ [sandy, loam, clay, rock]


APPENDIX F - Field Data Summary Sheet Instructions

<u>Column</u>	<u>Instructions</u>
Utility Pole Number	If a Pole stencil is not in place, it may be left for Utility if the accompanying sketch is adequate to determine the Location.
Communication Company's	This must correspond with the plan sheet or
Plan Sheet Pole Number	Pole Sketch Pole identification number.
Pole Height and Class.....	List the present Pole height and class and list the proposed Pole height and class if it is necessary for Utility to replace the Pole for clearance, etc.
Guy Attachments.....	All unbalanced loading on Poles must be guyed. Attachments to Utility's anchors will not be allowed.
Attachment Height.....	Communications Company attachment height above ground level. List guy lead in feet.
Inches Below Utility	The number of inches Communications Company is to be attached below Utility while maintaining clearance as required in Item #4.
Span Length.....	List the back span length for each attachment.
Inches Sag.....	List the messenger sag for the design listed on the cover sheet at 60 degrees Fahrenheit.
Ground Clearance.....	List the ground clearance at the low point of the back span. Must not be less than the National Electrical Safety Code (latest edition).

Drawing A-01— Overhead Minimum Clearances




Drawing A-02 — Overhead Minimum Clearances



Drawing A-03 — Grounding Connections

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and lugs, metal cross arm supports, bolls and other equipments, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.



NOTE 1:



1. Licensee shall bond to utility pole ground wherever utility has a down ground on the pole. If the ground is under the metal U-guard, contact utility to make the ground connection.
2. If no pole ground exists install a pole down ground on the pole. Protect the pole ground with a ground wire extending. Top of ground rod shall be at least 12" below grade.
3. Ground wire shall be #8 bare copper or larger. If bond wire is unsupported more than 12" long, staple to pole.
4. When communications are underground, the power is overhead and it is required that the communications ground be interconnected to the power supply ground. The connection shall be made below grade.
5. In no case shall licensee ground be connected to guys/anchors.
6. If a neutral isolation device is installed on this pole the attachor must contact SEU for special grounding instructions.
7. Licensee's messenger cable shall be bonded to SEU's pole ground wire at each pole that has a ground wire.

	GROUNDING CONNECTIONS		
	AUGUST 2010 Department of Electric Utility	POLE ATTACHMENTS	A-03

Drawing A-04 — Guy Wire Requirements

No communications power supply shall be mounted on poles except by permission of SEU.

User's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NESC and in these drawings and specifications.



CONTACT SEU TO DETERMINE IF
GUYS ARE TO BE INSULATED OR
GROUNDED.

NOTE 1:


1. User's shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on utility's poles User's attachments.
2. Anchors and guy wires must be set on each utility pole where there is a turn or angle and on all dead-end utility poles.
3. User's may not place guy wires on the anchors of SEU or third party user without prior written consent of all attaching parties and anchor owners.
4. No attachment may be installed on a utility pole until all required guys and anchors are installed. Nor may any attachment be modified or relocated in such a way as will materially increase the stress or loading on utility poles until all required guys and anchors are installed.
5. User's's down guys shall not be banded to ground or neutral wires or SEU's pole and shall not provide a current path to ground from the pole ground or power system neutral. If permitted or required by SEU, grounded guys should be installed.
6. On jointly used structures, guys that pass within 12" of supply conductors, and also pass within 12" of communication cables, shall be protected with a suitable insulating covering where the guy passes the supply conductors, unless the guy is effectively grounded or insulated with a strain insulator at a point below the lowest supply conductor and above the highest communication cable.

	GUY WIRE REQUIREMENTS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-04

Drawing A-05 — Power Service


No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.




NOTE 1:


1. This installation shall comply with all applicable electrical codes and state, city, village, town, and SEU requirements.
2. Service entrance conductors shall extend 30" beyond weatherhead and have 600 volt rated insulation.
3. Communication power supply cable.
4. Communication power supply.
5. 6" maximum between service entrance conductors and communications cable, if possible.
6. Grounding shall be in accordance with National Electric Code Article 250. Top of rod to be 6" below grade.
7. Location of all licensee equipment is to be approved by SEU and shall be relocated by licensee if incorrect.
8. Proof of compliance shall be appropriately certified. Install disconnect and overcurrent protection with meter.
9. All wires on poles will be placed in rigid steel or aluminum metallic conduit on the quarter faces of the pole.
10. This service detail applies to all commercial users requiring power for pole mounted devices.

	POWER SERVICE		
	AUGUST 2019 Department of Electric Utility	POLE ATTACHMENTS	A-05


Drawing A-06 — Minimum Clearance at Pole/Midspan from Neutral




Drawing A-07 — Minimum Clearance at Pole/Midspan from Secondary




Drawing A-08 — Minimum Clearance at Pole/Midspan from Primary




Drawing A-09 — Midspan Service Drop Clearance from Electric Service



Drawing A-10 — DAS Streetlight Arm Attachment




Drawing A-11 — DAS Bracket Arm Attachment



Drawing A-12 — Climbing Space Requirements

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the NEBC and in these drawings and specifications.



NOTE 1:

1. For new cable installations locate cable on the same side of the pole as SEU's insect conductor.
2. Standoff brackets to mount cable to pole are not allowed without approval of SEU.
3. Climbing and workpass through the communication space shall extend from 48" below the lowest communication cable to the top of the pole.
4. On transformer poles the communication service drops shall be located so that they originate from the messenger on the side of the pole opposite the transformer.
5. Minimum clearance for climbing and working space shall be followed as per NEBC Section 238.

	CLIMBING SPACE REQUIREMENTS		
	AUGUST 2010 Department of Electric Utility	POLE ATTACHMENTS	A-12

POLE ATTACHMENT BOND

Bond No.: 800150417

KNOW ALL MEN BY THESE PRESENTS,

THAT Clarity Telecom, LLC dba Bluepeak, as Principal, and Atlantic Specialty Insurance Company, having its executive office in 605 Highway 169 North, Suite 800 Plymouth, MN 55441, as Surety, are held and firmly bound unto Stillwater Utilities Authority, 411 E 3rd Avenue, Stillwater, OK 74074, hereinafter referred to as Obligee, in the penal sum of Nineteen Thousand Four Hundred Dollars and 00/100 DOLLARS (\$19,400.00) for the payment of which, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents, the liability of the Surety being limited to said penal sum regardless of the number of years this bond remains in force or is renewed, of the number of premiums that shall be payable or paid, the number of Subscribers to the system and/or legal fees which may be required and incurred.

WHEREAS, Principal has entered into a written agreement with the Obligee for the use of its poles in connection with the furnishing of telecommunications services, which agreement sets forth the terms and conditions which govern the use of such poles, which agreement is hereby specifically referred to and made part hereof, with like force and effect as if herein at length set forth.

NOW THEREFORE, the condition of this obligation is such, that if the above bound Principal shall perform in accordance with the aforesaid agreement, then this obligation shall be void, otherwise to remain in full force and effect unless cancelled or terminated as set forth below.

This bond may be terminated or cancelled by Surety by giving thirty (30) days prior notice in writing from Surety to Principal and said Obligee, such notice to be given by certified mail. Such termination or cancellation shall not affect any liability incurred or accrued under this Bond prior to the effective date of such termination or cancellation.

AND PROVIDED FURTHER that no action, suit or proceeding shall be had or maintained against the Surety on this instrument unless the same be brought or instituted and process served upon the Surety within twelve months after cancellation of this bond as set forth in the preceding paragraph.

IN WITNESS WHEREOF, the said Principal and Surety have signed and sealed this instrument this 27th day of March, 2024.


WITNESS:

[Signature]
NAME

Location:
BP Stillwater_Z1_DA33_AER (50 Poles),
OCCROW24-0010_POLATT24-0008 (50 Attachments)

Clarity Telecom, LLC dba Bluepeak
PRINCIPAL
BY: [Signature]
TITLE

Atlantic Specialty Insurance Company
SURETY
BY: [Signature]
Michelle Deligne, Attorney-in-Fact





Power of Attorney

Surety Bond No: 800150417

Principal: Clarity Telecom, LLC dba Bluepeak

Obligee: Stillwater Utilities Authority

KNOW ALL MEN BY THESE PRESENTS, that ATLANTIC SPECIALTY INSURANCE COMPANY, a New York corporation with its principal office in Plymouth, Minnesota, does hereby constitute and appoint: Michelle Deligne, each individually if there be more than one named, its true and lawful Attorney-in-Fact, to make, execute, seal and deliver, for and on its behalf as surety, any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof; provided that no bond or undertaking executed under this authority shall exceed in amount the sum of: **sixty million dollars (\$60,000,000)** and the execution of such bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof in pursuance of these presents, shall be as binding upon said Company as if they had been fully signed by an authorized officer of the Company and sealed with the Company seal. This Power of Attorney is made and executed by authority of the following resolutions adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the President, any Senior Vice President or Vice-President (each an "Authorized Officer") may execute for and in behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and affix the seal of the Company thereto; and that the Authorized Officer may appoint and authorize an Attorney-in-Fact to execute on behalf of the Company any and all such instruments and to affix the Company seal thereto; and that the Authorized Officer may at any time remove any such Attorney-in-Fact and revoke all power and authority given to any such Attorney-in-Fact.

Resolved: That the Attorney-in-Fact may be given full power and authority to execute for and in the name and on behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed and sealed by an Authorized Officer and, further, the Attorney-in-Fact is hereby authorized to verify any affidavit required to be attached to bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof.

This power of attorney is signed and sealed by facsimile under the authority of the following Resolution adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the signature of an Authorized Officer, the signature of the Secretary or the Assistant Secretary, and the Company seal may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing an Attorney-in-Fact for purposes only of executing and sealing any bond, undertaking, recognizance or other written obligation in the nature thereof, and any such signature and seal where so used, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

IN WITNESS WHEREOF, ATLANTIC SPECIALTY INSURANCE COMPANY has caused these presents to be signed by an Authorized Officer and the seal of the Company to be affixed this fifth day of March, 2020.




By

Paul J. Brehm, Senior Vice President

STATE OF MINNESOTA
HENNEPIN COUNTY

On this fifth day of March, 2020, before me personally came Paul J. Brehm, Senior Vice President of ATLANTIC SPECIALTY INSURANCE COMPANY, to me personally known to be the individual and officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, that he is the said officer of the Company aforesaid, and that the seal affixed to the preceding instrument is the seal of said Company and that the said seal and the signature as such officer was duly affixed and subscribed to the said instrument by the authority and at the direction of the Company.



Notary Public

I, the undersigned, Assistant Secretary of ATLANTIC SPECIALTY INSURANCE COMPANY, a New York Corporation, do hereby certify that the foregoing power of attorney is in full force and has not been revoked, and the resolutions set forth above are now in force.

Signed and sealed. Dated 27th day of March, 2024.



Christopher V. Jerry, Secretary

Stillwater Utilities Authority Pole Attachment Licensing Agreement

Original issue: 07/16/18

Table of Contents

Part One – Pole Attachment Licensing Agreement

Recitals

Article 1 – Definitions

Article 2 – Scope of Agreement

Article 3 – Fees and Charges

Article 4 – Specifications

Article 5 – Private and Regulatory Compliance

Article 6 – Permit Application Procedures

Article 7 – Make-Ready Work/Installation

Article 8 – Transfers

Article 9 – Pole Modifications and/or Replacements

Article 10 – Abandonment or Removal of Utility Facilities

Article 11 – Removal of Licensee’s Facilities

Article 12 – Termination of Permit

Article 13 – Inspection of Licensee’s Facilities

Article 14 – Unauthorized Occupancy or Access

Article 15 – Reporting Requirements

Article 16 – Liability and Indemnification

Article 17 – Duties, Responsibilities, and Exculpation

Article 18 – Insurance

Article 19 – Authorization Not Exclusive

Article 20 – Assignment

Article 21 – Failure to Enforce

Article 22 – Issue Resolution Process

Article 23 – Termination of Agreement

Article 24 – Term of Agreement

Article 25 – Amending Agreement

Article 26 – Notices

Article 27 – Entire Agreement

Article 28 – Severability

Article 29 – Governing Law

Article 30 – Incorporation of Recitals and Appendices

Article 31 – Performance Bond

Article 32 – *Force Majeure*

Part Two – Appendices and Drawings

APPENDIX A – Fees and Charges

APPENDIX B – Pole Attachment Permit Application Process

APPENDIX C – Application for Permit

APPENDIX D – Specifications for Licensee's Attachments to Utility Poles

APPENDIX E – Distribution Line Minimum Design Review Information and Suggested Worksheet

APPENDIX F – Field Data Summary Sheet Instructions

DRAWING A-01 – Overhead Minimum Clearances

DRAWING A-02 – Overhead Minimum Clearances

DRAWING A-03 – Grounding Connections

DRAWING A-04 – Guy Wire Requirements

DRAWING A-05 – Power Service

DRAWING A-06 – Minimum Clearance at Pole / Midspan from Neutral

DRAWING A-07 – Minimum Clearance at Pole / Midspan from Secondary

DRAWING A-08 – Minimum Clearance at Pole / Midspan from Primary

DRAWING A-09 – Midspan Service Drop Clearance from Electric Service

DRAWING A-10 – DAS Streetlight Arm Attachment

DRAWING A-11 – DAS Bracket Arm Attachment

DRAWING A-12 – Climbing Space Requirements

Part One – Pole Attachment Licensing Agreement

This Pole Attachment Licensing Agreement (the “Agreement”) dated ____
March 26, 20 24 is made by and between the Stillwater Utilities Authority
 (“Utility”), located in the State of Oklahoma, and
Clarity LLC, d.b.a Bluepeak (“Licensee”).

Recitals

- A. Licensee proposes to install and maintain Communications Facilities and associated equipment, Licensee’s Attachments, on Utility’s Poles to provide Communications Services; and
- B. Utility is willing, when it may lawfully do so, to issue one or more Permits authorizing the placement or installation of Licensee’s Attachments on Utility’s Poles, provided that Utility may refuse, on a nondiscriminatory basis, to issue a Permit where there is insufficient Capacity or for reasons relating to safety, reliability, generally applicable engineering purposes, and/or any other Applicable Standard; and

[NOTE: The following Recitals may be used where Licensee and Utility have an existing pole attachment agreement.]

- C. On _____, _____, Utility and Licensee entered into a **[Insert name of agreement]** (e.g., the “__ Agreement”); [and]
- D. By registered letter dated _____, 20__, Utility gave notice to Licensee that Utility/ Licenser was terminating the ____ Agreement effective _____, 2____; [and]
- E. The parties intend that this Agreement replace the ____ Agreement on its termination; [and]
- F. Therefore, in consideration of the mutual covenants, terms and conditions set out below the parties agree as follows:

AGREEMENT

Article 1—Definitions

For the purposes of this Agreement, the following terms, phrases, words, and their derivations, shall have the meaning given below, unless more specifically defined within a specific Article or Paragraph of this Agreement. When not inconsistent with the context, words used in the present tense include the future and past tense, and words in the singular number include the plural number. The words “shall” and “will” are mandatory

and “may” is permissive. Words not defined shall be given their common and ordinary meaning.

- 1.1 **Affiliate:** when used in relation to Licensee, means another entity that owns or controls, is owned or controlled by, or is under common ownership or control with Licensee.
- 1.2 **Applicable Standards:** means all applicable engineering and safety standards governing the installation, maintenance, and operation of facilities and the performance of all work in or around electric Utility Facilities and includes the most current versions of National Electric Safety Code (“NESC”), the National Electrical Code (“NEC”), and the regulations of the Occupational Safety and Health Administration (“OSHA”), each of which is incorporated by reference in this Agreement, and the safety, engineering and construction requirements and standards of Utility.
- 1.3 **Attaching Entity:** means any public or private entity, including Licensee that, pursuant to a license agreement with Utility, places an Attachment on Utility’s Pole to provide Communications Service.
- 1.4 **Attachment(s):** means Licensee’s Communications Facilities that are placed directly on Utility’s Poles within the Communication Space, or Overlashed onto an existing Attachment, but does not include either a Riser or a service drop attached to a single Pole where Licensee has an existing Attachment on such Pole.
- 1.5 **Capacity:** means the ability of a Pole to accommodate an additional Attachment based on Applicable Standards, including space and loading considerations.
- 1.6 **Climbing Space:** means that portion of a Pole’s surface and surrounding space that is free from encumbrances to enable Utility employees and contractors to safely climb, access, and work on Utility Facilities and equipment.
- 1.7 **Communications Facilities:** means wireline or wireless facilities, including but not limited to, fiber optic, copper, and/or coaxial cables, wireless antennas, receivers or transceivers utilized to provide Communications Service. This term excludes power supplies, demarcation boxes, power transfer switches, grounding equipment, metering facilities and other associated equipment.
- 1.8 **Communications Service:** means the transmission or receipt of voice, video, data, broadband Internet, or other forms of digital or analog signals over Communications Facilities.
- 1.9 **Communication Space:** means the communication space as defined in the latest version of the National Electrical Safety Code.

- 1.10 **Licensee:** means the party listed as Licensee in the first paragraph of this agreement.
- 1.11 **Make-Ready Work:** means all work that Utility reasonably determines to be required to accommodate Licensee's Communications Facilities and/or to comply with all Applicable Standards. Such work includes, but is not limited to, rearrangement and/or transfer of Utility Facilities or existing Attachments, inspections, engineering work, permitting work, tree trimming (other than tree trimming performed for normal maintenance purposes), pole replacement and construction but does not include Licensee's routine maintenance.
- 1.12 **Occupancy:** means the use or reservation of space for Attachments on a Utility Pole.
- 1.13 **Overlash:** means to place an additional wire or cable Communications Facility onto an existing attached Communications Facility.
- 1.14 **Pedestals/Vaults/Enclosures:** means above- or below-ground housings that are not attached to Utility Poles but are used to enclose a cable/wire splice, power supplies, amplifiers, passive devices, and/or to provide a service connection point
- 1.15 **Permit:** means written or electronic authorization (see Appendix C) by Utility for Licensee to make or maintain Attachments to specific Utility Poles pursuant to the requirements of this Agreement. Licensee's attachments made prior to the Effective Date and authorized by Utility ("Existing Attachments") shall be deemed Permitted Attachments hereunder.
- 1.16 **Pole:** means a pole owned or controlled by Utility excluding transmission poles that is capable of supporting Attachments for Communications Facilities.
- 1.17 **Post-Construction Inspection:** means the inspection by Utility or Licensee or some combination of both to verify that the Attachments have been made in accordance with Applicable Standards and the Permit.
- 1.18 **Pre-Construction Survey:** means all work or operations required by Applicable Standards and/or Utility to determine the Make-Ready Work necessary to accommodate Licensee's Communications Facilities on a Pole. Such work includes, but is not limited to, field inspection and administrative processing.
- 1.19 **Reserved Capacity:** means capacity or space on a Pole that Utility has identified and reserved for its own future utility requirements at the time of the Permit grant, including the installation of communications circuits for operation of Utility's electric system.

- 1.20 **Riser**: means metallic or plastic encasement materials placed vertically on the Pole to guide and protect wires and cables.
- 1.21 **Tag**: means to place distinct markers on wires and cables, coded by color or other means specified by Utility and/or applicable federal, State or local regulations, that will readily identify the type of Attachment (*e.g.*, cable TV, telephone, high-speed broadband data, public safety) and its owner.
- 1.22 **Utility Facilities**: means all personal property and real property owned or controlled by Utility, including Poles and related facilities.

Article 2—Scope of Agreement

- 2.1 **Grant of License**. Subject to the provisions of this Agreement, Utility grants Licensee a revocable, nonexclusive license authorizing Licensee to install and maintain Attachments to Utility's Poles.
- 2.2 **Parties Bound by Agreement**. Licensee and Utility agree to be bound by all provisions of this Agreement.
- 2.3 **Permit Issuance Conditions**. Utility will issue one or more Permit(s) to Licensee only when Utility determines, in its sole judgment, exercised reasonably, that (i) it has sufficient Capacity to accommodate the requested Attachment(s), (ii) Licensee meets all requirements set forth in this Agreement, and (iii) such Permit(s) comply with all Applicable Standards.
- 2.4 **Reserved Capacity**. Access to space on Utility Poles will be made available to Licensee with the understanding that certain Poles may be subject to Reserve Capacity for future electric service use. At the time of Permit issuance, Utility shall notify Licensee if capacity on particular poles is being reserved for reasonably foreseeable future electric use. For Attachments made with notice of such a Reservation of Capacity, on giving Licensee at least sixty (60) calendar days prior notice, Utility may reclaim such Reserved Capacity at any time following the installation of Licensee's Attachment if required for Utility's future utility service. If reclaimed for Utility's use, Utility may at such time also install associated facilities, including the attachment of communications lines for internal Utility operational or governmental communications requirements. Utility shall give Licensee the option to remove its Attachment(s) from the affected Pole(s) or to pay for the cost of any Make-Ready Work needed to expand Capacity for core utility service requirements, so that Licensee can maintain its Attachment on the affected Pole(s). The allocation of the cost of any such Make-Ready Work (including the transfer, rearrangement, or relocation of third-party Attachments) shall be determined in accordance with Article 9. Licensee shall not be required to bear any of the costs or rearranging or replacing its Attachment(s), if such

rearrangement or replacement is required as a result of an additional attachment or the modification of an existing attachment sought by any other entity.

- 2.5 **No Interest in Property.** No use, however lengthy, of any Utility Facilities, and no payment of any fees or charges required under this Agreement, shall create or vest in Licensee any easement or other ownership or property right of any nature in any portion of such Facilities. Neither this Agreement, nor any Permit granted under this Agreement, shall constitute an assignment of any of Utility's rights to Utility Facilities. Notwithstanding anything in this Agreement to the contrary, Licensee shall, at all times, be and remain a Licensee only.
- 2.6 **Licensee's Right to Attach.** Nothing in this Agreement, other than a Permit issued pursuant to Article 6, shall be construed as granting Licensee any right to attach Licensee's Communications Facilities to any specific Pole.
- 2.7 **Utility's Rights over Poles.** The parties agree that this Agreement does not in any way limit Utility's right to locate, operate, maintain, or remove its Poles in the manner that will best enable it to fulfill its service requirements or to comply with any federal, state, or local legal requirement.
- 2.8 **Expansion of Capacity.** Utility will take reasonable steps to expand Pole Capacity when necessary to accommodate Licensee's request for Attachment. Notwithstanding the foregoing sentence, nothing in this Agreement shall be construed to require Utility to install, retain, extend, or maintain any Pole for use when such Pole is not needed for Utility's own service requirements.
- 2.9 **Other Agreements.** Except as expressly provided in this Agreement, nothing in this Agreement shall limit, restrict, or prohibit Utility from fulfilling any agreement or arrangement regarding its Poles into which Utility has previously entered, or may enter in the future, with others not party to this Agreement.
- 2.10 **Permitted Uses.** This Agreement is limited to the uses specifically stated in the recitals set forth above and no other use shall be allowed without Utility's express written consent to such use. Nothing in this Agreement shall be construed to require Utility to allow Licensee to use Utility's Poles after the termination of this Agreement.
- 2.11 **Overlapping.** The following provisions apply to Overlapping:
- 2.11.1 Licensee shall obtain a Permit for each Overlapping, in accordance with the requirements of Article 6. Absent such authorization, Overlapping constitutes an unauthorized Attachment and is subject to removal or, at

Utility's discretion, imposition of an Unauthorized Attachment fee, as specified in Appendix A. Item 3.

2.11.2 Authorized Overlashing to accommodate Attachments of Licensee or its Affiliate(s) shall not increase the Annual Attachment Fee paid by Licensee pursuant to Appendix A, Item 1. Licensee or Licensee's Affiliate shall, however, be responsible for all Make-Ready Work and other charges associated with the Overlashing. Licensee shall not have to pay a separate Annual Attachment Fee for such Overlashed Attachment.

2.11.3 At Licensee's request, Utility may allow Overlashing to accommodate facilities of a third party, not affiliated with Licensee. In such circumstances, the third party must enter into a License Agreement with Utility, obtain Permit(s), and pay a separate Attachment Fee (Appendix A, Item 1) as well as the costs of all necessary Make-Ready Work required to accommodate the Overlashing. Utility shall not grant such Permit(s) to third parties allowing Overlashing of Licensee's Communications Facilities without Licensee's consent. Authorized Overlashing shall not increase the fees and charges paid by Licensee pursuant to Appendix A, Item 1. Nothing in this Agreement shall prevent Licensee from seeking a contribution from an Overlashing third party to defray fees and charges paid by Licensee.

2.11.4 Make-Ready Work procedures set forth in Article 7 shall apply, as necessary, to all Overlashing.

2.11.5 Overlashing shall only be permitted if the existing attachment is located in the communication space.

2.12 **Enclosures.** Licensee shall not place Pedestals, Vaults, and/or other Enclosures on or within ten (10) feet of any Pole or other Utility Facilities without Utility's prior written permission. If permission is granted, all such installations shall be per the Specifications and Drawings in Appendix D of this Agreement and charges as provided in Appendix A. Such permission shall not be unreasonably withheld. Further, Licensee agrees to move any such above-ground enclosures in order to provide sufficient space for Utility to set a replacement Pole.

Article 3—Fees and Charges

3.1 **Payment of Fees and Charges.** Licensee shall pay to Utility the fees and charges specified in Appendix A and shall comply with the terms and conditions specified in this Agreement.

- 3.2 **Payment Period.** Unless otherwise expressly provided, Licensee shall pay any invoice its receives from Utility pursuant to this Agreement within thirty (30) calendar days after Utility issues the invoice.
- 3.3 **Billing of Attachment Fee.** Utility shall invoice Licensee for the per-pole Attachment Fee annually, in arrears. Utility will submit to Licensee an invoice for the annual rental period not later than June 30th of each year. The initial annual rental period shall commence upon the execution of this Agreement and conclude on June 30th of the next year, and each subsequent annual rental period shall commence on the following July 1st and conclude on June 30th of the subsequent year. The invoice shall set forth the total number of Utility's Poles on which Licensee was issued and/or holds Permit(s) for Attachments during such annual rental period, including any previously authorized and valid Permits.
- 3.4 **Refunds.** No fees and charges specified in Appendix A shall be refunded on account of any surrender of a Permit granted under this Agreement. Nor shall any refund be owed if a Pole is not used or abandoned by Utility.
- 3.5 **Late Charge.** If Utility does not receive payment for any fee or other amount owed within thirty (30) calendar days after it becomes due, Licensee shall pay interest to Utility at the rate of ten (10%) per month, or the maximum interest allowed by law, whichever is greater, on the amount due.
- 3.6 **Payment for Work.** Licensee will be responsible for payment to Utility for all work that Utility or Utility's contractors perform pursuant to this Agreement to accommodate Licensee's Communications Facilities.
- 3.7 **Advance Payment.** At its sole discretion, Utility may require that Licensee pay in advance all reasonable costs, including, but not limited to administrative, construction, inspections, and Make-Ready Work expenses, in connection with the initial installation or rearrangement of Licensee's Communications Facilities pursuant to the procedures set forth in Articles 6 and 7 below.
- 3.8 **True-Up.** Whenever Utility, in its discretion, requires advance payment of estimated expenses prior to undertaking an activity on behalf of Licensee and the actual cost of the activity exceeds the advance payment of estimated expenses, Licensee agrees to pay Utility for the difference in cost, provided that Utility documents such costs with sufficient detail to enable Licensee to verify the charges. To the extent that Utility's actual cost of the activity is less than the estimated cost, Utility shall refund to Licensee the difference in cost.
- 3.9 **Determination of Charges.** Wherever this Agreement requires Licensee to pay for work done or contracted by Utility, the charge for such work shall include all

reasonable material, labor, engineering, administrative, and applicable overhead costs. Utility shall bill its services based upon actual costs, and such costs will be determined in accordance with Utility's cost accounting systems used for recording capital and expense activities. All such invoices shall include an itemization of dates of work, location of work, labor and equipment costs per hour, persons employed, and costs of materials used. If Licensee was required to perform work and fails to perform such work, necessitating completion of the work by Utility, Utility may either charge an additional ten percent (10%) of its costs or assess the penalty specified in Appendix A.

- 3.10 **Work Performed by Utility.** Whenever this Agreement requires Utility to perform any work, Utility, at its sole discretion, may utilize its employees or contractors, or any combination of the two, to perform such work.
- 3.11 **Default for Nonpayment.** Nonpayment of any amount due under this Agreement beyond sixty (60) days shall constitute a material default of this Agreement.

Article 4—Specifications

- 4.1 **Installation/Maintenance of Communications Facilities.** After a Permit is issued pursuant to this Agreement, Licensee's Communications Facilities shall be installed and maintained in accordance with the requirements and specifications of Appendix D. All of Licensee's Communications Facilities must comply with all Applicable Standards. Licensee shall be responsible for the installation and maintenance of its Communications Facilities. Licensee shall, at its own expense, make and maintain its Attachment(s) in safe condition and good repair, in accordance with all Applicable Standards. Notwithstanding anything in this Agreement to the contrary, Licensee shall not be required to update or upgrade its Attachments if they met Applicable Standards at the time the attachments were made, unless such updates or upgrades are required by any revised Applicable Standards.
- 4.2 **Tagging.** Licensee shall Tag all of its Communications Facilities as specified in Appendix D and/or applicable federal, State, and local regulations upon installation of such Facilities. Within one year of the execution of this Agreement, Licensee shall also tag any untagged Communications Facilities that were on Utility Poles on the effective date of this Agreement. Failure to provide proper tagging will be considered a violation of the Applicable Standards.
- 4.3 **Interference.** Licensee shall not allow its Communications Facilities to impair the ability of Utility or any third party to use Utility's Poles, nor shall Licensee allow its Communications Facilities to interfere with the operation of any Utility

Facilities, third-party facilities or City of Stillwater facilities including cables, conductors, traffic controls networks and/or systems, communication networks and/or systems, radio communication network and/or systems, emergency management networks and/or systems and all related facilities.

- 4.4 **Protective Equipment.** Licensee and its employees and contractors shall utilize and install adequate protective equipment to ensure the safety of people and facilities. Licensee shall, at its own expense, install protective devices designed to handle the electric voltage and current carried by Utility's facilities in the event of a contact with such facilities. Except as provided in Paragraph 16.1, Utility shall not be liable for any actual or consequential damages to Licensee's Communications Facilities, Licensee's customers' facilities, or to any of Licensee's employees, contractors, customers, or other persons.
- 4.5 **Utility Right to Correct.** If Licensee's Communications Facilities, or any part of them, are installed, used, or maintained in violation of this Agreement, and Licensee has not corrected the violation(s) within thirty (30) calendar days from receipt of written notice of the violation(s) from Utility, Utility at its option, may correct such conditions. Utility will attempt to notify Licensee in writing prior to performing such work whenever practicable. When Utility believes, however, that such violation(s) pose an immediate threat to the safety of any person, interfere with the performance of Utility's service obligations, or present an immediate threat to the physical integrity of Utility Facilities, Utility may perform such work and/or take such action as it deems necessary without first giving written notice to Licensee. As soon as practicable afterward, Utility will advise Licensee of the work performed or the action taken. Licensee shall be responsible for all actual and reasonable costs incurred by Utility in taking action pursuant to this Paragraph, and Licensee shall indemnify Utility against any liability, costs, and expenses, including reasonable attorney's and expert fees, arising out of or relating to any such work.
- 4.6 **Restoration of Utility Service.** Utility's service restoration requirements shall take precedence over any and all work operations of Licensee on Utility's Poles.
- 4.7 **Effect of Failure to Exercise Access Rights.** If Licensee does not exercise any access right granted pursuant to this Agreement and/or applicable Permit(s) within ninety (90) calendar days of the effective date of such right and any extension to such Permit(s), Utility may, but shall have no obligation to, use the space scheduled for Licensee's Attachment(s) for its own needs or make the space available to other Attaching Entities. In such instances, Utility shall endeavor to make other space available to Licensee, upon written application under Article 6, as soon as reasonably possible and subject to all requirements of this Agreement, including the Make-Ready Work provisions. If Utility uses the space for its own

needs or makes them available to other parties, then from the date that Utility or a third party begins to use such space. For purposes of this paragraph, Licensee's access rights shall not be deemed effective until any necessary Make-Ready Work has been performed.

- 4.8 Removal of Nonfunctional Attachments.** At its sole expense, Licensee shall remove any of its Attachments or any part thereof that becomes nonfunctional and no longer fit for service ("Nonfunctional Attachment") as provided in this Paragraph 4.8. A Nonfunctional Attachment that Licensee has failed to remove as required in this paragraph shall constitute an unauthorized Attachment and is subject to the Unauthorized Attachment fee specified in Appendix A, Item 3. Except as otherwise provided in this Agreement, Licensee shall remove Nonfunctional Attachments within one (1) year of the Attachment becoming nonfunctional, unless Licensee receives written notice from Utility that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s), in which case Licensee shall remove the Nonfunctional Attachment within sixty (60) days of receiving the notice. Where Licensee has received a Permit to Overlash a Nonfunctional Attachment, such Nonfunctional Attachment may remain in place until Utility notifies Licensee that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s). Licensee shall give Utility notice of any Nonfunctional Attachments as provided in Article 15.

Article 5—Private and Regulatory Compliance

- 5.1 Necessary Authorizations.** Before Licensee occupies any of Utility's Poles, Licensee shall obtain from the appropriate public or private authority, or from any property owner or other appropriate person, any required authorization to construct, operate, or maintain its Communications Facilities on public or private property. Utility retains the right to require evidence that appropriate authorization has been obtained before any Permit is issued to Licensee. Licensee's obligations under this Article 5 include, but are not limited to, its obligation to obtain and pay for all necessary approvals to occupy public/private rights-of-way and easements and all necessary licenses and authorizations to provide the services that it provides over its Communications Facilities. Licensee shall defend, indemnify, and reimburse Utility for all losses, costs, and expenses, including reasonable attorney's fees that Utility may incur as a result of claims by governmental bodies, owners of private property, or other persons, that Licensee does not have sufficient rights or authority to attach Licensee's Communications Facilities on Utility's Poles or to provide particular services.

- 5.2 **Lawful Purpose and Use.** Licensee's Communications Facilities must at all times serve a lawful purpose, and the use of such Facilities must comply with all applicable federal, State and local laws.
- 5.3 **Forfeiture of Utility's Rights.** No Permit granted under this Agreement shall extend, or be deemed to extend, to any of Utility's Poles to the extent that Licensee's Attachment would result in a forfeiture of Utility's rights. Any Permit that would result in forfeiture of Utility's rights shall be deemed invalid as of the date that Utility granted it. Further, if any of Licensee's existing Communications Facilities, whether installed pursuant to a valid Permit or not, would cause such forfeiture, Licensee shall promptly remove its Facilities upon receipt of written notice from Utility. If Licensee does not remove its Communications Facilities in question within thirty (30) days of receiving written notice from Utility, Utility may at its option perform such removal at Licensee's expense. Notwithstanding the forgoing, Licensee shall have the right to contest any such forfeiture before any of its rights are terminated, provided that Licensee shall indemnify Utility for liability, costs, and expenses, including reasonable attorney's fees, that may accrue during Licensee's challenge.
- 5.4 **Effect of Consent to Construction/Maintenance.** Consent by Utility to the construction or maintenance of any Attachments by Licensee shall not be deemed consent, authorization, or acknowledgment that Licensee has obtained all required Authorizations with respect to such Attachment.

Article 6—Permit Application Procedures

- 6.1 **Permit Required.** Licensee shall not make any Attachments to any of Utility's Poles without first applying for and obtaining a Permit pursuant to the applicable requirements of Appendix B. If updates or upgrades are required by Applicable Standards, Licensee shall not be required to obtain Permits for Attachment(s) existing as of the effective date of this Agreement. Such grandfathered Attachments shall, however, be subject to the Attachment Fees specified in Appendix A and the tagging provisions in Paragraph 4.2. Licensee shall provide Utility a list of all such pre-existing Attachments within six (6) months of the effective date of this Agreement.
- 6.2 **Permits for Overlashing.** As set out in Paragraph 2.11, Permits are required for any Overlashing allowed under this Agreement and Licensee, Licensee's Affiliate or other third party, as applicable, shall pay any necessary Make-Ready Work costs to accommodate such Overlashing.
- 6.3 **Professional Certification.** Unless otherwise waived in writing by Utility, as part of the Permit application process and at Licensee's sole expense, a qualified and experienced professional engineer, or an employee or contractor of Licensee who

has been approved by Utility, must participate in the Pre-Construction Survey, conduct the Post-Construction Inspection, and certify that Licensee's Communications Facilities can be and were installed on the identified Poles in compliance with the standards in Paragraph 4.1 and in accordance with the Permit. The professional engineer's qualifications must include experience performing such work, or substantially similar work, on electric distribution systems. The Utility may require the Licensee's professional engineer to conduct a post-construction inspection that the Utility will verify by means that it deems to be reasonable.

Utility, at its discretion, may waive the requirements of this Paragraph 6.3, with respect to service drops.

- 6.4 Utility Review of Permit Application.** Upon receipt of a properly executed Application for Permit (Appendix C), which shall include the Pre-Construction Survey, certified per Paragraph 6.3 above, and detailed plans for the proposed Attachments in the form specified in Appendix D, Utility will review the Permit Application and discuss any issues with Licensee, including engineering or Make-Ready Work requirements associated with the Permit Application. Utility acceptance of the submitted design documents does not relieve Licensee of full responsibility for any errors and/or omissions in the engineering analysis. Unless otherwise agreed, the Permit application process shall be consistent with the following timeline:

- 6.4.1 Review Period.** Utility shall review and respond to properly executed and complete Permit Applications for routine installations as promptly as is reasonable with a goal of providing a response during normal circumstances of within seventy-five (75) days of receipt. For Permit Applications seeking Attachments to 50 or more Poles, the Utility may require additional time to review. The Utility's response will either provide a written explanation as to why the Application is being denied, in whole or in part, or provide an estimate of the costs of all necessary Make-Ready Work.
- 6.4.2** Upon receipt of Utility's Make-Ready estimate, Licensee shall have fourteen (14) days to approve the estimate and provide payment in accordance with this Agreement and the specifications of the estimate.
- 6.4.3** Utility will complete routine Make-Ready Work within sixty (60) days of receipt of payment. If there are extenuating circumstances that make the necessary Make-Ready more complicated or time-consuming, including, but not limited to the number of Poles, seasonal weather conditions, the Utility shall identify those factors in the Make-Ready estimate and the parties shall agree upon a reasonable timeframe for completion.

6.4.4 Utility may toll the time period for completion of Make-Ready Work by written notice in order to respond to severe storms, natural disasters, or other emergency situations.

- 6.5 **Permit as Authorization to Attach.** Upon completion of any necessary Make-Ready Work and receipt of payment for such work, Utility will sign and return the Permit Application, which shall serve as authorization for Licensee to make its Attachment(s).

Article 7—Make-Ready Work/Installation

- 7.1 **Estimate for Make-Ready Work.** If Utility determines that it can accommodate Licensee's request for Attachment(s), including Overlapping of an existing Attachment, it will, upon request, advise Licensee of any estimated Make-Ready Work charges necessary to accommodate the Attachment.
- 7.2 **Payment of Make-Ready Work.** Upon completion of the Make-Ready Work, Utility shall invoice Licensee for Utility's actual cost of such Make-Ready Work. Alternatively, Utility, at its discretion, may require payment in advance for Make-Ready Work based upon the estimated cost of such work. In such case, upon completion Licensee shall pay Utility's actual cost of Make-Ready Work. The costs of the work shall be itemized in accordance with Paragraph 3.9 and trued up in accordance with Paragraph 3.8.
- 7.3 **Who May Perform Make-Ready Work.** Make-Ready Work shall be performed only by Utility and/or a contractor authorized by Utility to perform such work. If Utility chooses not to or cannot perform the Make-Ready Work to accommodate Licensee's Communications Facilities within sixty (60) calendar days of Licensee's agreement, to Make-Ready Work estimate, Licensee may request the ability to use a qualified contractor to perform such work and shall specify when such work would be performed. In all instances, "qualified contractors," if allowed, must be pre-approved by Utility for such work on an annual basis.
- 7.4 **Scheduling of Make-Ready Work.** In performing all Make-Ready Work to accommodate Licensee's Communications Facilities, Utility will attempt to include such work in its normal work schedule. If Licensee requests that the Make-Ready Work be performed on a priority basis or outside of Utility's normal work hours, Licensee will pay any resulting increased costs. Nothing in this Agreement shall be construed to require Utility to perform Licensee's work before other scheduled work or Utility service restoration.
- 7.5 **Notification of Make-Ready Work.** Before starting Make-Ready Work, Utility shall notify all Attaching Entities of the date and location of the scheduled work

and shall afford all such entities an opportunity to make any modifications to their existing Attachments in connection with the Make-Ready Work.

- 7.6 **Written Approval of Installation Plans Required.** Before making any Attachments to Utility's Poles, including Overlashing of existing Attachments, Licensee must obtain Utility's written detailed plan approval for the Attachments. Such detailed plans shall accompany a Permit application as required under Paragraph 6.4.

7.7 **Licensee's Installation/Removal/Maintenance Work.**

7.7.1 All of Licensee's installation, removal, and maintenance work, by either Licensee's employees or authorized contractors, shall be performed at Licensee's sole cost and expense, in a good and workmanlike manner, and must not adversely affect the structural integrity of Utility's Poles or other Facilities or other Attaching Entity's facilities or equipment. All such work is subject to the insurance requirements of Article 18.

7.7.2 All of Licensee's installation, removal, and maintenance work, either by its employees or authorized contractors, shall comply with all applicable regulations specified in Paragraph 4.1. Licensee shall assure that any person installing, maintaining, or removing its Communications Facilities is fully qualified and familiar with all Applicable Standards, the provisions of Article 17, and the Minimum Design Specifications contained in Appendix D.

Article 8—Transfers

- 8.1 **Required Transfers of Licensee's Communications Facilities.** If Utility reasonably determines that a transfer of Licensee's Communications Facilities is necessary, Utility will, at its option, either require Licensee to perform such transfer at its own expense within thirty (30) calendar days after receiving notice from Utility, or perform the transfer itself, using its personnel, and/or contractors. If Licensee fails to transfer its Facilities within thirty (30) calendar days after receiving such notice from Utility, Utility shall have the right to transfer Licensee's Facilities using its personnel and/or contractors. The costs of such transfers shall be apportioned as specified under Article 9. Utility shall not be liable for damage to Licensee's Facilities except to the extent provided in Paragraph 16.1. The written advance notification requirement of this Paragraph shall not apply in emergency situations. In emergency situations, Utility shall provide such advance notice as is practical, given the urgency of the particular situation. Utility shall then provide written notice of any such actions taken within ten (10) days following the occurrence. Irrespective of who owns Facilities that

are Overlashed on to Licensee's Attachments, Licensee is responsible for the transfer of such Facilities and the costs of doing so.

Article 9—Modifications and/or Replacements

- 9.1 Licensee's Action Requiring Modification/Replacement.** If any Pole to which Licensee desires to make Attachment(s) is unable to support or accommodate the additional facilities in accordance with all Applicable Standards, Utility will notify Licensee of the necessary Make-Ready Work, and associated costs, to provide adequate Pole space, including, but not limited to, replacement of the Pole and/or rearrangement or transfer of Utility's Facilities, as well as the facilities of other Attaching Entities. Licensee shall be responsible for separately entering into an agreement with other Attaching Entities concerning the allocation of costs for the relocation or rearrangement of such entities' existing Attachments. If Licensee elects to go forward with the necessary changes, Licensee shall pay to Utility the actual cost of the Make-Ready Work, performed by Utility, in accordance with Paragraph 3.9. Utility, in its discretion, may require advance payment. Licensee shall also be responsible for obtaining and furnishing to Utility before the commencement of any Make-Ready Work, agreements between Licensee and the other Attaching Entities (including Overlashers) concerning the relocation or rearrangement of their Attachments and the costs involved.
- 9.2 Treatment of Multiple Requests for Same Pole.** If Utility receives Permit Applications for the same Pole from two or more prospective licensees within sixty (60) calendar days of the initial request, and accommodating their respective requests would require modification of the Pole or replacement of the Pole, Utility will allocate among such licensees the applicable costs associated with such modification or replacement.
- 9.3 Guying.** The use of guying to accommodate Licensee's Attachments shall be provided by, and at the expense of, Licensee and to the satisfaction of Utility, as specified in Appendix D. Licensee shall not attach its guy wires to Utility's anchors without prior written permission of Utility. If permission is granted, charges may apply.
- 9.4 Allocation of Costs.** The costs for any rearrangement or transfer of Licensee's Communications Facilities or the replacement of a Pole (including any related costs for tree cutting or trimming required to clear the new location of Utility's cables or wires) shall be allocated to Utility and/or Licensee and/or other Attaching Entity on the following basis:
- 9.4.1** If Utility intends to modify or replace a Pole solely for its own requirements, it shall be responsible for the costs related to the modification/replacement of the Pole. Licensee shall not be responsible

for costs associated with the rearrangement or transfer of Licensee's Communications Facilities, unless and to the extent the rearrangement or transfer is necessary in connection with Utility's reacquisition of Reserved Capacity from Licensee. Prior to making any such modification or replacement, Utility shall provide Licensee written notification of its intent in order to provide Licensee a reasonable opportunity to modify or add to its existing Attachment. Should Licensee decide to do so, it must seek Utility's written permission in accordance with this Agreement. If Licensee elects to add to or modify its Communications Facilities, Licensee shall pay its Pro-Rata of the costs incurred by Utility in making the space on the Poles accessible to Licensee.

- 9.4.2** If the modification or replacement of a Pole is necessitated by the requirements of Licensee, Licensee shall be responsible for all costs caused by the modification or replacement of the Pole as well as the costs associated with the transfer or rearrangement of any other Attaching Entity's Communications Facilities. At the time Licensee submits a Permit Application to Utility, Licensee shall submit evidence, in writing, that it has made arrangements to reimburse all affected Attaching Entities for their costs caused by the transfer or rearrangement of their Facilities. Utility shall not be obligated in any way to enforce or administer Licensee's responsibility for the costs associated with the transfer or rearrangement of another Attaching Entity's Facilities pursuant to this Paragraph 9.4.2.
- 9.4.3** If the modification or the replacement of a Pole is the result of an additional Attachment or the modification of an existing Attachment sought by an Attaching Entity other than Utility or Licensee, the Attaching Entity requesting the additional or modified Attachment shall bear the entire cost of the modification or replacement, as well as the costs for rearranging or transferring Licensee's Communications Facilities. Licensee shall cooperate with such third-party Attaching Entity to determine the costs of moving Licensee's facilities.
- 9.4.4** If the Pole must be modified or replaced for reasons unrelated to the use of the Pole by Attaching Entities (*e.g.*, storm, accident, deterioration), Utility shall pay the costs of such modification or replacement and Licensee shall pay the costs of rearranging or transferring its Communications Facilities.

- 9.5 **Utility Not Required to Relocate.** Nothing in this Agreement shall be construed to require Utility to relocate its Attachments or to modify or replace its Poles for the benefit of Licensee.

Article 10—Abandonment or Removal of Utility Facilities

- 10.1 **Notice of Abandonment or Removal of Utility Facilities.** If Utility desires at any time to abandon, remove, or underground any Utility Facilities to which Licensee's Communications Facilities are attached, it shall give Licensee notice in writing to that effect at least sixty (60) calendar days prior to the date on which it intends to abandon or remove such Utility's Facilities. Notice may be limited to thirty (30) calendar days if Utility is required to remove or abandon its Utility Facilities as the result of the action of a third party and the lengthier notice period is not practical. Such notice shall indicate whether Utility is offering Licensee an option to purchase the Pole(s). If, following the expiration of the thirty (30) day period, Licensee has not yet removed and/or transferred all of its Communications Facilities and has not entered into an agreement to purchase Utility's Facilities pursuant to Paragraph 10.2, Utility shall have the right, but not the obligation, to remove or transfer Licensee's Communications Facilities at Licensee's expense. Utility shall give Licensee prior written notice of any such removal or transfer of Licensee's Facilities.
- 10.2 **Option to Purchase Abandoned Poles.** Should Utility desire to abandon any Pole, Utility may, in its sole discretion, grant Licensee the option of purchasing such Pole at a price to be negotiated with Utility. Licensee must notify Utility in writing within thirty (30) calendar days of the date of Utility's notice of abandonment that Licensee desires to purchase the abandoned Pole. Thereafter, Licensee must also secure and deliver proof of all necessary governmental approvals and easements allowing Licensee to independently own and access the Pole within forty-five (45) calendar days. Should Licensee fail to secure the necessary governmental approvals, or should Utility and Licensee fail to enter into an agreement for Licensee to purchase the Pole within forty-five (45) calendar days, Licensee must remove its Attachments as required under Paragraph 10.1. Nothing in this Agreement shall be construed as requiring Utility to sell Licensee Poles that Utility intends to remove or abandon.
- 10.3 **Underground Relocation.** If Utility moves any portion of its aerial system underground, Licensee shall remove its Communications Facilities from any affected Poles within sixty (60) calendar days of receipt of notice from Utility and must either relocate its affected Facilities underground with Utility or find other means to accommodate its Facilities. If Licensee does not remove its Attachments within sixty (60) days, Utility shall have the right to remove or transfer Licensee's Communications Facilities at Licensee's expense. Licensee's

failure to remove its Facilities as required under this Paragraph 10.3 shall subject Licensee to the penalty provisions of Appendix A.

Article 11—Removal of Licensee’s Facilities

Removal on Expiration/Termination. At the expiration or other termination of this License Agreement or individual Permit(s), Licensee shall remove its Communications Facilities from the affected Poles at its own expense. If Licensee fails to remove such Facilities within sixty (60) calendar days of expiration or termination or some greater period as allowed by Utility, Utility shall have the right, but not the obligation, to remove or transfer such Facilities removed at Licensee’s expense.

Article 12—Termination of Permit

- 12.1 Automatic Termination of Permit.** Any Permit issued pursuant to this Agreement shall automatically terminate when Licensee ceases to have authority to construct and operate its Communications Facilities on public or private property at the location of the particular Pole(s) covered by the Permit. Permits will also expire if the Licensee’s facilities are not installed and operational within six (6) months of the Permit issuance date.
- 12.2 Surrender of Permit.** Licensee may at any time surrender any Permit for Attachment(s) and remove its Communications Facilities from the affected Pole(s), provided, however, that before commencing any such removal, Licensee must obtain Utility’s written approval of Licensee’s plans for removal, including the name of the person or entity performing such work and the date(s) and time(s) during which such work will be completed. All such work is subject to the insurance requirements of Article 18. No refund of any fees or costs will be made upon removal. If Licensee surrenders such Permit pursuant to the provisions of this Article, but fails to remove its Attachments from Utility’s Facilities within thirty (30) calendar days, Utility shall have the right, but not the obligation, to remove or transfer Licensee’s Attachments at Licensee’s expense.

Article 13—Inspection of Licensee’s Facilities

- 13.1 Inspections.** Utility may conduct an inventory and inspection of Attachments at any time. Within thirty (30) calendar days of receiving written notice from Utility, Licensee shall correct all Attachments that Utility identifies as being out of compliance with Applicable Standards. If Utility finds that five percent (5%) or more of Licensee’s Attachments are either in non-compliance or not permitted, Licensee shall pay its *pro-rata* share of the costs of the inspection.
- 13.2 Notice.** Utility will give Licensee reasonable advance written notice of such inspections, except in those instances in which safety considerations justify the need for such inspection without delay.

- 13.3 **No Liability.** Inspections performed under this Article 13, or the failure to do so, shall not operate to impose upon Utility any liability of any kind whatsoever or to relieve Licensee of any responsibility, obligations, or liability, whether assumed under this Agreement or otherwise existing.
- 13.4 **Attachment Records.** Notwithstanding the above inspection provisions, Licensee shall furnish to Utility annually an up-to-date electronic map depicting the locations of its Attachments, in a format specified by Utility.

Article 14—Unauthorized Occupancy or Access

- 14.1 **Penalty Fee.** If any of Licensee's Attachments are found occupying any Pole for which no Permit has been issued, Utility, without prejudice to its other rights or remedies under this Agreement, may assess an Unauthorized Access Penalty Fee, as specified in Appendix A, Item 3. If Licensee fails to pay such Fee within thirty (30) calendar days of receiving notification of it, Utility shall have the right, but not the obligation, to remove such Communications Facilities at Licensee's expense.
- 14.2 **No Ratification of Unauthorized Use.** No act or failure to act by Utility with regard to any unauthorized use shall be deemed as ratification of the unauthorized use. Unless the parties agree otherwise, a Permit for a previously unauthorized Attachment shall not operate retroactively or constitute a waiver by Utility of any of its rights or privileges under this Agreement or otherwise, and Licensee shall remain subject to all obligations and liabilities arising out of or relating to its unauthorized use.

Article 15—Reporting Requirements

At the time that Licensee pays its annual Attachment Fee, Licensee shall also provide the following information to Utility:

- 15.1 The Poles on which Licensee has installed, during the relevant reporting period, Risers and service drops, for which no Permit was required.
- 15.2 All Attachments that have become nonfunctional during the relevant reporting period. The report shall identify the Pole on which the nonfunctional Attachment is located, describe the nonfunctional equipment, and indicate the approximate date the Attachment became nonfunctional.
- 15.3 Any equipment Licensee has removed from Poles during the relevant reporting period. The report shall identify the Pole from which the equipment was removed, describe the removed equipment, and indicate the approximate date of removal. This requirement does not apply where Licensee is surrendering a Permit pursuant to Paragraph 12.2.

Article 16—Liability and Indemnification

16.1 Liability. Utility reserves to itself the right to maintain and operate its Poles in the manner that will best enable it to fulfill its service requirements. Licensee agrees to use Utility’s Poles at Licensee’s sole risk.

16.2 Indemnification. Licensee, and any agent, contractor, or subcontractor of Licensee, shall defend, indemnify, and hold harmless Utility and its officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, payments (including payments made by Utility under any Workers’ Compensation Laws or under any plan for employees’ disability and death benefits), and expenses (including reasonable attorney’s fees of Utility and all other costs and expenses of litigation) (“Covered Claims”) arising in any way, including any act, omission, failure, negligence, or willful misconduct, in connection with the construction, maintenance, repair, presence, use, relocation, transfer, removal or operation by Licensee, or by Licensee’s officers, directors, employees, agents, or contractors, of Licensee’s Communications Facilities, except to the extent of Utility’s gross negligence or willful misconduct solely giving rise to such Covered Claims. Such Covered Claims include, but are not limited to, the following:

16.2.1 Intellectual property infringement, libel and slander, trespass, unauthorized use of television or radio broadcast programs and other program material, and infringement of patents;

16.2.2 Cost of work performed by Utility that was necessitated by Licensee’s failure, or the failure of Licensee’s officers, directors, employees, agents or contractors, to install, maintain, use, transfer, or remove Licensee’s Communications Facilities in accordance with the requirements and specifications of this Agreement, or from any other work this Agreement authorizes Utility to perform on Licensee’s behalf;

16.2.3 Damage to property, injury to or death of any person arising out of the performance or nonperformance of any work or obligation undertaken by Licensee, or Licensee’s officers, directors, employees, agents, or contractors, pursuant to this Agreement;

16.2.4 Liabilities incurred as a result of Licensee’s violation, or a violation by Licensee’s officers, directors, employees, agents, or contractors, of any law, rule, or regulation of the United States, any State, or any other governmental entity or administrative agency.

- 16.3 Environmental Hazards.** Licensee represents and warrants that its use of Utility's Poles will not generate any Hazardous Substances, that it will not store or dispose on or about Utility's Poles or transport to Utility's Poles any hazardous substances and that Licensee's Communications Facilities will not constitute or contain and will not generate any hazardous substance in violation of federal, state, or local law now or hereafter in effect, including any amendments. "Hazardous Substance" shall be interpreted broadly to mean any substance or material designated or defined as hazardous or toxic waste, hazardous or toxic material, hazardous or toxic or radioactive substance, dangerous radio frequency radiation, or other similar terms by any federal, state, or local laws, regulations or rules now or hereafter in effect, including any amendments. Licensee further represents and warrants that in the event of breakage, leakage, incineration, or other disaster, its Communications Facilities would not release any Hazardous Substances. Licensee and its agents, contractors, and subcontractors shall defend, indemnify, and hold harmless Utility and its respective officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, punitive damages, or expenses (including reasonable attorney's fees and all other costs and expenses of litigation) arising from or due to the release, threatened release, storage, or discovery of any Hazardous Substances on, under, or adjacent to Utility's Poles attributable to Licensee's use of Utility's Poles.
- Should Utility's Poles be declared to contain Hazardous Substances, Utility, Licensee, and all Attaching Entities shall share proportionately in the cost of disposal of the affected Poles based on each entity's individual percentage use of same. For Attaching Entities, such percentage shall be derived from the sum of space occupied by each Attaching Entity plus its share of the common space, including the NESC safety space. For Utility, such percentage shall be equal to the space above the NESC safety space plus its share of the common Space. If the source or presence of the Hazardous Substance is solely attributable to particular parties, such costs shall be borne solely by those parties.
- 16.4 Municipal Liability Limits.** No provision of this Agreement is intended, or shall be construed, to be a waiver for any purpose by Utility of any applicable State limits on municipal liability or governmental immunity. No indemnification provision contained in this Agreement under which Licensee indemnifies Utility shall be construed in any way to limit any other indemnification provision contained in this Agreement.
- 16.5** If Utility brings a successful action in a court of competent jurisdiction to enforce this Agreement, Licensee shall pay Utility's reasonable attorney's fees.

Article 17—Duties, Responsibilities, and Exculpation

- 17.1 **Duty to Inspect.** Licensee acknowledges and agrees that Utility does not warrant the condition or safety of Utility's Facilities, or the premises surrounding the Facilities, and Licensee further acknowledges and agrees that it has an obligation to inspect Utility's Poles and/or premises surrounding the Poles, prior to commencing any work on Utility's Poles or entering the premises surrounding such Poles.
- 17.2 **Knowledge of Work Conditions.** By executing this Agreement, Licensee warrants that it has acquainted, or will fully acquaint, itself and its employees and/or contractors and agents with the conditions relating to the work that Licensee will undertake under this Agreement and that it fully understands or will acquaint itself with the facilities, difficulties, and restrictions attending the execution of such work.
- 17.3 **DISCLAIMER. UTILITY MAKES NO EXPRESS OR IMPLIED WARRANTIES WITH REGARD TO UTILITY'S POLES, ALL OF WHICH ARE HEREBY DISCLAIMED, AND UTILITY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EXCEPT TO THE EXTENT EXPRESSLY AND UNAMBIGUOUSLY SET FORTH IN THIS AGREEMENT. UTILITY EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**
- 17.4 **Duty of Competent Supervision and Performance.** The parties further understand and agree that, in the performance of work under this Agreement, Licensee and its agents, employees, contractors, and subcontractors will work near electrically energized lines, transformers, or other Utility Facilities. The parties understand and intend that energy generated, stored, or transported by Utility Facilities will not be interrupted during the continuance of this Agreement, except in emergencies endangering life or threatening grave personal injury or property. Licensee shall ensure that its employees, agents, contractors, and subcontractors have the necessary qualifications, skill, knowledge, training, and experience to protect themselves, their fellow employees, agents, contractors, and subcontractors; employees, agents, contractors, and subcontractors of Utility; and the general public, from harm or injury while performing work permitted pursuant to this Agreement. In addition, Licensee shall furnish its employees, agents, contractors, and subcontractors competent supervision and sufficient and adequate tools and equipment for their work to be performed in a safe manner. Licensee agrees that in emergency situations in which it may be necessary to de-energize any part of Utility's equipment, Licensee shall ensure that work is suspended until the equipment has been de-energized and that no such work is conducted unless and until the equipment is made safe.

- 17.5 **Requests to De-energize.** If Utility de-energizes any equipment or line at Licensee's request and for its benefit and convenience in performing a particular segment of any work, Licensee shall reimburse Utility in accordance with Paragraph 3.9, for all costs and expenses that Utility incurs in complying with Licensee's request. Before Utility de-energizes any equipment or line, it shall provide, upon request, an estimate of all costs and expenses to be incurred in accommodating Licensee's request.
- 17.6 **Interruption of Service.** If Licensee causes an interruption of service by damaging or interfering with any equipment of Utility, Licensee shall, at its own expense, immediately do all things reasonable to avoid injury or damages, direct and incidental, resulting therefrom and shall notify Utility immediately.
- 17.7 **Duty to Inform.** Licensee further warrants that it understands the imminent dangers (INCLUDING SERIOUS BODILY INJURY OR DEATH FROM ELECTROCUTION) inherent in the work necessary to make installations on Utility's Poles by Licensee's employees, agents, contractors, or subcontractors, and Licensee accepts the duty and sole responsibility to notify and inform Licensee's employees, agents, contractors, or subcontractors of such dangers, and to keep them informed regarding same.

Article 18—Insurance

- 18.1 **Policies Required.** At all times during the term of this Agreement, Licensee shall keep in force and effect all insurance policies as described below. These insurance requirements shall extend to all agents, contractors, subcontractors or others working on behalf of the Licensee in performing any and all work contemplated under this Agreement:
- 18.1.1 **Workers' Compensation and Employers' Liability Insurance.** Statutory workers' compensation benefits and employers' liability insurance with a limit of liability no less than that required by Oklahoma law at the time of the application of this provision for each accident. This policy shall be endorsed to include a waiver of subrogation in favor of Utility. Licensee shall require subcontractors and others not protected under its insurance to obtain and maintain such insurance.
- 18.1.2 **Commercial General Liability Insurance.** Policy will be written to provide coverage for, but not limited to, the following: premises and operations, products and completed operations, personal injury, blanket contractual coverage, broad form property damage, and independent contractor's coverage.

- 18.1.3 **Automobile Liability Insurance.** Business automobile policy covering all owned, hired and non-owned private passenger autos and commercial vehicles.
- 18.1.4 **Umbrella Liability Insurance.** Coverage is to be in excess of the sum employers' liability, commercial general liability, and automobile liability insurance required above.
- 18.1.5 **Property Insurance.** Each party will be responsible for maintaining property insurance on its own facilities, buildings, and other improvements, including all equipment, fixtures, and utility structures, fencing, or support systems that may be placed on, within, or around Utility Facilities to fully protect against hazards of fire, vandalism and malicious mischief, and such other perils as are covered by policies of insurance commonly referred to and known as "extended coverage" insurance or self-insure such exposures.
- 18.2 **Qualification; Priority; Contractors' Coverage.** The insurer must be authorized to do business under the laws of the State of Oklahoma and have an "A" or better rating in Best's Guide. Such insurance will be primary. All contractors and all of their subcontractors who perform work on behalf of Licensee shall carry, in full force and effect, workers' compensation and employers' liability, comprehensive general liability, and automobile liability insurance coverages of the type that Licensee is required to obtain under this Article 18 with the same limits.
- 18.3 **Certificate of Insurance; Other Requirements.** Prior to the execution of this Agreement and prior to each insurance policy expiration date during the term of this Agreement, Licensee will furnish Utility with a certificate of insurance ("Certificate") and, upon request, certified copies of the required insurance policies. The Certificate shall reference this Agreement and workers' compensation and property insurance waivers of subrogation required by this Agreement. Utility shall be given thirty (30) calendar days advance notice of cancellation or nonrenewal of insurance during the term of this Agreement. Utility, its council members, board members, commissioners, agencies, officers, officials, employees and representatives (collectively, "Additional Insureds") shall be named as Additional Insureds under all of the policies, except workers' compensation, which shall be so stated on the Certificate of Insurance. All policies, other than workers' compensation, shall be written on an occurrence and not on a claims-made basis. All policies may be written with deductibles, not to exceed \$100,000, or such greater amount as expressly allowed in writing by Utility. Licensee shall defend, indemnify and hold harmless Utility and Additional Insureds from and against payment of any deductible and payment of any premium on any policy required under this Article. Licensee shall obtain

Certificates from its agents, contractors, and their subcontractors and provide a copy of such Certificates to Utility upon request.

- 18.4 Limits.** The minimum limits of liability for policies required by this Article shall be provided to Licensee by Utility. The limits of liability may be increased or decreased as required by Utility in the event of any factors or occurrences, including substantial increases in the level of jury verdicts or judgments or the passage of state, federal, or other governmental compensation plans, or laws that would materially increase or decrease Licensee's exposure to risk.
- 18.5 Prohibited Exclusions.** No policies of insurance required to be obtained by Licensee or its contractors or subcontractors shall contain provisions that: (1) exclude coverage of liability assumed by this Agreement with Utility except as to infringement of patents or copyrights or for libel and slander in program material, (2) exclude coverage of liability arising from excavating, collapse, or underground work, (3) exclude coverage for injuries to Utility's employees or agents, or (4) exclude coverage of liability for injuries or damages caused by Licensee's contractors or the contractors' employees, or agents. This list of prohibited provisions shall not be interpreted as exclusive.
- 18.6 Deductible/Self-insurance Retention Amounts.** Licensee shall be fully responsible for any deductible or self-insured retention amounts contained in its insurance program or for any deficiencies in the amounts of insurance maintained.

Article 19—Authorization Not Exclusive

Utility shall have the right to grant, renew, and extend rights and privileges to others not party to this Agreement by contract or otherwise, to use Utility Facilities covered by this Agreement. Such rights shall not interfere with the rights granted to Licensee by the specific Permits issued pursuant to this Agreement.

Article 20—Assignment

- 20.1 Limitations on Assignment.** Licensee shall not assign its rights or obligations under this Agreement, nor any part of such rights or obligations, without the prior written consent of Utility, which consent shall not be unreasonably withheld.
- 20.2 Obligations of Assignee/Transferee and Licensee.** No assignment or transfer under this Article 20 shall be allowed until the assignee or transferee becomes a signatory to this Agreement and assumes all obligations of Licensee arising under this Agreement. Licensee shall furnish Utility with prior written notice of the transfer or assignment, together with the name and address of the transferee or assignee. Notwithstanding any assignment or transfer, Licensee shall remain fully liable under this Agreement and shall not be released from performing any of the

terms, covenants, or conditions of this Agreement without the express written consent to the release of Licensee by Utility.

- 20.3 Sub-licensing.** Without Utility's prior written consent, Licensee shall not sub-license or lease to any third party, including but not limited to, allowing third parties to place Attachments on Utility's Facilities, including Overlapping, or to place Attachments for the benefit of such third parties on Utility's Poles. Any such action shall constitute a material breach of this Agreement. The use of Licensee's Communications Facilities by third parties (including but not limited to leases of dark fiber) that involves no additional Attachment or Overlapping is not subject to this Paragraph 20.3.

Article 21—Failure to Enforce

Failure of Utility or Licensee to take action to enforce compliance with any of the terms or conditions of this Agreement or to give notice or declare this Agreement or any authorization granted hereunder terminated shall not constitute a waiver or relinquishment of any term or condition of this Agreement, but the same shall be and remain at all times in full force and effect until terminated, in accordance with this Agreement.

Article 22— Issue Resolution Process

- 22.1 Dispute Resolution.** Except for an action seeking a temporary restraining order or an injunction or to compel compliance with this dispute resolution procedure, the parties can invoke the dispute resolution procedures in this Article at any time to resolve a controversy, claim, or breach arising under this Agreement. Each party will bear its own costs for dispute resolution activity.
- 22.2 Initial Meeting.** At either party's written request, each party will designate knowledgeable, responsible, senior representatives to meet and negotiate in good faith to resolve a dispute. The representatives will have discretion to decide the format, frequency, duration, and conclusion of these discussions. The parties will conduct any meeting in-person or via conference call, as reasonably appropriate.
- 22.3 Executive Meeting.** If ninety (90) days after the first in-person meeting of the senior representatives, the parties have not resolved the dispute to their mutual satisfaction, each party will designate executive representatives at the director level or above to meet and negotiate in good faith to resolve the dispute. To facilitate the negotiations, the parties may agree in writing to use mediation.
- 22.4 Unresolved Dispute.** If after sixty (60) days from the first executive-level, in-person meeting, the parties have not resolved the dispute to their mutual satisfaction; either party may invoke any legal means available to resolve the dispute, including enforcement of the default and termination procedures set out in Article 24.

- 22.5 Confidential Settlement.** Unless the parties otherwise agree in writing, communication between the parties under this Article will be treated as confidential information developed for settlement purposes, exempt from discovery and inadmissible in litigation.
- 22.6 Business as Usual.** During any dispute resolution procedure or lawsuit, the Utilities will continue providing services to each other and performing their obligations under this Agreement.

Article 23—Termination of Agreement

- 23** Utility shall have the right, pursuant to the procedures set out in this Article 23, to terminate this entire Agreement, or any Permit issued under it, whenever Licensee is in default of any material term or condition of this Agreement, including, but not limited to, the following circumstances:
- 23.1.1** Construction, operation, or maintenance of Licensee’s Communications Facilities in violation of law, or in aid of any unlawful act or undertaking; or
 - 23.1.2** Construction, operation, or maintenance of Licensee’s Communications Facilities after any authorization required of Licensee has lawfully been denied or revoked by any governmental authority or any private holder of easements or other rights, or violation of any other agreement with Utility; or
 - 23.1.3** Construction, operation, or maintenance of Licensee’s Communications Facilities without the insurance coverage required under Article 18.
- 23.2** Utility will notify Licensee in writing of any defaults by Licensee under this Agreement. Licensee shall take immediate corrective action to eliminate any such defaults within fifteen (15) calendar days, or such longer period as the parties may agree, and shall confirm in writing to Utility that the cited condition or conditions have ceased or been corrected, or are in the process of being corrected.
- 23.3** If Licensee contests the existence of the default, it may invoke the dispute resolution procedures of Article 22.
- 23.4** If the parties are unable to resolve the dispute and Licensee fails to discontinue or correct a default in a timely manner or fails to give the required confirmation, Utility may immediately terminate this Agreement or any Permit(s) granted under it. In the event of termination of this Agreement or any of Licensee’s rights, privileges, or authorizations, Utility may seek removal of Licensee’s Communications Facilities pursuant to the terms of Article 11, from any or all of

Utility's Poles. In such instance, Licensee shall remain liable to Utility for all fees and charges accrued pursuant to the terms of this Agreement.

Article 24—Term of Agreement

- 24.1 This Agreement shall become effective upon its execution and, if not terminated in accordance with other provisions of this Agreement, shall continue in effect for a term of five (5) years and, unless terminated by either party, agreement may be renewed for one (1) additional five (5) year term by mutual assent of the parties. Either party may terminate this Agreement at the end of the initial term by giving written notice of intent to terminate the Agreement at the end of the term. Such a notice must be given least ninety (90) calendar days prior to the end of the then-current term.
- 24.2 Even after the termination of this Agreement, Licensee's indemnity obligations shall continue with respect to any claims or demands related to Licensee's Communications Facilities, as provided for in Article 16.

Article 25—Amending Agreement

This Agreement shall not be amended, changed, or altered except in writing and with approval by authorized representatives of both parties.

Article 26—Notices

- 26.1 Wherever in this Agreement notice is required to be given by either party to the other, such notice shall be in writing and shall be effective when personally delivered to, or when mailed by certified mail with return receipt requested, with postage prepaid, and except where specifically provided for elsewhere, properly addressed as follows:
- If to Utility, at: ATTN: City Clerk
- 723 S Lewis St., Stillwater, OK 74074
- If to Licensee, at: _____
- or to such other address as either party, from time to time, may give the other party in writing.
- 26.2 The above notwithstanding the parties may agree to utilize electronic communications such as email for notifications related to the Permits application and approval process and necessary transfer or pole modifications.
- 26.3 Licensee shall maintain a staffed 24-hour emergency telephone number, not available to the general public, where Utility can contact Licensee to report damage to Licensee's facilities or other situations requiring immediate communications

between the parties. Such contact person shall be qualified and able to respond to Utility's concerns and requests.

Article 27—Entire Agreement

This Agreement and its appendices constitute the entire agreement between the parties concerning attachments of Licensee's Communications Facilities on Utility's Poles within the geographical service area covered by this Agreement. Unless otherwise expressly stated in this Agreement, all previous agreements, whether written or oral, between Utility and Licensee are superseded and of no further effect.

Article 28 -- Severability

If any provision or portion thereof of this Agreement is or becomes invalid under any applicable statute or rule of law, and such invalidity does not materially alter the essence of this Agreement to either party, such provision shall not render unenforceable this entire Agreement. Rather, the parties intend that the remaining provisions shall be administered as if the Agreement did not include the invalid provision.

Article 29 —Governing Law

All matters relating to this Agreement shall be governed by the laws (without reference to choice of law) of the State of Oklahoma.

Article 30—Incorporation of Recitals and Appendices

The recitals stated above and all appendices to this Agreement are incorporated into and constitute part of this Agreement.

Article 31—Performance Bond

On execution of this Agreement, Licensee shall provide to Utility a performance bond or letter of credit in an amount of (\$1000 per Small Wireless Facility). The bond shall be with an entity and in a form acceptable to Utility. The purpose of the bond is to ensure Licensee's performance of all of its obligations under this Agreement and for the payment by Licensee of any claims, liens, taxes, liquidated damages, penalties, and fees due to Utility that arise by reason of the construction, operation, maintenance, or removal of Licensee's Communications Facilities on or about Utility's Poles.

Article 32—Force Majeure

32.1 If either Utility or Licensee is prevented or delayed from fulfilling any term or provision of this Agreement by reason of fire, flood, earthquake, or like acts of nature, wars, revolution, civil commotion, explosion, acts of terrorism, embargo, acts of the government in its sovereign capacity, material changes of laws or regulations, labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts, unavailability of equipment of vendor, or any other such cause not attributable to the negligence or fault of the party delayed in performing the acts required by the Agreement, then performance of such acts shall be excused for the period of the unavoidable delay, and the affected party

shall endeavor to remove or overcome such inability as soon as reasonably possible.


- 32.2 Utility shall not impose any charges on Licensee stemming solely from Licensee's inability to perform required acts during a period of unavoidable delay as described in Paragraph 32.1, provided that Licensee present Utility with a written description of such force majeure within a reasonable time after occurrence of the event or cause relied on, and further provided that this provision shall not operate to excuse Licensee from the timely payment of any fees or charges due Utility under this Agreement.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement in duplicate on the day and year first written above.

(UTILITY)


(LICENSEE)

BY: _____

BY:  _____

Title: _____

Title:


CBDO

UTILITY

STATE OF OKLAHOMA

: ss

County of Payne

I, the undersigned, a Notary Public in and for the State of Oklahoma, hereby certify that on the ____ day of _____, 2____, personally appeared before me [NAME] _____, [TITLE] _____ to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Notary Public in and for the
State of Oklahoma, residing at
_____, Oklahoma

LICENSEE


STATE OF [INSERT STATE] Colorado


: ss

County of Denver

I, the undersigned, a Notary Public in and for the State of Colorado, hereby certify that on the 26th day of March, 2024, personally appeared before me [NAME] Mike Harry, [TITLE] CBDO to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.





Notary Public in and for the
State of Colorado, residing at
_____, _____

Part Two – Appendices and Drawings

APPENDIX A— Fees and Charges

Pole Attachment Fees and Charges

Effective Date / /

1. Annual Pole Attachment Rate(s):

Occupancy Rate: \$20.00 per small wireless facility/per year

Collocation (Attachment) Rate: \$20.00 per pole/per year

2. Non-Recurring Fees:

One-time License Agreement Fee \$350.00

Permit Application Fee \$200.00 per Permit Application
(1-5 Attachments)

Permit Application Fee \$100.00 per Permit Application
(6 -25 Attachments)

Make Ready Work Charges See Article 3 of Agreement

Miscellaneous Charges See Article 3 of Agreement [or
Attach Fee Schedule for Work
Performed for the Licensee]

Inspection Fees..... See Article 3 of Agreement

3. Unauthorized Attachment Penalty Fee:

5 x annual collocation (attachment) rate, per occurrence.

4. Failure To Timely Transfer, Abandon, or Remove Facilities Penalty:

1/5 annual attachment fee per day, per pole, first 30 days; after the initial
30 days the penalty shall be equal to the annual collocation (attachment)
rate per day, per pole.

NOTE: The Utility may increase the fees and rates it adopts under this appendix by ten percent (10%) every five (5) years rounded to the nearest dollar.

APPENDIX B—Pole Attachment

Permit Application Process

The following procedure is to be followed by each Licensee seeking to make new Attachments on Utility's Poles, or overlash to existing pole tenant facilities on Utility's Poles. Note that no entity may make any Attachments to Utility's Poles or overlash to existing pole tenant facilities on Utility's Poles without having first entered into a binding Pole Attachment Licensing Agreement with Utility. Third parties seeking to overlash to an existing pole tenant facility must also have a written overlash agreement with the pole tenant to be overlash. The overlash agreement must be provided to the Utility at the time of application.

1. Licensee shall submit a written request to perform a Pre-Construction Inspection. The request must include a preliminary route description. Licensee shall have a professional engineer or utility-approved employee or contractor, participate in a Pre-Construction Inspection, which will include a review of the proposed Attachment(s) to determine the feasibility of the request and identify any potential Make-Ready Work. Appendix F to this Agreement contains the minimum design review information that an applicant must provide and a worksheet for determining the minimum specifications that the proposed Attachment must meet.
2. Following the Pre-Construction Inspection, Licensee shall submit a completed Permit Application (Appendix C) that includes: route map, information required in Appendix F, installation plans, recommendations on Make-Ready Work, and a pole-loading analysis stamped by a professional engineer. Licensee shall prepare the Permit Application in adherence with the Applicable Standards (Section 1.2 of Agreement) and specifications (Appendix D).
3. At the Licensee's expense, the Utility will review the recommendations from the inspection and the pole-loading analysis, and discuss any issues with the Licensee.
4. Upon receipt of written authorization, Utility will proceed with Make-Ready Work according to the specific agreed-upon installation plans and the terms of the Agreement, including payment for the Make-Ready Work charges as set out by Utility and agreed to by the Licensee.
5. Upon completion of the Make-Ready Work, the Utility will *sign* and return the Application for Permit authorizing the Licensee to make its Attachment(s) in accordance with agreed-upon installation plans.

6. Unless waived in writing by the Utility, the Licensee's professional engineer, utility-approved employee, or contractor shall submit written certification that he/she has completed the Post-Construction Inspection and that the installation was done in accordance with the provisions of the Permit. The Post-Construction Inspection shall be submitted within ninety (90) calendar days after installation is complete. The Utility will verify the inspection by means that it deems to be reasonable.

APPENDIX C - Application for Permit

Application Date: 3 / 26 / 24

To: Stillwater Utilities Authority
Attn: Electric Engineering
411 E 3rd Ave
Stillwater, OK 74074

Desire to: Attach to Utility Pole(s)

Remove Attachment from Utility Pole(s)

Overlash to existing facility attached to Utility Pole(s)

Permit No. _____

Occupancy Permit No. _____

Number of Poles this permit 50 Sheet 1 of 7

Licensee Name: Bluepeak

Address:

Contact Person: Matt Lanza Phone 331 431 8226

Title: Sr. PM of Aerial D&E

Utility Contact Person: Vernon Hall Phone 405 742 8367

Title: Power Distrobution Engineering Specialist

Narrative Description of proposed activity: Aerial Strand attachment for Fiber Optics

Application for Permit

In accordance with the terms and conditions of the Pole Attachment Licensing Agreement dated _____, application is hereby made for a Permit to attach to and/or vacate Pole(s) in the locations detailed on the attached Route Map(s). Also, attached is documentation as required by Appendix F of the Agreement. If applicable, the engineer's name, this State's registration number, and phone number are:

Name: _____ Phone: _____

Registration #: _____

Permission is hereby granted to Licensee to attach and/or vacate poles listed on the attached Field Data Summary Sheets, subject to payment of the necessary Make-Ready Work charges as set out by Utility and agreed to by the Licensee.

SUBMITTED:

APPROVED:

Licensee Bluepeak Utility _____

By Matt Lanza By _____

Title Sr. PM of Aerial D&E Title _____

Date 3/25/24 Date _____

Inspection required

APPENDIX D - Specifications for Licensee's Attachments to Utility Poles

Licensee, when making Attachments to Utility Poles, will adhere to the following engineering and construction practices.

A. All Attachments shall be made in accordance with the Applicable Standards, as defined in Paragraph 1.2 of this Agreement.

B. Clearances

1. **Attachment and Cable Clearances:** Licensee's Attachments on Utility Poles, including metal attachment clamps and bolts, metal cross-arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the National Electrical Safety Code ("NESC") and in drawings and specifications Utility may from time to time furnish Licensee. (See Drawings A-01 to A-99.)

Note: Attachments shall only be placed within the communication space as defined in the NESC.

2. **Service Drop Clearance:** From the pole to the home/building the parallel minimum separation between Utility's service drops and communications service drops shall be twelve (12) inches, per NESC 235C1b (exception 3). (see drawing A-5)
3. All other drop clearances at the midspan must conform to NESC table 235-6.

Sag and Mid-Span Clearances: Licensee will be particularly careful to leave proper sag in its lines and cables and shall observe the established sag of power line conductors and other cables so that minimum clearances are: (a) achieved at poles located on both ends of the span; and (b) retained throughout the span. At mid-span, a minimum of twelve (12) inches of separation must be maintained between all telecommunication cables that meet NESC rule 230E1 (includes common phone, CATV, and fiber optic cables lashed to an effectively grounded messenger strand, or self-supporting cables).

NESC table 235-6 requires:

- 12" from neutral (by exception #16)
- 30" from supply lines carrying 0 to 8.7 kV (secondary)
- 30" plus 0.4" per kV in excess of 8.7 (primary)

4. **Vertical Risers:** All Risers, including those providing 120/240 volt power for Licensee's equipment enclosure, shall be placed on the quarter faces of the Pole and must be installed in conduit with weatherhead (if possible), attached to the Pole with stand-off brackets. A two (2) inch clearance in any direction from cable, bolts, clamps, metal supports, and other equipment shall be maintained. (See Drawings A-02 and A-04.)
5. **Climbing Space:** A clear Climbing Space must be maintained at all times on the face of the Pole. All Attachments must be placed so as to allow and maintain a clear and proper Climbing Space on the face of the Utility Pole. Licensee's cable/wire Attachments shall be placed on the same side of the Pole as those of other Attaching Entities. In general, all other Attachments and Risers should be placed on Pole quarter faces. (See Drawing A-09.)
6. **Pedestals and Enclosures:** Every effort should be made to install Pedestals, vaults and/or Enclosures at a minimum of ten (10) feet from Poles or other Utility Facilities, or the distance specified by the utility, whichever is greater.

C. Down Guys and Anchors

1. Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on the Utility's Poles by Licensee's Attachments. Anchors must be guyed adequately.
2. Anchors and guy wires must be installed on each Utility Pole where an angle or a dead-end occurs. Licensee shall make guy attachments to Poles at or below its cable Attachment. No proposed anchor can be within four (4) feet of an existing anchor without written consent of Utility.
3. Licensee may not attach guy wires to the anchors of Utility or third-party user without the anchor owner's specific prior written consent.
4. No Attachment may be installed on a Utility Pole until all required guys and anchors are installed. No Attachment may be modified, added to, or relocated in such a way as will materially increase the stress or loading on Utility Poles until all required guys and anchors are installed.
5. Licensee's down guys, if needed, shall be bonded, to the vertical ground wires of Utility's Pole, in accordance to NESC rule 92C. If there is no vertical ground present at the pole, the connections to the system neutral are to be made by the utility as an item of Make-Ready Work. Utility will determine if guys should be grounded or insulated.

D. Certification of Licensee's Design

1. Licensee's Attachment Permit application must be signed and sealed by a professional engineer, registered in the [State], certifying that Licensee's aerial cable design fully complies with the NESC and Utility's Construction Standards and any other applicable federal, state or local codes and/or requirements.
2. This certification shall include the confirmation that the design is in accordance with pole strength requirements of the NESC, taking into account the effects of Utility's Facilities and other Attaching Entities' facilities that exist on the Poles without regard to the condition of the existing facilities.

E. Miscellaneous Requirements

1. **Cable Bonding:** Licensee's messenger cable shall be bonded according to NESC rule 92C1 as a minimum, or at every pole with a vertical ground, as determined by the utility. If no ground exists on a pole to be bonded, Licensee shall install a Pole ground in accordance with the attached detail drawing. (See Drawings A-03 to A-04.)
2. **Customer Premises:** Licensee's service drop into customer premises shall be protected as required by the most current edition of the NEC.
3. **Communication Cables:** All Communications cables/wires not owned by Utility shall be attached within the Communications space that is located 40 inches below the lowest Utility conductors. (See Drawings A-01 through A-11.)
4. **Riser Installations:** All Licensee's Riser installations shall be in utility-approved conduit materials and placed on stand-off brackets. Ground wires may be attached directly to Pole. (See Drawings A-02 to A-04.)
5. **Tagging:** All Licensee's cables shall be identified with a band-type communications cable tag or other identification acceptable to Utility at each Attachment within twelve (12) inches of the Pole. The communications tag shall be consistent with communication industry standards and shall include at least the following: Licensee name, emergency contact number, and cable type. At the discretion of Utility, Tags shall be color-coded to permit identification of Attaching Entity by observation from the ground.

F. Utility Construction Drawings and Specifications

1. Refer to the attached Utility Construction Drawings, and obtain additional construction specifications from Utility in accordance with its requirements.

2. Apply the Utility's construction drawings and specifications in accordance with the NESC, NEC, and any other federal, state, or local code requirements.

APPENDIX E - Distribution Line Minimum Design Review Information and Suggested Worksheet

The following guidelines are provided, and corresponding information must be submitted with each Permit application for Pole Attachments on Utility's system. Utility may direct that certain Attachments do not require the submittal of Design Review Information. These Attachments are noted at the end of this section.

Each Permit application must include a report from a professional engineer registered to practice in the State of Oklahoma, and experienced in electric utility system design, or a utility-approved employee or contractor of Licensee. This report must clearly identify the proposed construction and must verify that the Attachments proposed will maintain Utility's compliance with NESC Class B construction for the loading district as outlined in the NESC Section 25.

Utility may or may not require that all of the following information be submitted at the time of the Permit application. The applicant shall have performed all required calculations and be ready to provide the detailed information below within fifteen (15) calendar days of notice. Applicant shall keep copies of the engineering data available for a period of twenty (20) years.

In determining compliance, the following minimum conditions shall be used in the calculations for pole strength:

1. All single-phase lines shall be assumed to have been reconductored to 477 ACSR 26/7, code name Hawk conductor for both phase and neutral. If a larger conductor size exists, the larger size shall be used in the calculations.
2. All three-phase lines shall be assumed to have been to 477 ACSR 26/7, code name Hawk conductor for three (3) phases and neutral. If existing conductors are larger than 4/0 AWG ACSR, the larger size shall be used in the calculations.
3. All pole lines shall assume a secondary/service conductor, installed from pole to pole, of #4/0 AWG triplex cable, with an ACSR messenger.
4. For pole strength calculations, all poles shall be as they actually exist, or be considered Class 4 for calculations.
5. All line angles or dead ends shall be guyed and anchored. Transverse pole strength shall not be assigned to attaching pole users for line angles, *i.e.*, pole should be viewed as being void of other cables, conductors, wires, or guys and considering only the applicant's wires/cables for guying calculations.
6. Points of attachment shall be as they actually exist on the poles.

7. For a Utility-approved joint use of anchors, the Licensee shall utilize guy insulators in its guys.
8. Lessee shall comply with any NESC and/or Utility safety factors, whichever are more conservative, in their designs. The engineer for the Permit applicant shall provide for each application the following confirmations:

Required permits that have been obtained (insert n/a if not applicable):

- _____ (y/n) U.S. Corp of Engineers.
- _____ (y/n) Highway—state, county, city.
- _____ (y/n) Railroad.
- _____ (y/n) Local zoning boards, town boards, etc.
- _____ (y/n) Joint-use permits, if required.
- _____ (y/n) Notified other pole users of contacts or crossings.

Confirm that you have:

- _____ (y/n) Obtained appropriate franchise(s).
- _____ (y/n) Obtained pole/anchor easements from landowners.
- _____ (y/n) Obtained crossing and overhang permits.
- _____ (y/n) Obtained permit to survey R/W.
- _____ (y/n) Completed State of Oklahoma Department of Transportation requirements.
- _____ (y/n) Placed permit number on plans.
- _____ (y/n) Complied with Underground Facility Location requirements.
- _____ (y/n) Included sag/tension data on proposed cable.

Calculations are based upon the latest edition of the NESC and the latest editions of the requirements of the State of Oklahoma.

It is Licensee's responsibility to obtain all necessary permits and provide the Utility with a copy of each.

The engineer for the Permit applicant shall provide for each Pole(s) the following information:

Project ID _____

Pole number _____ [if pole tag missing, contact Utility]

Pole class _____ [existing—*i.e.*, 4, 3, 2...]

Pole size _____ [existing—*i.e.*, 35, 40...]

Pole type _____ [Southern Yellow Pine, Douglas Fir...]

Pole fore span _____ [feet]

Pole fore span direction _____ [degrees from Magnetic North]

Pole back span _____ [feet]

Pole back span direction _____ [degrees from Magnetic North]

Calculated bending

moment at ground level _____ [ft-lbs]

Existing:

Power phase condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power neutral condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power sec condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power service #1 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #2 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #3 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Telco #1 cables _____ qty of _____ dia @ _____ ft above ground line

Telco service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

Telco service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV #2 cables _____ qty of _____ dia @ _____ ft above ground line

CATV service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

User #3 cables _____ qty of _____ dia @ _____ ft above ground line

User #4 cables _____ qty of _____ dia @ _____ ft above ground line

User #5 cables _____ qty of _____ dia @ _____ ft above ground line

User #6 cables _____ qty of _____ dia @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Proposed:

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____ ° _____ ' _____ ", _____ ° _____ ' _____ "

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction ° ' ", ° ' "

Equipment #1 type qty of size @ ft above ground line

Equipment #2 type qty of size @ ft above ground line

AGL = Above Ground Level

The minimum vertical clearance under all loading conditions measured from the proposed cable to ground level on each conductor span shall be stated above. Variations in topography resulting in ground elevation changes shall be considered when stating the minimum vertical clearance within a given span.

Calculated pole bending moment at ground level: [ft-lbs]

Pole breaking bending moment at ground level: [ft-lbs]

Calculated transverse safety factor: [ratio should be greater than 1.00]

Proposed loading data [provide similar data for each cable proposed]:

A. Weight data (cable and messenger)

1. Vertical weight, bare = [# /ft]

B. Tension data (final tensions on messenger) -

1. NESC maximum load for area of construction: [lbs]

2. 60° F, NO wind: [lbs]

Permit applicant's engineer shall provide for each transverse guy, or dead end to which guys and/or anchors are attached, the following information:

Pole number

Calculated cable messenger tension under

NESC maximum loading conditions [lbs]

If connection is:

A dead end, is it a single or double? _____ [S, D]

A change in tension, what is change? _____ [lbs]

A line angle, what is angle change? _____ [degrees]

What is tension change at angle? _____ [lbs]

For each dead end:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each change in tension:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each line angle:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each anchor:

Anchor distance to nearest anchor _____ [feet]

Calculated anchor tension _____ [lbs]


Rated anchor strength _____ [lbs]

Soil composition _____ [sandy, loam, clay, rock]


APPENDIX F - Field Data Summary Sheet Instructions

<u>Column</u>	<u>Instructions</u>
Utility Pole Number	If a Pole stencil is not in place, it may be left for Utility if the accompanying sketch is adequate to determine the Location.
Communication Company's	This must correspond with the plan sheet or
Plan Sheet Pole Number	Pole Sketch Pole identification number.
Pole Height and Class.....	List the present Pole height and class and list the proposed Pole height and class if it is necessary for Utility to replace the Pole for clearance, etc.
Guy Attachments.....	All unbalanced loading on Poles must be guyed. Attachments to Utility's anchors will not be allowed.
Attachment Height.....	Communications Company attachment height above ground level. List guy lead in feet.
Inches Below Utility	The number of inches Communications Company is to be attached below Utility while maintaining clearance as required in Item #4.
Span Length	List the back span length for each attachment.
Inches Sag.....	List the messenger sag for the design listed on the cover sheet at 60 degrees Fahrenheit.
Ground Clearance.....	List the ground clearance at the low point of the back span. Must not be less than the National Electrical Safety Code (latest edition).

Drawing A-01— Overhead Minimum Clearances




Drawing A-02 — Overhead Minimum Clearances



Drawing A-03 — Grounding Connections

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.



NOTE 1:



1. Licensee shall bond to utility pole ground wherever utility has a down ground on the pole. If the ground is under the metal U-guard, contact utility to make the ground connection.
2. If no pole ground exists install a pole down ground on the pole. Protect the pole ground with a ground wire extending. Top of ground rod shall be at least 12" below grade.
3. Ground wire shall be #8 bare copper or larger. If bond wire is unsupported more than 12" long, staple to pole.
4. When communications are underground, the power is overhead and it is required that the communications ground be interconnected to the power supply ground. The connection shall be made below grade.
5. In no case shall licensee ground be connected to guy/anchors.
6. If a neutral isolation device is installed on this pole the attachor must contact SEU for special grounding instructions.
7. Licensee's messenger cable shall be bonded to SEU's pole ground wire at each pole that has a ground wire.

	GROUNDING CONNECTIONS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-03

Drawing A-04 — Guy Wire Requirements

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NESC and in these drawings and specifications.



CONTACT SEU TO DETERMINE IF
GUYS ARE TO BE INSULATED OR
GROUNDED.

NOTE 1:


1. Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional loads placed on utility's poles Licensee's attachments.
2. Anchors and guy wires must be set on each utility pole where there is a turn or angle and on all dead-end utility poles.
3. Licensee may not place guy wires on the anchors of SEU or third party user without prior written consent of all attaching entities and anchor owners.
4. No attachment may be installed on a utility pole until all required guys and anchors are installed. Nor may any attachment be modified or relocated in such a way as will materially increase the stress or loading on utility poles until all required guys and anchors are installed.
5. Licensee's down guys shall not be banded to ground or neutral wires or SEU's pole and shall not provide a current path to ground from the pole ground or power system neutral. If permitted or required by SEU, grounded guys should be installed.
6. On jointly used structures, guys that pass within 12" of supply conductors, and also pass within 12" of communication cables, shall be protected with a suitable insulating covering where the guy passes the supply conductors, unless the guy is effectively grounded or insulated with a strain insulator at a point below the lowest supply conductor and above the highest communication cable.

	GUY WIRE REQUIREMENTS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-04

Drawing A-05 — Power Service

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bells and other equipment, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.




NOTE 1:


1. This installation shall comply with all applicable electrical codes and state, city, village, town, and SEU requirements.
2. Service entrance conductors shall extend 30" beyond weatherhead and have 600 volt rated insulation.
3. Communication power supply cable.
4. Communication power supply.
5. 6" maximum between service entrance conductors and communications cables, if possible.
6. Grounding shall be in accordance with National Electric Code Article 250. Top of rod to be 6" below grade.
7. Location of all licensee equipment is to be approved by SEU and shall be relocated by licensee if incorrect.
8. Proof of compliance shall be appropriately certified. Install disconnect and overcurrent protection with meter.
9. All wires on poles will be placed in rigid steel or aluminum metallic conduit on the quarter faces of the pole.
10. This service detail applies to all commercial users requiring power for pole mounted devices.

	POWER SERVICE		
	AUGUST 2019 Department of Electric Utility	POLE ATTACHMENTS	A-05


Drawing A-06 — Minimum Clearance at Pole/Midspan from Neutral




Drawing A-07 — Minimum Clearance at Pole/Midspan from Secondary




Drawing A-08 — Minimum Clearance at Pole/Midspan from Primary




Drawing A-09 — Midspan Service Drop Clearance from Electric Service




Drawing A-10 — DAS Streetlight Arm Attachment



Drawing A-11 — DAS Bracket Arm Attachment



Drawing A-12 — Climbing Space Requirements



POLE ATTACHMENT BOND

Bond No.: 800150421

KNOW ALL MEN BY THESE PRESENTS,

THAT Clarity Telecom, LLC dba Bluepeak, as Principal, and Atlantic Specialty Insurance Company, having its executive office in 605 Highway 169 North, Suite 800 Plymouth, MN 55441, as Surety, are held and firmly bound unto Stillwater Utilities Authority 411 E 3rd Avenue, Stillwater, OK 74074, hereinafter referred to as Oblige, in the penal sum of Nineteen Thousand Four Hundred Dollars and 00/100 DOLLARS (\$19,400.00) for the payment of which, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents, the liability of the Surety being limited to said penal sum regardless of the number of years this bond remains in force or is renewed, of the number of premiums that shall be payable or paid, the number of Subscribers to the system and/or legal fees which may be required and incurred.

WHEREAS, Principal has entered into a written agreement with the Oblige for the use of its poles in connection with the furnishing of telecommunications services, which agreement sets forth the terms and conditions which govern the use of such poles, which agreement is hereby specifically referred to and made part hereof, with like force and effect as if herein at length set forth.

NOW THEREFORE, the condition of this obligation is such, that if the above bound Principal shall perform in accordance with the aforesaid agreement, then this obligation shall be void, otherwise to remain in full force and effect unless cancelled or terminated as set forth below.

This bond may be terminated or cancelled by Surety by giving thirty (30) days prior notice in writing from Surety to Principal and said Oblige, such notice to be given by certified mail. Such termination or cancellation shall not affect any liability incurred or accrued under this Bond prior to the effective date of such termination or cancellation.

AND PROVIDED FURTHER that no action, suit or proceeding shall be had or maintained against the Surety on this instrument unless the same be brought or instituted and process served upon the Surety within twelve months after cancellation of this bond as set forth in the preceding paragraph.

IN WITNESS WHEREOF, the said Principal and Surety have signed and sealed this instrument this 27th day of March, 2024.

WITNESS:

Cynthia J Bishop
NAME

Location:
BP Stillwater Z1 DA28 AER (50 Poles),
OCCROW24-0009_POLATT24-0007 (50 Attachments)

CYNTHIA J BISHOP
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 19964011400
MY COMMISSION EXPIRES JANUARY 9, 2028

Clarity Telecom, LLC dba Bluepeak
PRINCIPAL
BY: *Julie Amadio*
CFD
TITLE

Atlantic Specialty Insurance Company
SURETY
BY: *Michelle Deligne*
Michelle Deligne, Attorney-in-Fact





Power of Attorney

Surety Bond No: 800150421

Principal: Clarity Telecom, LLC dba Bluepeak
Obligee: Stillwater Utilities Authority

KNOW ALL MEN BY THESE PRESENTS, that ATLANTIC SPECIALTY INSURANCE COMPANY, a New York corporation with its principal office in Plymouth, Minnesota, does hereby constitute and appoint: Michelle Deligne, each individually if there be more than one named, its true and lawful Attorney-in-Fact, to make, execute, seal and deliver, for and on its behalf as surety, any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof; provided that no bond or undertaking executed under this authority shall exceed in amount the sum of: **sixty million dollars (\$60,000,000)** and the execution of such bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof in pursuance of these presents, shall be as binding upon said Company as if they had been fully signed by an authorized officer of the Company and sealed with the Company seal. This Power of Attorney is made and executed by authority of the following resolutions adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the President, any Senior Vice President or Vice-President (each an "Authorized Officer") may execute for and in behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and affix the seal of the Company thereto; and that the Authorized Officer may appoint and authorize an Attorney-in-Fact to execute on behalf of the Company any and all such instruments and to affix the Company seal thereto; and that the Authorized Officer may at any time remove any such Attorney-in-Fact and revoke all power and authority given to any such Attorney-in-Fact.

Resolved: That the Attorney-in-Fact may be given full power and authority to execute for and in the name and on behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed and sealed by an Authorized Officer and, further, the Attorney-in-Fact is hereby authorized to verify any affidavit required to be attached to bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof.

This power of attorney is signed and sealed by facsimile under the authority of the following Resolution adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the signature of an Authorized Officer, the signature of the Secretary or the Assistant Secretary, and the Company seal may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing an Attorney-in-Fact for purposes only of executing and sealing any bond, undertaking, recognizance or other written obligation in the nature thereof, and any such signature and seal where so used, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

IN WITNESS WHEREOF, ATLANTIC SPECIALTY INSURANCE COMPANY has caused these presents to be signed by an Authorized Officer and the seal of the Company to be affixed this fifth day of March, 2020.




By

Paul J. Brehm, Senior Vice President

STATE OF MINNESOTA
HENNEPIN COUNTY

On this fifth day of March, 2020, before me personally came Paul J. Brehm, Senior Vice President of ATLANTIC SPECIALTY INSURANCE COMPANY, to me personally known to be the individual and officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, that he is the said officer of the Company aforesaid, and that the seal affixed to the preceding instrument is the seal of said Company and that the said seal and the signature as such officer was duly affixed and subscribed to the said instrument by the authority and at the direction of the Company.



Notary Public

I, the undersigned, Assistant Secretary of ATLANTIC SPECIALTY INSURANCE COMPANY, a New York Corporation, do hereby certify that the foregoing power of attorney is in full force and has not been revoked, and the resolutions set forth above are now in force.

Signed and sealed. Dated 27th day of March, 2024.



Christopher V. Jerry, Secretary

Stillwater Utilities Authority Pole Attachment Licensing Agreement

Original issue: 07/16/18

Table of Contents

Part One – Pole Attachment Licensing Agreement

Recitals

Article 1 – Definitions

Article 2 – Scope of Agreement

Article 3 – Fees and Charges

Article 4 – Specifications

Article 5 – Private and Regulatory Compliance

Article 6 – Permit Application Procedures

Article 7 – Make-Ready Work/Installation

Article 8 – Transfers

Article 9 – Pole Modifications and/or Replacements

Article 10 – Abandonment or Removal of Utility Facilities

Article 11 – Removal of Licensee's Facilities

Article 12 – Termination of Permit

Article 13 – Inspection of Licensee's Facilities

Article 14 – Unauthorized Occupancy or Access

Article 15 – Reporting Requirements

Article 16 – Liability and Indemnification

Article 17 – Duties, Responsibilities, and Exculpation

Article 18 – Insurance

Article 19 – Authorization Not Exclusive

Article 20 – Assignment

Article 21 – Failure to Enforce

Article 22 – Issue Resolution Process

Article 23 – Termination of Agreement

Article 24 – Term of Agreement

Article 25 – Amending Agreement

Article 26 – Notices

Article 27 – Entire Agreement

Article 28 – Severability

Article 29 – Governing Law

Article 30 – Incorporation of Recitals and Appendices

Article 31 – Performance Bond

Article 32 – *Force Majeure*

Part Two – Appendices and Drawings

APPENDIX A -- Fees and Charges

APPENDIX B – Pole Attachment Permit Application Process

APPENDIX C – Application for Permit

APPENDIX D – Specifications for Licensee's Attachments to Utility Poles

APPENDIX E – Distribution Line Minimum Design Review Information and Suggested Worksheet

APPENDIX F – Field Data Summary Sheet Instructions

DRAWING A-01 – Overhead Minimum Clearances

DRAWING A-02 – Overhead Minimum Clearances

DRAWING A-03 – Grounding Connections

DRAWING A-04 – Guy Wire Requirements

DRAWING A-05 – Power Service

DRAWING A-06 – Minimum Clearance at Pole / Midspan from Neutral

DRAWING A-07 – Minimum Clearance at Pole / Midspan from Secondary

DRAWING A-08 – Minimum Clearance at Pole / Midspan from Primary

DRAWING A-09 – Midspan Service Drop Clearance from Electric Service

DRAWING A-10 – DAS Streetlight Arm Attachment

DRAWING A-11 – DAS Bracket Arm Attachment

DRAWING A-12 – Climbing Space Requirements

Part One – Pole Attachment Licensing Agreement

This Pole Attachment Licensing Agreement (the “Agreement”) dated March 25, 20 24 is made by and between the Stillwater Utilities Authority (“Utility”), located in the State of Oklahoma, and Clarity LLC, d.b.a Bluepeak (“Licensee”).

Recitals

- A. Licensee proposes to install and maintain Communications Facilities and associated equipment, Licensee’s Attachments, on Utility’s Poles to provide Communications Services; and
- B. Utility is willing, when it may lawfully do so, to issue one or more Permits authorizing the placement or installation of Licensee’s Attachments on Utility’s Poles, provided that Utility may refuse, on a nondiscriminatory basis, to issue a Permit where there is insufficient Capacity or for reasons relating to safety, reliability, generally applicable engineering purposes, and/or any other Applicable Standard; and

[NOTE: The following Recitals may be used where Licensee and Utility have an existing pole attachment agreement.]

- C. On _____, _____, Utility and Licensee entered into a **[Insert name of agreement]** (e.g., the “___ Agreement”); [and]
- D. By registered letter dated _____, 20____, Utility gave notice to Licensee that Utility/ Licenser was terminating the _____ Agreement effective _____, 2____; [and]
- E. The parties intend that this Agreement replace the _____ Agreement on its termination; [and]
- F. Therefore, in consideration of the mutual covenants, terms and conditions set out below the parties agree as follows:

AGREEMENT

Article 1—Definitions

For the purposes of this Agreement, the following terms, phrases, words, and their derivations, shall have the meaning given below, unless more specifically defined within a specific Article or Paragraph of this Agreement. When not inconsistent with the context, words used in the present tense include the future and past tense, and words in the singular number include the plural number. The words “shall” and “will” are mandatory

and “may” is permissive. Words not defined shall be given their common and ordinary meaning.

- 1.1 **Affiliate**: when used in relation to Licensee, means another entity that owns or controls, is owned or controlled by, or is under common ownership or control with Licensee.
- 1.2 **Applicable Standards**: means all applicable engineering and safety standards governing the installation, maintenance, and operation of facilities and the performance of all work in or around electric Utility Facilities and includes the most current versions of National Electric Safety Code (“NESC”), the National Electrical Code (“NEC”), and the regulations of the Occupational Safety and Health Administration (“OSHA”), each of which is incorporated by reference in this Agreement, and the safety, engineering and construction requirements and standards of Utility.
- 1.3 **Attaching Entity**: means any public or private entity, including Licensee that, pursuant to a license agreement with Utility, places an Attachment on Utility’s Pole to provide Communications Service.
- 1.4 **Attachment(s)**: means Licensee’s Communications Facilities that are placed directly on Utility’s Poles within the Communication Space, or Overlashed onto an existing Attachment, but does not include either a Riser or a service drop attached to a single Pole where Licensee has an existing Attachment on such Pole.
- 1.5 **Capacity**: means the ability of a Pole to accommodate an additional Attachment based on Applicable Standards, including space and loading considerations.
- 1.6 **Climbing Space**: means that portion of a Pole’s surface and surrounding space that is free from encumbrances to enable Utility employees and contractors to safely climb, access, and work on Utility Facilities and equipment.
- 1.7 **Communications Facilities**: means wireline or wireless facilities, including but not limited to, fiber optic, copper, and/or coaxial cables, wireless antennas, receivers or transceivers utilized to provide Communications Service. This term excludes power supplies, demarcation boxes, power transfer switches, grounding equipment, metering facilities and other associated equipment.
- 1.8 **Communications Service**: means the transmission or receipt of voice, video, data, broadband Internet, or other forms of digital or analog signals over Communications Facilities.
- 1.9 **Communication Space**: means the communication space as defined in the latest version of the National Electrical Safety Code.

- 1.10 **Licensee:** means the party listed as Licensee in the first paragraph of this agreement.
- 1.11 **Make-Ready Work:** means all work that Utility reasonably determines to be required to accommodate Licensee's Communications Facilities and/or to comply with all Applicable Standards. Such work includes, but is not limited to, rearrangement and/or transfer of Utility Facilities or existing Attachments, inspections, engineering work, permitting work, tree trimming (other than tree trimming performed for normal maintenance purposes), pole replacement and construction but does not include Licensee's routine maintenance.
- 1.12 **Occupancy:** means the use or reservation of space for Attachments on a Utility Pole.
- 1.13 **Overlash:** means to place an additional wire or cable Communications Facility onto an existing attached Communications Facility.
- 1.14 **Pedestals/Vaults/Enclosures:** means above- or below-ground housings that are not attached to Utility Poles but are used to enclose a cable/wire splice, power supplies, amplifiers, passive devices, and/or to provide a service connection point
- 1.15 **Permit:** means written or electronic authorization (see Appendix C) by Utility for Licensee to make or maintain Attachments to specific Utility Poles pursuant to the requirements of this Agreement. Licensee's attachments made prior to the Effective Date and authorized by Utility ("Existing Attachments") shall be deemed Permitted Attachments hereunder.
- 1.16 **Pole:** means a pole owned or controlled by Utility excluding transmission poles that is capable of supporting Attachments for Communications Facilities.
- 1.17 **Post-Construction Inspection:** means the inspection by Utility or Licensee or some combination of both to verify that the Attachments have been made in accordance with Applicable Standards and the Permit.
- 1.18 **Pre-Construction Survey:** means all work or operations required by Applicable Standards and/or Utility to determine the Make-Ready Work necessary to accommodate Licensee's Communications Facilities on a Pole. Such work includes, but is not limited to, field inspection and administrative processing.
- 1.19 **Reserved Capacity:** means capacity or space on a Pole that Utility has identified and reserved for its own future utility requirements at the time of the Permit grant, including the installation of communications circuits for operation of Utility's electric system.

- 1.20 **Riser:** means metallic or plastic encasement materials placed vertically on the Pole to guide and protect wires and cables.
- 1.21 **Tag:** means to place distinct markers on wires and cables, coded by color or other means specified by Utility and/or applicable federal, State or local regulations, that will readily identify the type of Attachment (*e.g.*, cable TV, telephone, high-speed broadband data, public safety) and its owner.
- 1.22 **Utility Facilities:** means all personal property and real property owned or controlled by Utility, including Poles and related facilities.

Article 2—Scope of Agreement

- 2.1 **Grant of License.** Subject to the provisions of this Agreement, Utility grants Licensee a revocable, nonexclusive license authorizing Licensee to install and maintain Attachments to Utility's Poles.
- 2.2 **Parties Bound by Agreement.** Licensee and Utility agree to be bound by all provisions of this Agreement.
- 2.3 **Permit Issuance Conditions.** Utility will issue one or more Permit(s) to Licensee only when Utility determines, in its sole judgment, exercised reasonably, that (i) it has sufficient Capacity to accommodate the requested Attachment(s), (ii) Licensee meets all requirements set forth in this Agreement, and (iii) such Permit(s) comply with all Applicable Standards.
- 2.4 **Reserved Capacity.** Access to space on Utility Poles will be made available to Licensee with the understanding that certain Poles may be subject to Reserve Capacity for future electric service use. At the time of Permit issuance, Utility shall notify Licensee if capacity on particular poles is being reserved for reasonably foreseeable future electric use. For Attachments made with notice of such a Reservation of Capacity, on giving Licensee at least sixty (60) calendar days prior notice, Utility may reclaim such Reserved Capacity at any time following the installation of Licensee's Attachment if required for Utility's future utility service. If reclaimed for Utility's use, Utility may at such time also install associated facilities, including the attachment of communications lines for internal Utility operational or governmental communications requirements. Utility shall give Licensee the option to remove its Attachment(s) from the affected Pole(s) or to pay for the cost of any Make-Ready Work needed to expand Capacity for core utility service requirements, so that Licensee can maintain its Attachment on the affected Pole(s). The allocation of the cost of any such Make-Ready Work (including the transfer, rearrangement, or relocation of third-party Attachments) shall be determined in accordance with Article 9. Licensee shall not be required to bear any of the costs or rearranging or replacing its Attachment(s), if such

rearrangement or replacement is required as a result of an additional attachment or the modification of an existing attachment sought by any other entity.

- 2.5 **No Interest in Property.** No use, however lengthy, of any Utility Facilities, and no payment of any fees or charges required under this Agreement, shall create or vest in Licensee any easement or other ownership or property right of any nature in any portion of such Facilities. Neither this Agreement, nor any Permit granted under this Agreement, shall constitute an assignment of any of Utility's rights to Utility Facilities. Notwithstanding anything in this Agreement to the contrary, Licensee shall, at all times, be and remain a Licensee only.
- 2.6 **Licensee's Right to Attach.** Nothing in this Agreement, other than a Permit issued pursuant to Article 6, shall be construed as granting Licensee any right to attach Licensee's Communications Facilities to any specific Pole.
- 2.7 **Utility's Rights over Poles.** The parties agree that this Agreement does not in any way limit Utility's right to locate, operate, maintain, or remove its Poles in the manner that will best enable it to fulfill its service requirements or to comply with any federal, state, or local legal requirement.
- 2.8 **Expansion of Capacity.** Utility will take reasonable steps to expand Pole Capacity when necessary to accommodate Licensee's request for Attachment. Notwithstanding the foregoing sentence, nothing in this Agreement shall be construed to require Utility to install, retain, extend, or maintain any Pole for use when such Pole is not needed for Utility's own service requirements.
- 2.9 **Other Agreements.** Except as expressly provided in this Agreement, nothing in this Agreement shall limit, restrict, or prohibit Utility from fulfilling any agreement or arrangement regarding its Poles into which Utility has previously entered, or may enter in the future, with others not party to this Agreement.
- 2.10 **Permitted Uses.** This Agreement is limited to the uses specifically stated in the recitals set forth above and no other use shall be allowed without Utility's express written consent to such use. Nothing in this Agreement shall be construed to require Utility to allow Licensee to use Utility's Poles after the termination of this Agreement.
- 2.11 **Overlapping.** The following provisions apply to Overlapping:
- 2.11.1 Licensee shall obtain a Permit for each Overlapping, in accordance with the requirements of Article 6. Absent such authorization, Overlapping constitutes an unauthorized Attachment and is subject to removal or, at

Utility's discretion, imposition of an Unauthorized Attachment fee, as specified in Appendix A, Item 3.

- 2.11.2 Authorized Overlashing to accommodate Attachments of Licensee or its Affiliate(s) shall not increase the Annual Attachment Fee paid by Licensee pursuant to Appendix A, Item 1. Licensee or Licensee's Affiliate shall, however, be responsible for all Make-Ready Work and other charges associated with the Overlashing. Licensee shall not have to pay a separate Annual Attachment Fee for such Overlashed Attachment.
- 2.11.3 At Licensee's request, Utility may allow Overlashing to accommodate facilities of a third party, not affiliated with Licensee. In such circumstances, the third party must enter into a License Agreement with Utility, obtain Permit(s), and pay a separate Attachment Fee (Appendix A, Item 1) as well as the costs of all necessary Make-Ready Work required to accommodate the Overlashing. Utility shall not grant such Permit(s) to third parties allowing Overlashing of Licensee's Communications Facilities without Licensee's consent. Authorized Overlashing shall not increase the fees and charges paid by Licensee pursuant to Appendix A, Item 1. Nothing in this Agreement shall prevent Licensee from seeking a contribution from an Overlashing third party to defray fees and charges paid by Licensee.
- 2.11.4 Make-Ready Work procedures set forth in Article 7 shall apply, as necessary, to all Overlashing.
- 2.11.5 Overlashing shall only be permitted if the existing attachment is located in the communication space.

- 2.12 **Enclosures.** Licensee shall not place Pedestals, Vaults, and/or other Enclosures on or within ten (10) feet of any Pole or other Utility Facilities without Utility's prior written permission. If permission is granted, all such installations shall be per the Specifications and Drawings in Appendix D of this Agreement and charges as provided in Appendix A. Such permission shall not be unreasonably withheld. Further, Licensee agrees to move any such above-ground enclosures in order to provide sufficient space for Utility to set a replacement Pole.

Article 3—Fees and Charges

- 3.1 **Payment of Fees and Charges.** Licensee shall pay to Utility the fees and charges specified in Appendix A and shall comply with the terms and conditions specified in this Agreement.

- 3.2 **Payment Period.** Unless otherwise expressly provided, Licensee shall pay any invoice its receives from Utility pursuant to this Agreement within thirty (30) calendar days after Utility issues the invoice.
- 3.3 **Billing of Attachment Fee.** Utility shall invoice Licensee for the per-pole Attachment Fee annually, in arrears. Utility will submit to Licensee an invoice for the annual rental period not later than June 30th of each year. The initial annual rental period shall commence upon the execution of this Agreement and conclude on June 30th of the next year, and each subsequent annual rental period shall commence on the following July 1st and conclude on June 30th of the subsequent year. The invoice shall set forth the total number of Utility's Poles on which Licensee was issued and/or holds Permit(s) for Attachments during such annual rental period, including any previously authorized and valid Permits.
- 3.4 **Refunds.** No fees and charges specified in Appendix A shall be refunded on account of any surrender of a Permit granted under this Agreement. Nor shall any refund be owed if a Pole is not used or abandoned by Utility.
- 3.5 **Late Charge.** If Utility does not receive payment for any fee or other amount owed within thirty (30) calendar days after it becomes due, Licensee shall pay interest to Utility at the rate of ten (10%) per month, or the maximum interest allowed by law, whichever is greater, on the amount due.
- 3.6 **Payment for Work.** Licensee will be responsible for payment to Utility for all work that Utility or Utility's contractors perform pursuant to this Agreement to accommodate Licensee's Communications Facilities.
- 3.7 **Advance Payment.** At its sole discretion, Utility may require that Licensee pay in advance all reasonable costs, including, but not limited to administrative, construction, inspections, and Make-Ready Work expenses, in connection with the initial installation or rearrangement of Licensee's Communications Facilities pursuant to the procedures set forth in Articles 6 and 7 below.
- 3.8 **True-Up.** Whenever Utility, in its discretion, requires advance payment of estimated expenses prior to undertaking an activity on behalf of Licensee and the actual cost of the activity exceeds the advance payment of estimated expenses, Licensee agrees to pay Utility for the difference in cost, provided that Utility documents such costs with sufficient detail to enable Licensee to verify the charges. To the extent that Utility's actual cost of the activity is less than the estimated cost, Utility shall refund to Licensee the difference in cost.
- 3.9 **Determination of Charges.** Wherever this Agreement requires Licensee to pay for work done or contracted by Utility, the charge for such work shall include all

reasonable material, labor, engineering, administrative, and applicable overhead costs. Utility shall bill its services based upon actual costs, and such costs will be determined in accordance with Utility's cost accounting systems used for recording capital and expense activities. All such invoices shall include an itemization of dates of work, location of work, labor and equipment costs per hour, persons employed, and costs of materials used. If Licensee was required to perform work and fails to perform such work, necessitating completion of the work by Utility, Utility may either charge an additional ten percent (10%) of its costs or assess the penalty specified in Appendix A.

- 3.10 Work Performed by Utility.** Whenever this Agreement requires Utility to perform any work, Utility, at its sole discretion, may utilize its employees or contractors, or any combination of the two, to perform such work.
- 3.11 Default for Nonpayment.** Nonpayment of any amount due under this Agreement beyond sixty (60) days shall constitute a material default of this Agreement.

Article 4—Specifications

- 4.1 Installation/Maintenance of Communications Facilities.** After a Permit is issued pursuant to this Agreement, Licensee's Communications Facilities shall be installed and maintained in accordance with the requirements and specifications of Appendix D. All of Licensee's Communications Facilities must comply with all Applicable Standards. Licensee shall be responsible for the installation and maintenance of its Communications Facilities. Licensee shall, at its own expense, make and maintain its Attachment(s) in safe condition and good repair, in accordance with all Applicable Standards. Notwithstanding anything in this Agreement to the contrary, Licensee shall not be required to update or upgrade its Attachments if they met Applicable Standards at the time the attachments were made, unless such updates or upgrades are required by any revised Applicable Standards.
- 4.2 Tagging.** Licensee shall Tag all of its Communications Facilities as specified in Appendix D and/or applicable federal, State, and local regulations upon installation of such Facilities. Within one year of the execution of this Agreement, Licensee shall also tag any untagged Communications Facilities that were on Utility Poles on the effective date of this Agreement. Failure to provide proper tagging will be considered a violation of the Applicable Standards.
- 4.3 Interference.** Licensee shall not allow its Communications Facilities to impair the ability of Utility or any third party to use Utility's Poles, nor shall Licensee allow its Communications Facilities to interfere with the operation of any Utility

Facilities, third-party facilities or City of Stillwater facilities including cables, conductors, traffic controls networks and/or systems, communication networks and/or systems, radio communication network and/or systems, emergency management networks and/or systems and all related facilities.

- 4.4 **Protective Equipment.** Licensee and its employees and contractors shall utilize and install adequate protective equipment to ensure the safety of people and facilities. Licensee shall, at its own expense, install protective devices designed to handle the electric voltage and current carried by Utility's facilities in the event of a contact with such facilities. Except as provided in Paragraph 16.1, Utility shall not be liable for any actual or consequential damages to Licensee's Communications Facilities, Licensee's customers' facilities, or to any of Licensee's employees, contractors, customers, or other persons.
- 4.5 **Utility Right to Correct.** If Licensee's Communications Facilities, or any part of them, are installed, used, or maintained in violation of this Agreement, and Licensee has not corrected the violation(s) within thirty (30) calendar days from receipt of written notice of the violation(s) from Utility, Utility at its option, may correct such conditions. Utility will attempt to notify Licensee in writing prior to performing such work whenever practicable. When Utility believes, however, that such violation(s) pose an immediate threat to the safety of any person, interfere with the performance of Utility's service obligations, or present an immediate threat to the physical integrity of Utility Facilities, Utility may perform such work and/or take such action as it deems necessary without first giving written notice to Licensee. As soon as practicable afterward, Utility will advise Licensee of the work performed or the action taken. Licensee shall be responsible for all actual and reasonable costs incurred by Utility in taking action pursuant to this Paragraph, and Licensee shall indemnify Utility against any liability, costs, and expenses, including reasonable attorney's and expert fees, arising out of or relating to any such work.
- 4.6 **Restoration of Utility Service.** Utility's service restoration requirements shall take precedence over any and all work operations of Licensee on Utility's Poles.
- 4.7 **Effect of Failure to Exercise Access Rights.** If Licensee does not exercise any access right granted pursuant to this Agreement and/or applicable Permit(s) within ninety (90) calendar days of the effective date of such right and any extension to such Permit(s), Utility may, but shall have no obligation to, use the space scheduled for Licensee's Attachment(s) for its own needs or make the space available to other Attaching Entities. In such instances, Utility shall endeavor to make other space available to Licensee, upon written application under Article 6, as soon as reasonably possible and subject to all requirements of this Agreement, including the Make-Ready Work provisions. If Utility uses the space for its own

needs or makes them available to other parties, then from the date that Utility or a third party begins to use such space. For purposes of this paragraph, Licensee's access rights shall not be deemed effective until any necessary Make-Ready Work has been performed.

- 4.8 Removal of Nonfunctional Attachments.** At its sole expense, Licensee shall remove any of its Attachments or any part thereof that becomes nonfunctional and no longer fit for service ("Nonfunctional Attachment") as provided in this Paragraph 4.8. A Nonfunctional Attachment that Licensee has failed to remove as required in this paragraph shall constitute an unauthorized Attachment and is subject to the Unauthorized Attachment fee specified in Appendix A, Item 3. Except as otherwise provided in this Agreement, Licensee shall remove Nonfunctional Attachments within one (1) year of the Attachment becoming nonfunctional, unless Licensee receives written notice from Utility that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s), in which case Licensee shall remove the Nonfunctional Attachment within sixty (60) days of receiving the notice. Where Licensee has received a Permit to Overlash a Nonfunctional Attachment, such Nonfunctional Attachment may remain in place until Utility notifies Licensee that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s). Licensee shall give Utility notice of any Nonfunctional Attachments as provided in Article 15.

Article 5—Private and Regulatory Compliance

- 5.1 Necessary Authorizations.** Before Licensee occupies any of Utility's Poles, Licensee shall obtain from the appropriate public or private authority, or from any property owner or other appropriate person, any required authorization to construct, operate, or maintain its Communications Facilities on public or private property. Utility retains the right to require evidence that appropriate authorization has been obtained before any Permit is issued to Licensee. Licensee's obligations under this Article 5 include, but are not limited to, its obligation to obtain and pay for all necessary approvals to occupy public/private rights-of-way and easements and all necessary licenses and authorizations to provide the services that it provides over its Communications Facilities. Licensee shall defend, indemnify, and reimburse Utility for all losses, costs, and expenses, including reasonable attorney's fees that Utility may incur as a result of claims by governmental bodies, owners of private property, or other persons, that Licensee does not have sufficient rights or authority to attach Licensee's Communications Facilities on Utility's Poles or to provide particular services.

- 5.2 **Lawful Purpose and Use.** Licensee's Communications Facilities must at all times serve a lawful purpose, and the use of such Facilities must comply with all applicable federal, State and local laws.
- 5.3 **Forfeiture of Utility's Rights.** No Permit granted under this Agreement shall extend, or be deemed to extend, to any of Utility's Poles to the extent that Licensee's Attachment would result in a forfeiture of Utility's rights. Any Permit that would result in forfeiture of Utility's rights shall be deemed invalid as of the date that Utility granted it. Further, if any of Licensee's existing Communications Facilities, whether installed pursuant to a valid Permit or not, would cause such forfeiture, Licensee shall promptly remove its Facilities upon receipt of written notice from Utility. If Licensee does not remove its Communications Facilities in question within thirty (30) days of receiving written notice from Utility, Utility may at its option perform such removal at Licensee's expense. Notwithstanding the forgoing, Licensee shall have the right to contest any such forfeiture before any of its rights are terminated, provided that Licensee shall indemnify Utility for liability, costs, and expenses, including reasonable attorney's fees, that may accrue during Licensee's challenge.
- 5.4 **Effect of Consent to Construction/Maintenance.** Consent by Utility to the construction or maintenance of any Attachments by Licensee shall not be deemed consent, authorization, or acknowledgment that Licensee has obtained all required Authorizations with respect to such Attachment.

Article 6—Permit Application Procedures

- 6.1 **Permit Required.** Licensee shall not make any Attachments to any of Utility's Poles without first applying for and obtaining a Permit pursuant to the applicable requirements of Appendix B. If updates or upgrades are required by Applicable Standards, Licensee shall not be required to obtain Permits for Attachment(s) existing as of the effective date of this Agreement. Such grandfathered Attachments shall, however, be subject to the Attachment Fees specified in Appendix A and the tagging provisions in Paragraph 4.2. Licensee shall provide Utility a list of all such pre-existing Attachments within six (6) months of the effective date of this Agreement.
- 6.2 **Permits for Overlashing.** As set out in Paragraph 2.11, Permits are required for any Overlashing allowed under this Agreement and Licensee, Licensee's Affiliate or other third party, as applicable, shall pay any necessary Make-Ready Work costs to accommodate such Overlashing.
- 6.3 **Professional Certification.** Unless otherwise waived in writing by Utility, as part of the Permit application process and at Licensee's sole expense, a qualified and experienced professional engineer, or an employee or contractor of Licensee who

has been approved by Utility, must participate in the Pre-Construction Survey, conduct the Post-Construction Inspection, and certify that Licensee's Communications Facilities can be and were installed on the identified Poles in compliance with the standards in Paragraph 4.1 and in accordance with the Permit. The professional engineer's qualifications must include experience performing such work, or substantially similar work, on electric distribution systems. The Utility may require the Licensee's professional engineer to conduct a post-construction inspection that the Utility will verify by means that it deems to be reasonable.

Utility, at its discretion, may waive the requirements of this Paragraph 6.3, with respect to service drops.

- 6.4 Utility Review of Permit Application.** Upon receipt of a properly executed Application for Permit (Appendix C), which shall include the Pre-Construction Survey, certified per Paragraph 6.3 above, and detailed plans for the proposed Attachments in the form specified in Appendix D, Utility will review the Permit Application and discuss any issues with Licensee, including engineering or Make-Ready Work requirements associated with the Permit Application. Utility acceptance of the submitted design documents does not relieve Licensee of full responsibility for any errors and/or omissions in the engineering analysis. Unless otherwise agreed, the Permit application process shall be consistent with the following timeline:

- 6.4.1 Review Period.** Utility shall review and respond to properly executed and complete Permit Applications for routine installations as promptly as is reasonable with a goal of providing a response during normal circumstances of within seventy-five (75) days of receipt. For Permit Applications seeking Attachments to 50 or more Poles, the Utility may require additional time to review. The Utility's response will either provide a written explanation as to why the Application is being denied, in whole or in part, or provide an estimate of the costs of all necessary Make-Ready Work.
- 6.4.2** Upon receipt of Utility's Make-Ready estimate, Licensee shall have fourteen (14) days to approve the estimate and provide payment in accordance with this Agreement and the specifications of the estimate.
- 6.4.3** Utility will complete routine Make-Ready Work within sixty (60) days of receipt of payment. If there are extenuating circumstances that make the necessary Make-Ready more complicated or time-consuming, including, but not limited to the number of Poles, seasonal weather conditions, the Utility shall identify those factors in the Make-Ready estimate and the parties shall agree upon a reasonable timeframe for completion.

6.4.4 Utility may toll the time period for completion of Make-Ready Work by written notice in order to respond to severe storms, natural disasters, or other emergency situations.

6.5 **Permit as Authorization to Attach.** Upon completion of any necessary Make-Ready Work and receipt of payment for such work, Utility will sign and return the Permit Application, which shall serve as authorization for Licensee to make its Attachment(s).

Article 7—Make-Ready Work/Installation

7.1 **Estimate for Make-Ready Work.** If Utility determines that it can accommodate Licensee's request for Attachment(s), including Overlapping of an existing Attachment, it will, upon request, advise Licensee of any estimated Make-Ready Work charges necessary to accommodate the Attachment.

7.2 **Payment of Make-Ready Work.** Upon completion of the Make-Ready Work, Utility shall invoice Licensee for Utility's actual cost of such Make-Ready Work. Alternatively, Utility, at its discretion, may require payment in advance for Make-Ready Work based upon the estimated cost of such work. In such case, upon completion Licensee shall pay Utility's actual cost of Make-Ready Work. The costs of the work shall be itemized in accordance with Paragraph 3.9 and trued up in accordance with Paragraph 3.8.

7.3 **Who May Perform Make-Ready Work.** Make-Ready Work shall be performed only by Utility and/or a contractor authorized by Utility to perform such work. If Utility chooses not to or cannot perform the Make-Ready Work to accommodate Licensee's Communications Facilities within sixty (60) calendar days of Licensee's agreement, to Make-Ready Work estimate, Licensee may request the ability to use a qualified contractor to perform such work and shall specify when such work would be performed. In all instances, "qualified contractors," if allowed, must be pre-approved by Utility for such work on an annual basis.

7.4 **Scheduling of Make-Ready Work.** In performing all Make-Ready Work to accommodate Licensee's Communications Facilities, Utility will attempt to include such work in its normal work schedule. If Licensee requests that the Make-Ready Work be performed on a priority basis or outside of Utility's normal work hours, Licensee will pay any resulting increased costs. Nothing in this Agreement shall be construed to require Utility to perform Licensee's work before other scheduled work or Utility service restoration.

7.5 **Notification of Make-Ready Work.** Before starting Make-Ready Work, Utility shall notify all Attaching Entities of the date and location of the scheduled work

and shall afford all such entities an opportunity to make any modifications to their existing Attachments in connection with the Make-Ready Work.

7.6 Written Approval of Installation Plans Required. Before making any Attachments to Utility's Poles, including Overlashing of existing Attachments, Licensee must obtain Utility's written detailed plan approval for the Attachments. Such detailed plans shall accompany a Permit application as required under Paragraph 6.4.

7.7 Licensee's Installation/Removal/Maintenance Work.

7.7.1 All of Licensee's installation, removal, and maintenance work, by either Licensee's employees or authorized contractors, shall be performed at Licensee's sole cost and expense, in a good and workmanlike manner, and must not adversely affect the structural integrity of Utility's Poles or other Facilities or other Attaching Entity's facilities or equipment. All such work is subject to the insurance requirements of Article 18.

7.7.2 All of Licensee's installation, removal, and maintenance work, either by its employees or authorized contractors, shall comply with all applicable regulations specified in Paragraph 4.1. Licensee shall assure that any person installing, maintaining, or removing its Communications Facilities is fully qualified and familiar with all Applicable Standards, the provisions of Article 17, and the Minimum Design Specifications contained in Appendix D.

Article 8—Transfers

8.1 Required Transfers of Licensee's Communications Facilities. If Utility reasonably determines that a transfer of Licensee's Communications Facilities is necessary, Utility will, at its option, either require Licensee to perform such transfer at its own expense within thirty (30) calendar days after receiving notice from Utility, or perform the transfer itself, using its personnel, and/or contractors. If Licensee fails to transfer its Facilities within thirty (30) calendar days after receiving such notice from Utility, Utility shall have the right to transfer Licensee's Facilities using its personnel and/or contractors. The costs of such transfers shall be apportioned as specified under Article 9. Utility shall not be liable for damage to Licensee's Facilities except to the extent provided in Paragraph 16.1. The written advance notification requirement of this Paragraph shall not apply in emergency situations. In emergency situations, Utility shall provide such advance notice as is practical, given the urgency of the particular situation. Utility shall then provide written notice of any such actions taken within ten (10) days following the occurrence. Irrespective of who owns Facilities that

are Overlashed on to Licensee's Attachments. Licensee is responsible for the transfer of such Facilities and the costs of doing so.

Article 9—Modifications and/or Replacements

- 9.1 Licensee's Action Requiring Modification/Replacement.** If any Pole to which Licensee desires to make Attachment(s) is unable to support or accommodate the additional facilities in accordance with all Applicable Standards, Utility will notify Licensee of the necessary Make-Ready Work, and associated costs, to provide adequate Pole space, including, but not limited to, replacement of the Pole and/or rearrangement or transfer of Utility's Facilities, as well as the facilities of other Attaching Entities. Licensee shall be responsible for separately entering into an agreement with other Attaching Entities concerning the allocation of costs for the relocation or rearrangement of such entities' existing Attachments. If Licensee elects to go forward with the necessary changes, Licensee shall pay to Utility the actual cost of the Make-Ready Work, performed by Utility, in accordance with Paragraph 3.9. Utility, in its discretion, may require advance payment. Licensee shall also be responsible for obtaining and furnishing to Utility before the commencement of any Make-Ready Work, agreements between Licensee and the other Attaching Entities (including Overlashers) concerning the relocation or rearrangement of their Attachments and the costs involved.
- 9.2 Treatment of Multiple Requests for Same Pole.** If Utility receives Permit Applications for the same Pole from two or more prospective licensees within sixty (60) calendar days of the initial request, and accommodating their respective requests would require modification of the Pole or replacement of the Pole, Utility will allocate among such licensees the applicable costs associated with such modification or replacement.
- 9.3 Guying.** The use of guying to accommodate Licensee's Attachments shall be provided by, and at the expense of, Licensee and to the satisfaction of Utility, as specified in Appendix D. Licensee shall not attach its guy wires to Utility's anchors without prior written permission of Utility. If permission is granted, charges may apply.
- 9.4 Allocation of Costs.** The costs for any rearrangement or transfer of Licensee's Communications Facilities or the replacement of a Pole (including any related costs for tree cutting or trimming required to clear the new location of Utility's cables or wires) shall be allocated to Utility and/or Licensee and/or other Attaching Entity on the following basis:
- 9.4.1** If Utility intends to modify or replace a Pole solely for its own requirements, it shall be responsible for the costs related to the modification/replacement of the Pole. Licensee shall not be responsible

for costs associated with the rearrangement or transfer of Licensee's Communications Facilities, unless and to the extent the rearrangement or transfer is necessary in connection with Utility's reacquisition of Reserved Capacity from Licensee. Prior to making any such modification or replacement, Utility shall provide Licensee written notification of its intent in order to provide Licensee a reasonable opportunity to modify or add to its existing Attachment. Should Licensee decide to do so, it must seek Utility's written permission in accordance with this Agreement. If Licensee elects to add to or modify its Communications Facilities, Licensee shall pay its Pro-Rata of the costs incurred by Utility in making the space on the Poles accessible to Licensee.

- 9.4.2 If the modification or replacement of a Pole is necessitated by the requirements of Licensee, Licensee shall be responsible for all costs caused by the modification or replacement of the Pole as well as the costs associated with the transfer or rearrangement of any other Attaching Entity's Communications Facilities. At the time Licensee submits a Permit Application to Utility, Licensee shall submit evidence, in writing, that it has made arrangements to reimburse all affected Attaching Entities for their costs caused by the transfer or rearrangement of their Facilities. Utility shall not be obligated in any way to enforce or administer Licensee's responsibility for the costs associated with the transfer or rearrangement of another Attaching Entity's Facilities pursuant to this Paragraph 9.4.2.
- 9.4.3 If the modification or the replacement of a Pole is the result of an additional Attachment or the modification of an existing Attachment sought by an Attaching Entity other than Utility or Licensee, the Attaching Entity requesting the additional or modified Attachment shall bear the entire cost of the modification or replacement, as well as the costs for rearranging or transferring Licensee's Communications Facilities. Licensee shall cooperate with such third-party Attaching Entity to determine the costs of moving Licensee's facilities.
- 9.4.4 If the Pole must be modified or replaced for reasons unrelated to the use of the Pole by Attaching Entities (*e.g.*, storm, accident, deterioration), Utility shall pay the costs of such modification or replacement and Licensee shall pay the costs of rearranging or transferring its Communications Facilities.

- 9.5 **Utility Not Required to Relocate.** Nothing in this Agreement shall be construed to require Utility to relocate its Attachments or to modify or replace its Poles for the benefit of Licensee.

Article 10—Abandonment or Removal of Utility Facilities

- 10.1 **Notice of Abandonment or Removal of Utility Facilities.** If Utility desires at any time to abandon, remove, or underground any Utility Facilities to which Licensee's Communications Facilities are attached, it shall give Licensee notice in writing to that effect at least sixty (60) calendar days prior to the date on which it intends to abandon or remove such Utility's Facilities. Notice may be limited to thirty (30) calendar days if Utility is required to remove or abandon its Utility Facilities as the result of the action of a third party and the lengthier notice period is not practical. Such notice shall indicate whether Utility is offering Licensee an option to purchase the Pole(s). If, following the expiration of the thirty (30) day period, Licensee has not yet removed and/or transferred all of its Communications Facilities and has not entered into an agreement to purchase Utility's Facilities pursuant to Paragraph 10.2, Utility shall have the right, but not the obligation, to remove or transfer Licensee's Communications Facilities at Licensee's expense. Utility shall give Licensee prior written notice of any such removal or transfer of Licensee's Facilities.
- 10.2 **Option to Purchase Abandoned Poles.** Should Utility desire to abandon any Pole, Utility may, in its sole discretion, grant Licensee the option of purchasing such Pole at a price to be negotiated with Utility. Licensee must notify Utility in writing within thirty (30) calendar days of the date of Utility's notice of abandonment that Licensee desires to purchase the abandoned Pole. Thereafter, Licensee must also secure and deliver proof of all necessary governmental approvals and easements allowing Licensee to independently own and access the Pole within forty-five (45) calendar days. Should Licensee fail to secure the necessary governmental approvals, or should Utility and Licensee fail to enter into an agreement for Licensee to purchase the Pole within forty-five (45) calendar days, Licensee must remove its Attachments as required under Paragraph 10.1. Nothing in this Agreement shall be construed as requiring Utility to sell Licensee Poles that Utility intends to remove or abandon.
- 10.3 **Underground Relocation.** If Utility moves any portion of its aerial system underground, Licensee shall remove its Communications Facilities from any affected Poles within sixty (60) calendar days of receipt of notice from Utility and must either relocate its affected Facilities underground with Utility or find other means to accommodate its Facilities. If Licensee does not remove its Attachments within sixty (60) days, Utility shall have the right to remove or transfer Licensee's Communications Facilities at Licensee's expense. Licensee's

failure to remove its Facilities as required under this Paragraph 10.3 shall subject Licensee to the penalty provisions of Appendix A.

Article 11—Removal of Licensee’s Facilities

Removal on Expiration/Termination. At the expiration or other termination of this License Agreement or individual Permit(s), Licensee shall remove its Communications Facilities from the affected Poles at its own expense. If Licensee fails to remove such Facilities within sixty (60) calendar days of expiration or termination or some greater period as allowed by Utility, Utility shall have the right, but not the obligation, to remove or transfer such Facilities removed at Licensee’s expense.

Article 12—Termination of Permit

12.1 Automatic Termination of Permit. Any Permit issued pursuant to this Agreement shall automatically terminate when Licensee ceases to have authority to construct and operate its Communications Facilities on public or private property at the location of the particular Pole(s) covered by the Permit. Permits will also expire if the Licensee’s facilities are not installed and operational within six (6) months of the Permit issuance date.

12.2 Surrender of Permit. Licensee may at any time surrender any Permit for Attachment(s) and remove its Communications Facilities from the affected Pole(s), provided, however, that before commencing any such removal, Licensee must obtain Utility’s written approval of Licensee’s plans for removal, including the name of the person or entity performing such work and the date(s) and time(s) during which such work will be completed. All such work is subject to the insurance requirements of Article 18. No refund of any fees or costs will be made upon removal. If Licensee surrenders such Permit pursuant to the provisions of this Article, but fails to remove its Attachments from Utility’s Facilities within thirty (30) calendar days, Utility shall have the right, but not the obligation, to remove or transfer Licensee’s Attachments at Licensee’s expense.

Article 13—Inspection of Licensee’s Facilities

13.1 Inspections. Utility may conduct an inventory and inspection of Attachments at any time. Within thirty (30) calendar days of receiving written notice from Utility, Licensee shall correct all Attachments that Utility identifies as being out of compliance with Applicable Standards. If Utility finds that five percent (5%) or more of Licensee’s Attachments are either in non-compliance or not permitted, Licensee shall pay its *pro-rata* share of the costs of the inspection.

13.2 Notice. Utility will give Licensee reasonable advance written notice of such inspections, except in those instances in which safety considerations justify the need for such inspection without delay.

- 13.3 **No Liability.** Inspections performed under this Article 13, or the failure to do so, shall not operate to impose upon Utility any liability of any kind whatsoever or to relieve Licensee of any responsibility, obligations, or liability, whether assumed under this Agreement or otherwise existing.
- 13.4 **Attachment Records.** Notwithstanding the above inspection provisions, Licensee shall furnish to Utility annually an up-to-date electronic map depicting the locations of its Attachments, in a format specified by Utility.

Article 14—Unauthorized Occupancy or Access

- 14.1 **Penalty Fee.** If any of Licensee's Attachments are found occupying any Pole for which no Permit has been issued, Utility, without prejudice to its other rights or remedies under this Agreement, may assess an Unauthorized Access Penalty Fee, as specified in Appendix A, Item 3. If Licensee fails to pay such Fee within thirty (30) calendar days of receiving notification of it, Utility shall have the right, but not the obligation, to remove such Communications Facilities at Licensee's expense.
- 14.2 **No Ratification of Unauthorized Use.** No act or failure to act by Utility with regard to any unauthorized use shall be deemed as ratification of the unauthorized use. Unless the parties agree otherwise, a Permit for a previously unauthorized Attachment shall not operate retroactively or constitute a waiver by Utility of any of its rights or privileges under this Agreement or otherwise, and Licensee shall remain subject to all obligations and liabilities arising out of or relating to its unauthorized use.

Article 15—Reporting Requirements

At the time that Licensee pays its annual Attachment Fee, Licensee shall also provide the following information to Utility:

- 15.1 The Poles on which Licensee has installed, during the relevant reporting period, Risers and service drops, for which no Permit was required.
- 15.2 All Attachments that have become nonfunctional during the relevant reporting period. The report shall identify the Pole on which the nonfunctional Attachment is located, describe the nonfunctional equipment, and indicate the approximate date the Attachment became nonfunctional.
- 15.3 Any equipment Licensee has removed from Poles during the relevant reporting period. The report shall identify the Pole from which the equipment was removed, describe the removed equipment, and indicate the approximate date of removal. This requirement does not apply where Licensee is surrendering a Permit pursuant to Paragraph 12.2.

Article 16—Liability and Indemnification

16.1 Liability. Utility reserves to itself the right to maintain and operate its Poles in the manner that will best enable it to fulfill its service requirements. Licensee agrees to use Utility's Poles at Licensee's sole risk.

16.2 Indemnification. Licensee, and any agent, contractor, or subcontractor of Licensee, shall defend, indemnify, and hold harmless Utility and its officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, payments (including payments made by Utility under any Workers' Compensation Laws or under any plan for employees' disability and death benefits), and expenses (including reasonable attorney's fees of Utility and all other costs and expenses of litigation) ("Covered Claims") arising in any way, including any act, omission, failure, negligence, or willful misconduct, in connection with the construction, maintenance, repair, presence, use, relocation, transfer, removal or operation by Licensee, or by Licensee's officers, directors, employees, agents, or contractors, of Licensee's Communications Facilities, except to the extent of Utility's gross negligence or willful misconduct solely giving rise to such Covered Claims. Such Covered Claims include, but are not limited to, the following:

16.2.1 Intellectual property infringement, libel and slander, trespass, unauthorized use of television or radio broadcast programs and other program material, and infringement of patents;

16.2.2 Cost of work performed by Utility that was necessitated by Licensee's failure, or the failure of Licensee's officers, directors, employees, agents or contractors, to install, maintain, use, transfer, or remove Licensee's Communications Facilities in accordance with the requirements and specifications of this Agreement, or from any other work this Agreement authorizes Utility to perform on Licensee's behalf;

16.2.3 Damage to property, injury to or death of any person arising out of the performance or nonperformance of any work or obligation undertaken by Licensee, or Licensee's officers, directors, employees, agents, or contractors, pursuant to this Agreement;

16.2.4 Liabilities incurred as a result of Licensee's violation, or a violation by Licensee's officers, directors, employees, agents, or contractors, of any law, rule, or regulation of the United States, any State, or any other governmental entity or administrative agency.

16.3 Environmental Hazards. Licensee represents and warrants that its use of Utility's Poles will not generate any Hazardous Substances, that it will not store or dispose on or about Utility's Poles or transport to Utility's Poles any hazardous substances and that Licensee's Communications Facilities will not constitute or contain and will not generate any hazardous substance in violation of federal, state, or local law now or hereafter in effect, including any amendments. "Hazardous Substance" shall be interpreted broadly to mean any substance or material designated or defined as hazardous or toxic waste, hazardous or toxic material, hazardous or toxic or radioactive substance, dangerous radio frequency radiation, or other similar terms by any federal, state, or local laws, regulations or rules now or hereafter in effect, including any amendments. Licensee further represents and warrants that in the event of breakage, leakage, incineration, or other disaster, its Communications Facilities would not release any Hazardous Substances. Licensee and its agents, contractors, and subcontractors shall defend, indemnify, and hold harmless Utility and its respective officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, punitive damages, or expenses (including reasonable attorney's fees and all other costs and expenses of litigation) arising from or due to the release, threatened release, storage, or discovery of any Hazardous Substances on, under, or adjacent to Utility's Poles attributable to Licensee's use of Utility's Poles.

Should Utility's Poles be declared to contain Hazardous Substances, Utility, Licensee, and all Attaching Entities shall share proportionately in the cost of disposal of the affected Poles based on each entity's individual percentage use of same. For Attaching Entities, such percentage shall be derived from the sum of space occupied by each Attaching Entity plus its share of the common space, including the NESC safety space. For Utility, such percentage shall be equal to the space above the NESC safety space plus its share of the common Space. If the source or presence of the Hazardous Substance is solely attributable to particular parties, such costs shall be borne solely by those parties.

16.4 Municipal Liability Limits. No provision of this Agreement is intended, or shall be construed, to be a waiver for any purpose by Utility of any applicable State limits on municipal liability or governmental immunity. No indemnification provision contained in this Agreement under which Licensee indemnifies Utility shall be construed in any way to limit any other indemnification provision contained in this Agreement.

16.5 If Utility brings a successful action in a court of competent jurisdiction to enforce this Agreement, Licensee shall pay Utility's reasonable attorney's fees.

Article 17—Duties, Responsibilities, and Exculpation

- 17.1 Duty to Inspect.** Licensee acknowledges and agrees that Utility does not warrant the condition or safety of Utility's Facilities, or the premises surrounding the Facilities, and Licensee further acknowledges and agrees that it has an obligation to inspect Utility's Poles and/or premises surrounding the Poles, prior to commencing any work on Utility's Poles or entering the premises surrounding such Poles.
- 17.2 Knowledge of Work Conditions.** By executing this Agreement, Licensee warrants that it has acquainted, or will fully acquaint, itself and its employees and/or contractors and agents with the conditions relating to the work that Licensee will undertake under this Agreement and that it fully understands or will acquaint itself with the facilities, difficulties, and restrictions attending the execution of such work.
- 17.3 DISCLAIMER. UTILITY MAKES NO EXPRESS OR IMPLIED WARRANTIES WITH REGARD TO UTILITY'S POLES, ALL OF WHICH ARE HEREBY DISCLAIMED, AND UTILITY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EXCEPT TO THE EXTENT EXPRESSLY AND UNAMBIGUOUSLY SET FORTH IN THIS AGREEMENT. UTILITY EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**
- 17.4 Duty of Competent Supervision and Performance.** The parties further understand and agree that, in the performance of work under this Agreement, Licensee and its agents, employees, contractors, and subcontractors will work near electrically energized lines, transformers, or other Utility Facilities. The parties understand and intend that energy generated, stored, or transported by Utility Facilities will not be interrupted during the continuance of this Agreement, except in emergencies endangering life or threatening grave personal injury or property. Licensee shall ensure that its employees, agents, contractors, and subcontractors have the necessary qualifications, skill, knowledge, training, and experience to protect themselves, their fellow employees, agents, contractors, and subcontractors; employees, agents, contractors, and subcontractors of Utility; and the general public, from harm or injury while performing work permitted pursuant to this Agreement. In addition, Licensee shall furnish its employees, agents, contractors, and subcontractors competent supervision and sufficient and adequate tools and equipment for their work to be performed in a safe manner. Licensee agrees that in emergency situations in which it may be necessary to de-energize any part of Utility's equipment, Licensee shall ensure that work is suspended until the equipment has been de-energized and that no such work is conducted unless and until the equipment is made safe.

- 17.5 **Requests to De-energize.** If Utility de-energizes any equipment or line at Licensee's request and for its benefit and convenience in performing a particular segment of any work, Licensee shall reimburse Utility in accordance with Paragraph 3.9, for all costs and expenses that Utility incurs in complying with Licensee's request. Before Utility de-energizes any equipment or line, it shall provide, upon request, an estimate of all costs and expenses to be incurred in accommodating Licensee's request.
- 17.6 **Interruption of Service.** If Licensee causes an interruption of service by damaging or interfering with any equipment of Utility, Licensee shall, at its own expense, immediately do all things reasonable to avoid injury or damages, direct and incidental, resulting therefrom and shall notify Utility immediately.
- 17.7 **Duty to Inform.** Licensee further warrants that it understands the imminent dangers (INCLUDING SERIOUS BODILY INJURY OR DEATH FROM ELECTROCUTION) inherent in the work necessary to make installations on Utility's Poles by Licensee's employees, agents, contractors, or subcontractors, and Licensee accepts the duty and sole responsibility to notify and inform Licensee's employees, agents, contractors, or subcontractors of such dangers, and to keep them informed regarding same.

Article 18—Insurance

- 18.1 **Policies Required.** At all times during the term of this Agreement, Licensee shall keep in force and effect all insurance policies as described below. These insurance requirements shall extend to all agents, contractors, subcontractors or others working on behalf of the Licensee in performing any and all work contemplated under this Agreement:
- 18.1.1 **Workers' Compensation and Employers' Liability Insurance.** Statutory workers' compensation benefits and employers' liability insurance with a limit of liability no less than that required by Oklahoma law at the time of the application of this provision for each accident. This policy shall be endorsed to include a waiver of subrogation in favor of Utility. Licensee shall require subcontractors and others not protected under its insurance to obtain and maintain such insurance.
- 18.1.2 **Commercial General Liability Insurance.** Policy will be written to provide coverage for, but not limited to, the following: premises and operations, products and completed operations, personal injury, blanket contractual coverage, broad form property damage, and independent contractor's coverage.

- 18.1.3 **Automobile Liability Insurance.** Business automobile policy covering all owned, hired and non-owned private passenger autos and commercial vehicles.
- 18.1.4 **Umbrella Liability Insurance.** Coverage is to be in excess of the sum employers' liability, commercial general liability, and automobile liability insurance required above.
- 18.1.5 **Property Insurance.** Each party will be responsible for maintaining property insurance on its own facilities, buildings, and other improvements, including all equipment, fixtures, and utility structures, fencing, or support systems that may be placed on, within, or around Utility Facilities to fully protect against hazards of fire, vandalism and malicious mischief, and such other perils as are covered by policies of insurance commonly referred to and known as "extended coverage" insurance or self-insure such exposures.
- 18.2 **Qualification; Priority; Contractors' Coverage.** The insurer must be authorized to do business under the laws of the State of Oklahoma and have an "A" or better rating in Best's Guide. Such insurance will be primary. All contractors and all of their subcontractors who perform work on behalf of Licensee shall carry, in full force and effect, workers' compensation and employers' liability, comprehensive general liability, and automobile liability insurance coverages of the type that Licensee is required to obtain under this Article 18 with the same limits.
- 18.3 **Certificate of Insurance; Other Requirements.** Prior to the execution of this Agreement and prior to each insurance policy expiration date during the term of this Agreement, Licensee will furnish Utility with a certificate of insurance ("Certificate") and, upon request, certified copies of the required insurance policies. The Certificate shall reference this Agreement and workers' compensation and property insurance waivers of subrogation required by this Agreement. Utility shall be given thirty (30) calendar days advance notice of cancellation or nonrenewal of insurance during the term of this Agreement. Utility, its council members, board members, commissioners, agencies, officers, officials, employees and representatives (collectively, "Additional Insureds") shall be named as Additional Insureds under all of the policies, except workers' compensation, which shall be so stated on the Certificate of Insurance. All policies, other than workers' compensation, shall be written on an occurrence and not on a claims-made basis. All policies may be written with deductibles, not to exceed \$100,000, or such greater amount as expressly allowed in writing by Utility. Licensee shall defend, indemnify and hold harmless Utility and Additional Insureds from and against payment of any deductible and payment of any premium on any policy required under this Article. Licensee shall obtain

Certificates from its agents, contractors, and their subcontractors and provide a copy of such Certificates to Utility upon request.

- 18.4 Limits.** The minimum limits of liability for policies required by this Article shall be provided to Licensee by Utility. The limits of liability may be increased or decreased as required by Utility in the event of any factors or occurrences, including substantial increases in the level of jury verdicts or judgments or the passage of state, federal, or other governmental compensation plans, or laws that would materially increase or decrease Licensee's exposure to risk.
- 18.5 Prohibited Exclusions.** No policies of insurance required to be obtained by Licensee or its contractors or subcontractors shall contain provisions that: (1) exclude coverage of liability assumed by this Agreement with Utility except as to infringement of patents or copyrights or for libel and slander in program material, (2) exclude coverage of liability arising from excavating, collapse, or underground work, (3) exclude coverage for injuries to Utility's employees or agents, or (4) exclude coverage of liability for injuries or damages caused by Licensee's contractors or the contractors' employees, or agents. This list of prohibited provisions shall not be interpreted as exclusive.
- 18.6 Deductible/Self-insurance Retention Amounts.** Licensee shall be fully responsible for any deductible or self-insured retention amounts contained in its insurance program or for any deficiencies in the amounts of insurance maintained.

Article 19—Authorization Not Exclusive

Utility shall have the right to grant, renew, and extend rights and privileges to others not party to this Agreement by contract or otherwise, to use Utility Facilities covered by this Agreement. Such rights shall not interfere with the rights granted to Licensee by the specific Permits issued pursuant to this Agreement.

Article 20—Assignment

- 20.1 Limitations on Assignment.** Licensee shall not assign its rights or obligations under this Agreement, nor any part of such rights or obligations, without the prior written consent of Utility, which consent shall not be unreasonably withheld.
- 20.2 Obligations of Assignee/Transferee and Licensee.** No assignment or transfer under this Article 20 shall be allowed until the assignee or transferee becomes a signatory to this Agreement and assumes all obligations of Licensee arising under this Agreement. Licensee shall furnish Utility with prior written notice of the transfer or assignment, together with the name and address of the transferee or assignee. Notwithstanding any assignment or transfer, Licensee shall remain fully liable under this Agreement and shall not be released from performing any of the

terms, covenants, or conditions of this Agreement without the express written consent to the release of Licensee by Utility.

- 20.3 Sub-licensing.** Without Utility's prior written consent, Licensee shall not sub-license or lease to any third party, including but not limited to, allowing third parties to place Attachments on Utility's Facilities, including Overlapping, or to place Attachments for the benefit of such third parties on Utility's Poles. Any such action shall constitute a material breach of this Agreement. The use of Licensee's Communications Facilities by third parties (including but not limited to leases of dark fiber) that involves no additional Attachment or Overlapping is not subject to this Paragraph 20.3.

Article 21—Failure to Enforce

Failure of Utility or Licensee to take action to enforce compliance with any of the terms or conditions of this Agreement or to give notice or declare this Agreement or any authorization granted hereunder terminated shall not constitute a waiver or relinquishment of any term or condition of this Agreement, but the same shall be and remain at all times in full force and effect until terminated, in accordance with this Agreement.

Article 22— Issue Resolution Process

- 22.1 Dispute Resolution.** Except for an action seeking a temporary restraining order or an injunction or to compel compliance with this dispute resolution procedure, the parties can invoke the dispute resolution procedures in this Article at any time to resolve a controversy, claim, or breach arising under this Agreement. Each party will bear its own costs for dispute resolution activity.
- 22.2 Initial Meeting.** At either party's written request, each party will designate knowledgeable, responsible, senior representatives to meet and negotiate in good faith to resolve a dispute. The representatives will have discretion to decide the format, frequency, duration, and conclusion of these discussions. The parties will conduct any meeting in-person or via conference call, as reasonably appropriate.
- 22.3 Executive Meeting.** If ninety (90) days after the first in-person meeting of the senior representatives, the parties have not resolved the dispute to their mutual satisfaction, each party will designate executive representatives at the director level or above to meet and negotiate in good faith to resolve the dispute. To facilitate the negotiations, the parties may agree in writing to use mediation.
- 22.4 Unresolved Dispute.** If after sixty (60) days from the first executive-level, in-person meeting, the parties have not resolved the dispute to their mutual satisfaction; either party may invoke any legal means available to resolve the dispute, including enforcement of the default and termination procedures set out in Article 24.

- 22.5 Confidential Settlement.** Unless the parties otherwise agree in writing, communication between the parties under this Article will be treated as confidential information developed for settlement purposes, exempt from discovery and inadmissible in litigation.
- 22.6 Business as Usual.** During any dispute resolution procedure or lawsuit, the Utilities will continue providing services to each other and performing their obligations under this Agreement.

Article 23—Termination of Agreement

23 Utility shall have the right, pursuant to the procedures set out in this Article 23, to terminate this entire Agreement, or any Permit issued under it, whenever Licensee is in default of any material term or condition of this Agreement, including, but not limited to, the following circumstances:

- 23.1.1** Construction, operation, or maintenance of Licensee's Communications Facilities in violation of law, or in aid of any unlawful act or undertaking; or
 - 23.1.2** Construction, operation, or maintenance of Licensee's Communications Facilities after any authorization required of Licensee has lawfully been denied or revoked by any governmental authority or any private holder of easements or other rights, or violation of any other agreement with Utility; or
 - 23.1.3** Construction, operation, or maintenance of Licensee's Communications Facilities without the insurance coverage required under Article 18.
- 23.2** Utility will notify Licensee in writing of any defaults by Licensee under this Agreement. Licensee shall take immediate corrective action to eliminate any such defaults within fifteen (15) calendar days, or such longer period as the parties may agree, and shall confirm in writing to Utility that the cited condition or conditions have ceased or been corrected, or are in the process of being corrected.
- 23.3** If Licensee contests the existence of the default, it may invoke the dispute resolution procedures of Article 22.
- 23.4** If the parties are unable to resolve the dispute and Licensee fails to discontinue or correct a default in a timely manner or fails to give the required confirmation, Utility may immediately terminate this Agreement or any Permit(s) granted under it. In the event of termination of this Agreement or any of Licensee's rights, privileges, or authorizations, Utility may seek removal of Licensee's Communications Facilities pursuant to the terms of Article 11, from any or all of

Utility's Poles. In such instance, Licensee shall remain liable to Utility for all fees and charges accrued pursuant to the terms of this Agreement.

Article 24—Term of Agreement

- 24.1 This Agreement shall become effective upon its execution and, if not terminated in accordance with other provisions of this Agreement, shall continue in effect for a term of five (5) years and, unless terminated by either party, agreement may be renewed for one (1) additional five (5) year term by mutual assent of the parties. Either party may terminate this Agreement at the end of the initial term by giving written notice of intent to terminate the Agreement at the end of the term. Such a notice must be given least ninety (90) calendar days prior to the end of the then-current term.
- 24.2 Even after the termination of this Agreement, Licensee's indemnity obligations shall continue with respect to any claims or demands related to Licensee's Communications Facilities, as provided for in Article 16.

Article 25—Amending Agreement

This Agreement shall not be amended, changed, or altered except in writing and with approval by authorized representatives of both parties.

Article 26—Notices

- 26.1 Wherever in this Agreement notice is required to be given by either party to the other, such notice shall be in writing and shall be effective when personally delivered to, or when mailed by certified mail with return receipt requested, with postage prepaid, and except where specifically provided for elsewhere, properly addressed as follows:

If to Utility, at: ATTN: City Clerk

723 S Lewis St., Stillwater, OK 74074

If to Licensee, at: _____

or to such other address as either party, from time to time, may give the other party in writing.

- 26.2 The above notwithstanding the parties may agree to utilize electronic communications such as email for notifications related to the Permits application and approval process and necessary transfer or pole modifications.
- 26.3 Licensee shall maintain a staffed 24-hour emergency telephone number, not available to the general public, where Utility can contact Licensee to report damage to Licensee's facilities or other situations requiring immediate communications

between the parties. Such contact person shall be qualified and able to respond to Utility's concerns and requests.

Article 27—Entire Agreement

This Agreement and its appendices constitute the entire agreement between the parties concerning attachments of Licensee's Communications Facilities on Utility's Poles within the geographical service area covered by this Agreement. Unless otherwise expressly stated in this Agreement, all previous agreements, whether written or oral, between Utility and Licensee are superseded and of no further effect.

Article 28 -- Severability

If any provision or portion thereof of this Agreement is or becomes invalid under any applicable statute or rule of law, and such invalidity does not materially alter the essence of this Agreement to either party, such provision shall not render unenforceable this entire Agreement. Rather, the parties intend that the remaining provisions shall be administered as if the Agreement did not include the invalid provision.

Article 29 —Governing Law

All matters relating to this Agreement shall be governed by the laws (without reference to choice of law) of the State of Oklahoma.

Article 30—Incorporation of Recitals and Appendices

The recitals stated above and all appendices to this Agreement are incorporated into and constitute part of this Agreement.

Article 31—Performance Bond

On execution of this Agreement, Licensee shall provide to Utility a performance bond or letter of credit in an amount of (\$1000 per Small Wireless Facility). The bond shall be with an entity and in a form acceptable to Utility. The purpose of the bond is to ensure Licensee's performance of all of its obligations under this Agreement and for the payment by Licensee of any claims, liens, taxes, liquidated damages, penalties, and fees due to Utility that arise by reason of the construction, operation, maintenance, or removal of Licensee's Communications Facilities on or about Utility's Poles.

Article 32—Force Majeure

32.1 If either Utility or Licensee is prevented or delayed from fulfilling any term or provision of this Agreement by reason of fire, flood, earthquake, or like acts of nature, wars, revolution, civil commotion, explosion, acts of terrorism, embargo, acts of the government in its sovereign capacity, material changes of laws or regulations, labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts, unavailability of equipment of vendor, or any other such cause not attributable to the negligence or fault of the party delayed in performing the acts required by the Agreement, then performance of such acts shall be excused for the period of the unavoidable delay, and the affected party

shall endeavor to remove or overcome such inability as soon as reasonably possible.


- 32.2 Utility shall not impose any charges on Licensee stemming solely from Licensee's inability to perform required acts during a period of unavoidable delay as described in Paragraph 32.1, provided that Licensee present Utility with a written description of such force majeure within a reasonable time after occurrence of the event or cause relied on, and further provided that this provision shall not operate to excuse Licensee from the timely payment of any fees or charges due Utility under this Agreement.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement in duplicate on the day and year first written above.

(UTILITY)

(LICENSEE)

BY: _____

BY: 

Title: _____

Title: CBDO

UTILITY

STATE OF OKLAHOMA

: SS

County of Payne

I, the undersigned, a Notary Public in and for the State of Oklahoma, hereby certify that on the ____ day of _____, 2____, personally appeared before me [NAME] _____, [TITLE] _____ to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Notary Public in and for the
State of Oklahoma, residing at
_____, Oklahoma

LICENSEE

STATE OF [INSERT STATE] Colorado


: ss

County of Denver

I, the undersigned, a Notary Public in and for the State of Colorado, hereby certify that on the 26th day of March, 2024, personally appeared before me [NAME] Mike Harry, [TITLE] DBDO to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Cynthia J Bishop



Notary Public in and for the
State of Colorado, residing at

APPENDIX A— Fees and Charges

Effective Date / /

Collocation (Attachment) Rate: \$20.00 per pole/per year

One-time License Agreement Fee	\$350.00
Permit Application Fee	\$200.00 per Permit Application
(1-5 Attachments)	
Permit Application Fee	\$100.00 per Permit Application
(6 -25 Attachments)	
Make Ready Work Charges	See Article 3 of Agreement
Miscellaneous Charges	See Article 3 of Agreement [or
	Attach Fee Schedule for Work
	Performed for the Licensee]
Inspection Fees.....	See Article 3 of Agreement

5 x annual collocation (attachment) rate, per occurrence.

1/5 annual attachment fee per day, per pole, first 30 days; after the initial 30 days the penalty shall be equal to the annual collocation (attachment) rate per day, per pole.

NOTE: The Utility may increase the fees and rates it adopts under this appendix by ten percent (10%) every five (5) years rounded to the nearest dollar.

APPENDIX B—Pole Attachment

Permit Application Process

The following procedure is to be followed by each Licensee seeking to make new Attachments on Utility's Poles, or overlash to existing pole tenant facilities on Utility's Poles. Note that no entity may make any Attachments to Utility's Poles or overlash to existing pole tenant facilities on Utility's Poles without having first entered into a binding Pole Attachment Licensing Agreement with Utility. Third parties seeking to overlash to an existing pole tenant facility must also have a written overlash agreement with the pole tenant to be overlash. The overlash agreement must be provided to the Utility at the time of application.

1. Licensee shall submit a written request to perform a Pre-Construction Inspection. The request must include a preliminary route description. Licensee shall have a professional engineer or utility-approved employee or contractor, participate in a Pre-Construction Inspection, which will include a review of the proposed Attachment(s) to determine the feasibility of the request and identify any potential Make-Ready Work. Appendix F to this Agreement contains the minimum design review information that an applicant must provide and a worksheet for determining the minimum specifications that the proposed Attachment must meet.
2. Following the Pre-Construction Inspection, Licensee shall submit a completed Permit Application (Appendix C) that includes: route map, information required in Appendix F, installation plans, recommendations on Make-Ready Work, and a pole-loading analysis stamped by a professional engineer. Licensee shall prepare the Permit Application in adherence with the Applicable Standards (Section 1.2 of Agreement) and specifications (Appendix D).
3. At the Licensee's expense, the Utility will review the recommendations from the inspection and the pole-loading analysis, and discuss any issues with the Licensee.
4. Upon receipt of written authorization, Utility will proceed with Make-Ready Work according to the specific agreed-upon installation plans and the terms of the Agreement, including payment for the Make-Ready Work charges as set out by Utility and agreed to by the Licensee.
5. Upon completion of the Make-Ready Work, the Utility will *sign* and return the Application for Permit authorizing the Licensee to make its Attachment(s) in accordance with agreed-upon installation plans.

6. Unless waived in writing by the Utility, the Licensee's professional engineer, utility-approved employee, or contractor shall submit written certification that he/she has completed the Post-Construction Inspection and that the installation was done in accordance with the provisions of the Permit. The Post-Construction Inspection shall be submitted within ninety (90) calendar days after installation is complete. The Utility will verify the inspection by means that it deems to be reasonable.

APPENDIX C - Application for Permit

Application Date: 3 / 25 / 24

To: Stillwater Utilities Authority
Attn: Electric Engineering
411 E 3rd Ave
Stillwater, OK 74074

Desire to: Attach to Utility Pole(s)

Remove Attachment from Utility Pole(s)

Overlash to existing facility attached to Utility Pole(s)

Permit No. _____

Occupancy Permit No. _____

Number of Poles this permit 48

Sheet 1 of 7

Licensee Name: Bluepeak

Address:

Contact Person: Matt Lanza Phone 331 431 8226

Title: Sr. PM of Aerial D&E

Utility Contact Person: Vernon Hall Phone 405 742 8367

Title: Power Distrobution Engineering Specialist

Narrative Description of proposed activity: Aerial Strand attachment for Fiber Optics

Application for Permit

In accordance with the terms and conditions of the Pole Attachment Licensing Agreement dated _____, application is hereby made for a Permit to attach to and/or vacate Pole(s) in the locations detailed on the attached Route Map(s). Also, attached is documentation as required by Appendix F of the Agreement. If applicable, the engineer's name, this State's registration number, and phone number are:

Name: _____ Phone: _____

Registration #: _____

Permission is hereby granted to Licensee to attach and/or vacate poles listed on the attached Field Data Summary Sheets, subject to payment of the necessary Make-Ready Work charges as set out by Utility and agreed to by the Licensee.

SUBMITTED:

APPROVED:

Licensee Bluepeak Utility _____

By Matt Lanza By _____

Title Sr. PM of Aerial D&E Title _____

Date 3/25/24 Date _____

Inspection required

APPENDIX D - Specifications for Licensee's Attachments to Utility Poles

Licensee, when making Attachments to Utility Poles, will adhere to the following engineering and construction practices.

A. All Attachments shall be made in accordance with the Applicable Standards, as defined in Paragraph 1.2 of this Agreement.

B. Clearances

1. **Attachment and Cable Clearances:** Licensee's Attachments on Utility Poles, including metal attachment clamps and bolts, metal cross-arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the National Electrical Safety Code ("NESC") and in drawings and specifications Utility may from time to time furnish Licensee. (See Drawings A-01 to A-99.)

Note: Attachments shall only be placed within the communication space as defined in the NESC.

2. **Service Drop Clearance:** From the pole to the home/building the parallel minimum separation between Utility's service drops and communications service drops shall be twelve (12) inches, per NESC 235C1b (exception 3). (see drawing A-5)
3. All other drop clearances at the midspan must conform to NESC table 235-6.

Sag and Mid-Span Clearances: Licensee will be particularly careful to leave proper sag in its lines and cables and shall observe the established sag of power line conductors and other cables so that minimum clearances are: (a) achieved at poles located on both ends of the span; and (b) retained throughout the span. At mid-span, a minimum of twelve (12) inches of separation must be maintained between all telecommunication cables that meet NESC rule 230E1 (includes common phone, CATV, and fiber optic cables lashed to an effectively grounded messenger strand, or self-supporting cables).

NESC table 235-6 requires:

- 12" from neutral (by exception #16)
- 30" from supply lines carrying 0 to 8.7 kV (secondary)
- 30" plus 0.4" per kV in excess of 8.7 (primary)

4. **Vertical Risers:** All Risers, including those providing 120/240 volt power for Licensee's equipment enclosure, shall be placed on the quarter faces of the Pole and must be installed in conduit with weatherhead (if possible), attached to the Pole with stand-off brackets. A two (2) inch clearance in any direction from cable, bolts, clamps, metal supports, and other equipment shall be maintained. (See Drawings A-02 and A-04.)
5. **Climbing Space:** A clear Climbing Space must be maintained at all times on the face of the Pole. All Attachments must be placed so as to allow and maintain a clear and proper Climbing Space on the face of the Utility Pole. Licensee's cable/wire Attachments shall be placed on the same side of the Pole as those of other Attaching Entities. In general, all other Attachments and Risers should be placed on Pole quarter faces. (See Drawing A-09.)
6. **Pedestals and Enclosures:** Every effort should be made to install Pedestals, vaults and/or Enclosures at a minimum of ten (10) feet from Poles or other Utility Facilities, or the distance specified by the utility, whichever is greater.

C. Down Guys and Anchors

1. Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on the Utility's Poles by Licensee's Attachments. Anchors must be guyed adequately.
2. Anchors and guy wires must be installed on each Utility Pole where an angle or a dead-end occurs. Licensee shall make guy attachments to Poles at or below its cable Attachment. No proposed anchor can be within four (4) feet of an existing anchor without written consent of Utility.
3. Licensee may not attach guy wires to the anchors of Utility or third-party user without the anchor owner's specific prior written consent.
4. No Attachment may be installed on a Utility Pole until all required guys and anchors are installed. No Attachment may be modified, added to, or relocated in such a way as will materially increase the stress or loading on Utility Poles until all required guys and anchors are installed.
5. Licensee's down guys, if needed, shall be bonded, to the vertical ground wires of Utility's Pole, in accordance to NESC rule 92C. If there is no vertical ground present at the pole, the connections to the system neutral are to be made by the utility as an item of Make-Ready Work. Utility will determine if guys should be grounded or insulated.

D. Certification of Licensee's Design

1. Licensee's Attachment Permit application must be signed and sealed by a professional engineer, registered in the [State], certifying that Licensee's aerial cable design fully complies with the NESC and Utility's Construction Standards and any other applicable federal, state or local codes and/or requirements.
2. This certification shall include the confirmation that the design is in accordance with pole strength requirements of the NESC, taking into account the effects of Utility's Facilities and other Attaching Entities' facilities that exist on the Poles without regard to the condition of the existing facilities.

E. Miscellaneous Requirements

1. **Cable Bonding:** Licensee's messenger cable shall be bonded according to NESC rule 92C1 as a minimum, or at every pole with a vertical ground, as determined by the utility. If no ground exists on a pole to be bonded, Licensee shall install a Pole ground in accordance with the attached detail drawing. (See Drawings A-03 to A-04.)
2. **Customer Premises:** Licensee's service drop into customer premises shall be protected as required by the most current edition of the NEC.
3. **Communication Cables:** All Communications cables/wires not owned by Utility shall be attached within the Communications space that is located 40 inches below the lowest Utility conductors. (See Drawings A-01 through A-11.)
4. **Riser Installations:** All Licensee's Riser installations shall be in utility-approved conduit materials and placed on stand-off brackets. Ground wires may be attached directly to Pole. (See Drawings A-02 to A-04.)
5. **Tagging:** All Licensee's cables shall be identified with a band-type communications cable tag or other identification acceptable to Utility at each Attachment within twelve (12) inches of the Pole. The communications tag shall be consistent with communication industry standards and shall include at least the following: Licensee name, emergency contact number, and cable type. At the discretion of Utility, Tags shall be color-coded to permit identification of Attaching Entity by observation from the ground.

F. Utility Construction Drawings and Specifications

1. Refer to the attached Utility Construction Drawings, and obtain additional construction specifications from Utility in accordance with its requirements.

2. Apply the Utility's construction drawings and specifications in accordance with the NESC, NEC, and any other federal, state, or local code requirements.

APPENDIX E - Distribution Line Minimum Design Review Information and Suggested Worksheet

The following guidelines are provided, and corresponding information must be submitted with each Permit application for Pole Attachments on Utility's system. Utility may direct that certain Attachments do not require the submittal of Design Review Information. These Attachments are noted at the end of this section.

Each Permit application must include a report from a professional engineer registered to practice in the State of Oklahoma, and experienced in electric utility system design, or a utility-approved employee or contractor of Licensee. This report must clearly identify the proposed construction and must verify that the Attachments proposed will maintain Utility's compliance with NESC Class B construction for the loading district as outlined in the NESC Section 25.

Utility may or may not require that all of the following information be submitted at the time of the Permit application. The applicant shall have performed all required calculations and be ready to provide the detailed information below within fifteen (15) calendar days of notice. Applicant shall keep copies of the engineering data available for a period of twenty (20) years.

In determining compliance, the following minimum conditions shall be used in the calculations for pole strength:

1. All single-phase lines shall be assumed to have been reconductored to 477 ACSR 26/7, code name Hawk conductor for both phase and neutral. If a larger conductor size exists, the larger size shall be used in the calculations.
2. All three-phase lines shall be assumed to have been to 477 ACSR 26/7, code name Hawk conductor for three (3) phases and neutral. If existing conductors are larger than 4/0 AWG ACSR, the larger size shall be used in the calculations.
3. All pole lines shall assume a secondary/service conductor, installed from pole to pole, of #4/0 AWG triplex cable, with an ACSR messenger.
4. For pole strength calculations, all poles shall be as they actually exist, or be considered Class 4 for calculations.
5. All line angles or dead ends shall be guyed and anchored. Transverse pole strength shall not be assigned to attaching pole users for line angles, *i.e.*, pole should be viewed as being void of other cables, conductors, wires, or guys and considering only the applicant's wires/cables for guying calculations.
6. Points of attachment shall be as they actually exist on the poles.

7. For a Utility-approved joint use of anchors, the Licensee shall utilize guy insulators in its guys.
8. Lessee shall comply with any NESC and/or Utility safety factors, whichever are more conservative, in their designs. The engineer for the Permit applicant shall provide for each application the following confirmations:

Required permits that have been obtained (insert n/a if not applicable):

- _____ (y/n) U.S. Corp of Engineers.
- _____ (y/n) Highway—state, county, city.
- _____ (y/n) Railroad.
- _____ (y/n) Local zoning boards, town boards, etc.
- _____ (y/n) Joint-use permits, if required.
- _____ (y/n) Notified other pole users of contacts or crossings.

Confirm that you have:

- _____ (y/n) Obtained appropriate franchise(s).
- _____ (y/n) Obtained pole/anchor easements from landowners.
- _____ (y/n) Obtained crossing and overhang permits.
- _____ (y/n) Obtained permit to survey R/W.
- _____ (y/n) Completed State of Oklahoma Department of Transportation requirements.
- _____ (y/n) Placed permit number on plans.
- _____ (y/n) Complied with Underground Facility Location requirements.
- _____ (y/n) Included sag/tension data on proposed cable.

Calculations are based upon the latest edition of the NESC and the latest editions of the requirements of the State of Oklahoma.

It is Licensee's responsibility to obtain all necessary permits and provide the Utility with a copy of each.

The engineer for the Permit applicant shall provide for each Pole(s) the following information:

Project ID _____

Pole number _____ [if pole tag missing, contact Utility]

Pole class _____ [existing—*i.e.*, 4, 3, 2...]

Pole size _____ [existing—*i.e.*, 35, 40...]

Pole type _____ [Southern Yellow Pine, Douglas Fir...]

Pole fore span _____ [feet]

Pole fore span direction _____ [degrees from Magnetic North]

Pole back span _____ [feet]

Pole back span direction _____ [degrees from Magnetic North]

Calculated bending

moment at ground level _____ [ft-lbs]

Existing:

Power phase condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power neutral condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power sec condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power service #1 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #2 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #3 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Telco #1 cables _____ qty of _____ dia @ _____ ft above ground line

Telco service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

Telco service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV #2 cables _____ qty of _____ dia @ _____ ft above ground line

CATV service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

User #3 cables _____ qty of _____ dia @ _____ ft above ground line

User #4 cables _____ qty of _____ dia @ _____ ft above ground line

User #5 cables _____ qty of _____ dia @ _____ ft above ground line

User #6 cables _____ qty of _____ dia @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Proposed:

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____ ° _____ ' _____ ", _____ ° _____ ' _____ "

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____ ° _____ ' _____ ", _____ ° _____ ' _____ "

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #2 type _____ qty of _____ size @ _____ ft above ground line

AGL = Above Ground Level

The minimum vertical clearance under all loading conditions measured from the proposed cable to ground level on each conductor span shall be stated above. Variations in topography resulting in ground elevation changes shall be considered when stating the minimum vertical clearance within a given span.

Calculated pole bending moment at ground level: _____ [ft-lbs]

Pole breaking bending moment at ground level: _____ [ft lbs]

Calculated transverse safety factor: _____ [ratio should be greater than 1.00]

Proposed loading data [provide similar data for each cable proposed]:

A. Weight data (cable and messenger)

1. Vertical weight, bare = _____ [# /ft]

B. Tension data (final tensions on messenger)

1. NESC maximum load for area of construction: _____ [lbs]

2. 60° F, NO wind: _____ [lbs]

Permit applicant's engineer shall provide for each transverse guy, or dead end to which guys and/or anchors are attached, the following information:

Pole number _____

Calculated cable messenger tension under

NESC maximum loading conditions _____ [lbs]

If connection is:

A dead end, is it a single or double? _____ [S, D]

A change in tension, what is change? _____ [lbs]

A line angle, what is angle change? _____ [degrees]

What is tension change at angle? _____ [lbs]

For each dead end:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each change in tension:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each line angle:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each anchor:

Anchor distance to nearest anchor _____ [feet]

Calculated anchor tension _____ [lbs]

Rated anchor strength _____ [lbs]

Soil composition _____ [sandy, loam, clay, rock]


APPENDIX F - Field Data Summary Sheet Instructions

Column	Instructions
Utility Pole Number	If a Pole stencil is not in place, it may be left for Utility if the accompanying sketch is adequate to determine the Location.
Communication Company's	This must correspond with the plan sheet or
Plan Sheet Pole Number	Pole Sketch Pole identification number.
Pole Height and Class.....	List the present Pole height and class and list the proposed Pole height and class if it is necessary for Utility to replace the Pole for clearance, etc.
Guy Attachments.....	All unbalanced loading on Poles must be guyed. Attachments to Utility's anchors will not be allowed.
Attachment Height.....	Communications Company attachment height above ground level. List guy lead in feet.
Inches Below Utility	The number of inches Communications Company is to be attached below Utility while maintaining clearance as required in Item #4.
Span Length	List the back span length for each attachment.
Inches Sag.....	List the messenger sag for the design listed on the cover sheet at 60 degrees Fahrenheit.
Ground Clearance.....	List the ground clearance at the low point of the back span. Must not be less than the National Electrical Safety Code (latest edition).

Drawing A-01— Overhead Minimum Clearances

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NESC and in these drawings and specifications.




NOTE 1:

1. Refer to the attached utility construction standards, or obtain the applicable construction standards from SEU in accordance with SEU's requirements.
2. Apply the utility construction standards in coordination of the applicable NESC, NEC, or state statute code requirements.
3. See drawing A-02 for additional notes.

	OVERHEAD MINIMUM CLEARANCES		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-01


Drawing A-02 — Overhead Minimum Clearances



Drawing A-03 — Grounding Connections

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.



NOTE 1:



1. Licensee shall bond to utility pole ground whenever utility has a down ground on the pole. If the ground is under the metal U-ground, contact utility to make the ground connection.
2. If no pole ground exists install a pole down ground on the pole. Protect the pole ground with a ground wire extending. Top of ground rod shall be at least 18" below grade.
3. Bond wire shall be #8 bare copper or larger. If bond wire is unsupported more than 12" long, staple to pole.
4. When communications are underground, the power is overhead and it is required that the communications ground be interconnected to the power supply ground. The connection shall be made below grade.
5. In no case shall licensee ground be connected to guys/anchors.
6. If a neutral isolation device is installed on this pole the installer must contact SEU for special grounding instructions.
7. Licensee's messenger cable shall be bonded to SEU's pole ground wire at each pole that has a ground wire.

	GROUNDING CONNECTIONS		
	AUGUST 2010 Department of Electric Utility	POLE ATTACHMENTS	A-03

Drawing A-04 — Guy Wire Requirements

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.



CONTACT SEU TO DETERMINE IF
GUYS ARE TO BE INSULATED OR
GROUNDED.

NOTE 1:


1. Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional wires placed on utility poles licensee's attachments.
2. Anchors and guy wires must be set on each utility pole where there is a turn or angle and on all dead-end utility poles.
3. Licensee may not place guy wires on the anchors of SEU or third party user without prior written consent of all attaching entities and anchor owners.
4. No attachment may be installed on a utility pole until all required guys and anchors are installed. Nor may any attachment be modified or relocated in such a way as will materially increase the stress or loading on utility poles until all required guys and anchors are installed.
5. Licensee's down guys shall not be bonded to ground or neutral wires or SEU's pole and shall not provide a current path to ground from the pole ground or power system neutral. If permitted or required by SEU, grounded guys should be installed.
6. On jointly used structures, guys that pass within 12" of supply conductors, and also pass within 12" of communication cables, shall be protected with a suitable insulating covering where the guy passes the supply conductors, unless the guy is effectively grounded or insulated with a strain insulator at a point below the lowest supply conductor and above the highest communication cable.

	GUY WIRE REQUIREMENTS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-04

Drawing A-05 — Power Service

No communication power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the NEBC and in these drawings and specifications.



NOTE 1:

1. This installation shall comply with all applicable electrical codes and state, city, village, town, and SEU requirements.
2. Service entrance conductors shall extend 30" beyond weatherhead and have 600 volt rated insulation.
3. Communication power supply cable.
4. Communication power supply.
5. 6" maximum between service entrance conduit and communications cable, if possible.
6. Grounding shall be in accordance with National Electric Code Article 250. Top of rod to be 6" below grade.
7. Location of all licensee equipment is to be approved by SEU and shall be relocated by licensee if incorrect.
8. Proof of compliance shall be appropriately certified. Install disconnect and overcurrent protection with meter.
9. All runs on pole will be placed in rigid steel or aluminum metallic conduit on the quarter faces of the pole.
10. This service detail applies to all commercial users requiring power for pole mounted devices.

The City of
Stillwater
OKLAHOMA

POWER SERVICE


AUGUST 2018

Department of
Electric Utility

POLE ATTACHMENTS


A-05

Drawing A-06 — Minimum Clearance at Pole/Midspan from Neutral




	MINIMUM CLEARANCE AT POLE MIDSPAN FROM NEUTRAL		
	AUGUST 2019 Department of Electric Utility	POLE ATTACHMENTS	A-06


Drawing A-07 — Minimum Clearance at Pole/Midspan from Secondary




Drawing A-08 — Minimum Clearance at Pole/Midspan from Primary




Drawing A-09 — Midspan Service Drop Clearance from Electric Service



Drawing A-10 — DAS Streetlight Arm Attachment




Drawing A-11 — DAS Bracket Arm Attachment



Drawing A-12 — Climbing Space Requirements

No communications power supply shall be mounted on poles except by permission of SEL.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipments, must be attached so as to maintain the minimum separations specified in the NESC and in these drawings and specifications.



NOTE 1:

1. For new cable installations locate cable on the same side of the pole as SEL's lowest conductor.
2. Standoff brackets to mount cable to pole are not allowed without approval of SEL.
3. Climbing and work space through the communication spaces shall extend from 40" below the lowest communication cable to the top of the pole.
4. On transformer poles the communication service drops shall be located so that they originate from the messenger on the side of the pole opposite the transformer.
5. Minimum clearance for climbing and working space shall be followed as per NESC Section E36.

	CLIMBING SPACE REQUIREMENTS		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-12

POLE ATTACHMENT BOND

Bond No.: 800150419

KNOW ALL MEN BY THESE PRESENTS,

THAT Clarity Telecom, LLC dba Bluepeak, as Principal, and
Atlantic Specialty Insurance Company,
having its executive office in 605 Highway 169 North, Suite 800 Plymouth, MN 55441,
as Surety, are held and firmly bound unto Stillwater Utilities Authority
411 E 3rd Avenue, Stillwater, OK 74074, hereinafter referred to as Obligee, in the penal sum of
Eighteen Thousand Six Hundred Twenty Four Dollars and 00/100 DOLLARS
(\$18,624.00) for the payment of which, well and truly to be made, we bind ourselves,
our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these
presents, the liability of the Surety being limited to said penal sum regardless of the number of years
this bond remains in force or is renewed, of the number of premiums that shall be payable or paid,
the number of Subscribers to the system and/or legal fees which may be required and incurred.

WHEREAS, Principal has entered into a written agreement with the Obligee for the use of its poles in
connection with the furnishing of telecommunications services, which agreement sets forth the terms
and conditions which govern the use of such poles, which agreement is hereby specifically referred to
and made part hereof, with like force and effect as if herein at length set forth.

NOW THEREFORE, the condition of this obligation is such, that if the above bound Principal shall
perform in accordance with the aforesaid agreement, then this obligation shall be void, otherwise to
remain in full force and effect unless cancelled or terminated as set forth below.

This bond may be terminated or cancelled by Surety by giving thirty (30) days prior notice in writing
from Surety to Principal and said Obligee, such notice to be given by certified mail. Such termination
or cancellation shall not affect any liability incurred or accrued under this Bond prior to the effective
date of such termination or cancellation.


AND PROVIDED FURTHER that no action, suit or proceeding shall be had or maintained against
the Surety on this instrument unless the same be brought or instituted and process served upon the
Surety within twelve months after cancellation of this bond as set forth in the preceding paragraph.

IN WITNESS WHEREOF, the said Principal and Surety have signed and sealed this instrument this
27th day of March, 2024.

WITNESS:

Cynthia J Bishop
NAME

Location:
BP Stillwater_Z3_DA31_AER (48 Poles),
OCCROW24-0012_POLATT24-0010 (48 Attachments)



Clarity Telecom, LLC dba Bluepeak
PRINCIPAL
BY: Gali Anatz
CFO
TITLE

Atlantic Specialty Insurance Company
SURETY
By: Michelle Deligne
Michelle Deligne, Attorney-in-Fact





Power of Attorney

Surety Bond No: 800150419

Principal: Clarity Telecom, LLC dba Bluepeak
Obligee: Stillwater Utilities Authority

KNOW ALL MEN BY THESE PRESENTS, that ATLANTIC SPECIALTY INSURANCE COMPANY, a New York corporation with its principal office in Plymouth, Minnesota, does hereby constitute and appoint: Michelle Deligne, each individually if there be more than one named, its true and lawful Attorney-in-Fact, to make, execute, seal and deliver, for and on its behalf as surety, any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof; provided that no bond or undertaking executed under this authority shall exceed in amount the sum of: **sixty million dollars (\$60,000,000)** and the execution of such bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof in pursuance of these presents, shall be as binding upon said Company as if they had been fully signed by an authorized officer of the Company and sealed with the Company seal. This Power of Attorney is made and executed by authority of the following resolutions adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the President, any Senior Vice President or Vice-President (each an "Authorized Officer") may execute for and in behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and affix the seal of the Company thereto; and that the Authorized Officer may appoint and authorize an Attorney-in-Fact to execute on behalf of the Company any and all such instruments and to affix the Company seal thereto; and that the Authorized Officer may at any time remove any such Attorney-in-Fact and revoke all power and authority given to any such Attorney-in-Fact.

Resolved: That the Attorney-in-Fact may be given full power and authority to execute for and in the name and on behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed and sealed by an Authorized Officer and, further, the Attorney-in-Fact is hereby authorized to verify any affidavit required to be attached to bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof.

This power of attorney is signed and sealed by facsimile under the authority of the following Resolution adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the signature of an Authorized Officer, the signature of the Secretary or the Assistant Secretary, and the Company seal may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing an Attorney-in-Fact for purposes only of executing and sealing any bond, undertaking, recognizance or other written obligation in the nature thereof, and any such signature and seal where so used, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

IN WITNESS WHEREOF, ATLANTIC SPECIALTY INSURANCE COMPANY has caused these presents to be signed by an Authorized Officer and the seal of the Company to be affixed this fifth day of March, 2020.


STATE OF MINNESOTA
HENNEPIN COUNTY



By

Paul J. Brehm
Paul J. Brehm, Senior Vice President

On this fifth day of March, 2020, before me personally came Paul J. Brehm, Senior Vice President of ATLANTIC SPECIALTY INSURANCE COMPANY, to me personally known to be the individual and officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, that he is the said officer of the Company aforesaid, and that the seal affixed to the preceding instrument is the seal of said Company and that the said seal and the signature as such officer was duly affixed and subscribed to the said instrument by the authority and at the direction of the Company.



Alison Nash-Trout

Notary Public

I, the undersigned, Assistant Secretary of ATLANTIC SPECIALTY INSURANCE COMPANY, a New York Corporation, do hereby certify that the foregoing power of attorney is in full force and has not been revoked, and the resolutions set forth above are now in force.

Signed and sealed. Dated 27th day of March, 2024



Christopher V. Jerry

Christopher V. Jerry, Secretary

Stillwater Utilities Authority Pole Attachment Licensing Agreement

Original issue: 07/16/18

Table of Contents

Part One – Pole Attachment Licensing Agreement

Recitals

Article 1 – Definitions

Article 2 – Scope of Agreement

Article 3 – Fees and Charges

Article 4 – Specifications

Article 5 – Private and Regulatory Compliance

Article 6 – Permit Application Procedures

Article 7 – Make-Ready Work/Installation

Article 8 – Transfers

Article 9 – Pole Modifications and/or Replacements

Article 10 – Abandonment or Removal of Utility Facilities

Article 11 – Removal of Licensee’s Facilities

Article 12 – Termination of Permit

Article 13 – Inspection of Licensee’s Facilities

Article 14 – Unauthorized Occupancy or Access

Article 15 – Reporting Requirements

Article 16 – Liability and Indemnification

Article 17 – Duties, Responsibilities, and Exculpation

Article 18 – Insurance

Article 19 – Authorization Not Exclusive

Article 20 – Assignment

Article 21 – Failure to Enforce

Article 22 – Issue Resolution Process

Article 23 – Termination of Agreement

Article 24 – Term of Agreement

Article 25 – Amending Agreement

Article 26 – Notices

Article 27 – Entire Agreement

Article 28 – Severability

Article 29 – Governing Law

Article 30 – Incorporation of Recitals and Appendices

Article 31 – Performance Bond

Article 32 – *Force Majeure*

Part Two – Appendices and Drawings

APPENDIX A – Fees and Charges

APPENDIX B – Pole Attachment Permit Application Process

APPENDIX C – Application for Permit

APPENDIX D – Specifications for Licensee's Attachments to Utility Poles

APPENDIX E – Distribution Line Minimum Design Review Information and Suggested Worksheet

APPENDIX F – Field Data Summary Sheet Instructions

DRAWING A-01 – Overhead Minimum Clearances

DRAWING A-02 – Overhead Minimum Clearances

DRAWING A-03 – Grounding Connections

DRAWING A-04 – Guy Wire Requirements

DRAWING A-05 – Power Service

DRAWING A-06 – Minimum Clearance at Pole / Midspan from Neutral

DRAWING A-07 – Minimum Clearance at Pole / Midspan from Secondary

DRAWING A-08 – Minimum Clearance at Pole / Midspan from Primary

DRAWING A-09 – Midspan Service Drop Clearance from Electric Service

DRAWING A-10 – DAS Streetlight Arm Attachment

DRAWING A-11 – DAS Bracket Arm Attachment

DRAWING A-12 – Climbing Space Requirements

Part One – Pole Attachment Licensing Agreement

This Pole Attachment Licensing Agreement (the “Agreement”) dated _____
March 26, 20 24 is made by and between the Stillwater Utilities Authority
 (“Utility”), located in the State of Oklahoma, and
 Clarity LLC, d.b.a Bluepeak (“Licensee”).

Recitals

- A. Licensee proposes to install and maintain Communications Facilities and associated equipment, Licensee’s Attachments, on Utility’s Poles to provide Communications Services; and
- B. Utility is willing, when it may lawfully do so, to issue one or more Permits authorizing the placement or installation of Licensee’s Attachments on Utility’s Poles, provided that Utility may refuse, on a nondiscriminatory basis, to issue a Permit where there is insufficient Capacity or for reasons relating to safety, reliability, generally applicable engineering purposes, and/or any other Applicable Standard; and

[NOTE: The following Recitals may be used where Licensee and Utility have an existing pole attachment agreement.]

- C. On _____, _____, Utility and Licensee entered into a **[Insert name of agreement]** (e.g., the “___ Agreement”); [and]
- D. By registered letter dated _____, 20____, Utility gave notice to Licensee that Utility/ Licenser was terminating the _____ Agreement effective _____, 2____; [and]
- E. The parties intend that this Agreement replace the _____ Agreement on its termination; [and]
- F. Therefore, in consideration of the mutual covenants, terms and conditions set out below the parties agree as follows:

AGREEMENT

Article 1—Definitions

For the purposes of this Agreement, the following terms, phrases, words, and their derivations, shall have the meaning given below, unless more specifically defined within a specific Article or Paragraph of this Agreement. When not inconsistent with the context, words used in the present tense include the future and past tense, and words in the singular number include the plural number. The words “shall” and “will” are mandatory

and “may” is permissive. Words not defined shall be given their common and ordinary meaning.

- 1.1 **Affiliate:** when used in relation to Licensee, means another entity that owns or controls, is owned or controlled by, or is under common ownership or control with Licensee.
- 1.2 **Applicable Standards:** means all applicable engineering and safety standards governing the installation, maintenance, and operation of facilities and the performance of all work in or around electric Utility Facilities and includes the most current versions of National Electric Safety Code (“NESC”), the National Electrical Code (“NEC”), and the regulations of the Occupational Safety and Health Administration (“OSHA”), each of which is incorporated by reference in this Agreement, and the safety, engineering and construction requirements and standards of Utility.
- 1.3 **Attaching Entity:** means any public or private entity, including Licensee that, pursuant to a license agreement with Utility, places an Attachment on Utility’s Pole to provide Communications Service.
- 1.4 **Attachment(s):** means Licensee’s Communications Facilities that are placed directly on Utility’s Poles within the Communication Space, or Overlashed onto an existing Attachment, but does not include either a Riser or a service drop attached to a single Pole where Licensee has an existing Attachment on such Pole.
- 1.5 **Capacity:** means the ability of a Pole to accommodate an additional Attachment based on Applicable Standards, including space and loading considerations.
- 1.6 **Climbing Space:** means that portion of a Pole’s surface and surrounding space that is free from encumbrances to enable Utility employees and contractors to safely climb, access, and work on Utility Facilities and equipment.
- 1.7 **Communications Facilities:** means wireline or wireless facilities, including but not limited to, fiber optic, copper, and/or coaxial cables, wireless antennas, receivers or transceivers utilized to provide Communications Service. This term excludes power supplies, demarcation boxes, power transfer switches, grounding equipment, metering facilities and other associated equipment.
- 1.8 **Communications Service:** means the transmission or receipt of voice, video, data, broadband Internet, or other forms of digital or analog signals over Communications Facilities.
- 1.9 **Communication Space:** means the communication space as defined in the latest version of the National Electrical Safety Code.

- 1.10 **Licensee:** means the party listed as Licensee in the first paragraph of this agreement.
- 1.11 **Make-Ready Work:** means all work that Utility reasonably determines to be required to accommodate Licensee's Communications Facilities and/or to comply with all Applicable Standards. Such work includes, but is not limited to, rearrangement and/or transfer of Utility Facilities or existing Attachments, inspections, engineering work, permitting work, tree trimming (other than tree trimming performed for normal maintenance purposes), pole replacement and construction but does not include Licensee's routine maintenance.
- 1.12 **Occupancy:** means the use or reservation of space for Attachments on a Utility Pole.
- 1.13 **Overlash:** means to place an additional wire or cable Communications Facility onto an existing attached Communications Facility.
- 1.14 **Pedestals/Vaults/Enclosures:** means above- or below-ground housings that are not attached to Utility Poles but are used to enclose a cable/wire splice, power supplies, amplifiers, passive devices, and/or to provide a service connection point
- 1.15 **Permit:** means written or electronic authorization (see Appendix C) by Utility for Licensee to make or maintain Attachments to specific Utility Poles pursuant to the requirements of this Agreement. Licensee's attachments made prior to the Effective Date and authorized by Utility ("Existing Attachments") shall be deemed Permitted Attachments hereunder.
- 1.16 **Pole:** means a pole owned or controlled by Utility excluding transmission poles that is capable of supporting Attachments for Communications Facilities.
- 1.17 **Post-Construction Inspection:** means the inspection by Utility or Licensee or some combination of both to verify that the Attachments have been made in accordance with Applicable Standards and the Permit.
- 1.18 **Pre-Construction Survey:** means all work or operations required by Applicable Standards and/or Utility to determine the Make-Ready Work necessary to accommodate Licensee's Communications Facilities on a Pole. Such work includes, but is not limited to, field inspection and administrative processing.
- 1.19 **Reserved Capacity:** means capacity or space on a Pole that Utility has identified and reserved for its own future utility requirements at the time of the Permit grant, including the installation of communications circuits for operation of Utility's electric system.

- 1.20 **Riser:** means metallic or plastic encasement materials placed vertically on the Pole to guide and protect wires and cables.
- 1.21 **Tag:** means to place distinct markers on wires and cables, coded by color or other means specified by Utility and/or applicable federal, State or local regulations, that will readily identify the type of Attachment (*e.g.*, cable TV, telephone, high-speed broadband data, public safety) and its owner.
- 1.22 **Utility Facilities:** means all personal property and real property owned or controlled by Utility, including Poles and related facilities.

Article 2—Scope of Agreement

- 2.1 **Grant of License.** Subject to the provisions of this Agreement, Utility grants Licensee a revocable, nonexclusive license authorizing Licensee to install and maintain Attachments to Utility's Poles.
- 2.2 **Parties Bound by Agreement.** Licensee and Utility agree to be bound by all provisions of this Agreement.
- 2.3 **Permit Issuance Conditions.** Utility will issue one or more Permit(s) to Licensee only when Utility determines, in its sole judgment, exercised reasonably, that (i) it has sufficient Capacity to accommodate the requested Attachment(s), (ii) Licensee meets all requirements set forth in this Agreement, and (iii) such Permit(s) comply with all Applicable Standards.
- 2.4 **Reserved Capacity.** Access to space on Utility Poles will be made available to Licensee with the understanding that certain Poles may be subject to Reserve Capacity for future electric service use. At the time of Permit issuance, Utility shall notify Licensee if capacity on particular poles is being reserved for reasonably foreseeable future electric use. For Attachments made with notice of such a Reservation of Capacity, on giving Licensee at least sixty (60) calendar days prior notice, Utility may reclaim such Reserved Capacity at any time following the installation of Licensee's Attachment if required for Utility's future utility service. If reclaimed for Utility's use, Utility may at such time also install associated facilities, including the attachment of communications lines for internal Utility operational or governmental communications requirements. Utility shall give Licensee the option to remove its Attachment(s) from the affected Pole(s) or to pay for the cost of any Make-Ready Work needed to expand Capacity for core utility service requirements, so that Licensee can maintain its Attachment on the affected Pole(s). The allocation of the cost of any such Make-Ready Work (including the transfer, rearrangement, or relocation of third-party Attachments) shall be determined in accordance with Article 9. Licensee shall not be required to bear any of the costs or rearranging or replacing its Attachment(s), if such

rearrangement or replacement is required as a result of an additional attachment or the modification of an existing attachment sought by any other entity.

- 2.5 **No Interest in Property.** No use, however lengthy, of any Utility Facilities, and no payment of any fees or charges required under this Agreement, shall create or vest in Licensee any easement or other ownership or property right of any nature in any portion of such Facilities. Neither this Agreement, nor any Permit granted under this Agreement, shall constitute an assignment of any of Utility's rights to Utility Facilities. Notwithstanding anything in this Agreement to the contrary, Licensee shall, at all times, be and remain a Licensee only.
- 2.6 **Licensee's Right to Attach.** Nothing in this Agreement, other than a Permit issued pursuant to Article 6, shall be construed as granting Licensee any right to attach Licensee's Communications Facilities to any specific Pole.
- 2.7 **Utility's Rights over Poles.** The parties agree that this Agreement does not in any way limit Utility's right to locate, operate, maintain, or remove its Poles in the manner that will best enable it to fulfill its service requirements or to comply with any federal, state, or local legal requirement.
- 2.8 **Expansion of Capacity.** Utility will take reasonable steps to expand Pole Capacity when necessary to accommodate Licensee's request for Attachment. Notwithstanding the foregoing sentence, nothing in this Agreement shall be construed to require Utility to install, retain, extend, or maintain any Pole for use when such Pole is not needed for Utility's own service requirements.
- 2.9 **Other Agreements.** Except as expressly provided in this Agreement, nothing in this Agreement shall limit, restrict, or prohibit Utility from fulfilling any agreement or arrangement regarding its Poles into which Utility has previously entered, or may enter in the future, with others not party to this Agreement.
- 2.10 **Permitted Uses.** This Agreement is limited to the uses specifically stated in the recitals set forth above and no other use shall be allowed without Utility's express written consent to such use. Nothing in this Agreement shall be construed to require Utility to allow Licensee to use Utility's Poles after the termination of this Agreement.
- 2.11 **Overlashing.** The following provisions apply to Overlashing:
- 2.11.1 Licensee shall obtain a Permit for each Overlashing, in accordance with the requirements of Article 6. Absent such authorization, Overlashing constitutes an unauthorized Attachment and is subject to removal or, at

Utility's discretion, imposition of an Unauthorized Attachment fee, as specified in Appendix A, Item 3.

2.11.2 Authorized Overlashing to accommodate Attachments of Licensee or its Affiliate(s) shall not increase the Annual Attachment Fee paid by Licensee pursuant to Appendix A, Item 1. Licensee or Licensee's Affiliate shall, however, be responsible for all Make-Ready Work and other charges associated with the Overlashing. Licensee shall not have to pay a separate Annual Attachment Fee for such Overlashed Attachment.

2.11.3 At Licensee's request, Utility may allow Overlashing to accommodate facilities of a third party, not affiliated with Licensee. In such circumstances, the third party must enter into a License Agreement with Utility, obtain Permit(s), and pay a separate Attachment Fee (Appendix A, Item 1) as well as the costs of all necessary Make-Ready Work required to accommodate the Overlashing. Utility shall not grant such Permit(s) to third parties allowing Overlashing of Licensee's Communications Facilities without Licensee's consent. Authorized Overlashing shall not increase the fees and charges paid by Licensee pursuant to Appendix A, Item 1. Nothing in this Agreement shall prevent Licensee from seeking a contribution from an Overlashing third party to defray fees and charges paid by Licensee.

2.11.4 Make-Ready Work procedures set forth in Article 7 shall apply, as necessary, to all Overlashing.

2.11.5 Overlashing shall only be permitted if the existing attachment is located in the communication space.

2.12 **Enclosures.** Licensee shall not place Pedestals, Vaults, and/or other Enclosures on or within ten (10) feet of any Pole or other Utility Facilities without Utility's prior written permission. If permission is granted, all such installations shall be per the Specifications and Drawings in Appendix D of this Agreement and charges as provided in Appendix A. Such permission shall not be unreasonably withheld. Further, Licensee agrees to move any such above-ground enclosures in order to provide sufficient space for Utility to set a replacement Pole.

Article 3—Fees and Charges

3.1 **Payment of Fees and Charges.** Licensee shall pay to Utility the fees and charges specified in Appendix A and shall comply with the terms and conditions specified in this Agreement.

- 3.2 **Payment Period.** Unless otherwise expressly provided, Licensee shall pay any invoice its receives from Utility pursuant to this Agreement within thirty (30) calendar days after Utility issues the invoice.
- 3.3 **Billing of Attachment Fee.** Utility shall invoice Licensee for the per-pole Attachment Fee annually, in arrears. Utility will submit to Licensee an invoice for the annual rental period not later than June 30th of each year. The initial annual rental period shall commence upon the execution of this Agreement and conclude on June 30th of the next year, and each subsequent annual rental period shall commence on the following July 1st and conclude on June 30th of the subsequent year. The invoice shall set forth the total number of Utility's Poles on which Licensee was issued and/or holds Permit(s) for Attachments during such annual rental period, including any previously authorized and valid Permits.
- 3.4 **Refunds.** No fees and charges specified in Appendix A shall be refunded on account of any surrender of a Permit granted under this Agreement. Nor shall any refund be owed if a Pole is not used or abandoned by Utility.
- 3.5 **Late Charge.** If Utility does not receive payment for any fee or other amount owed within thirty (30) calendar days after it becomes due, Licensee shall pay interest to Utility at the rate of ten (10%) per month, or the maximum interest allowed by law, whichever is greater, on the amount due.
- 3.6 **Payment for Work.** Licensee will be responsible for payment to Utility for all work that Utility or Utility's contractors perform pursuant to this Agreement to accommodate Licensee's Communications Facilities.
- 3.7 **Advance Payment.** At its sole discretion, Utility may require that Licensee pay in advance all reasonable costs, including, but not limited to administrative, construction, inspections, and Make-Ready Work expenses, in connection with the initial installation or rearrangement of Licensee's Communications Facilities pursuant to the procedures set forth in Articles 6 and 7 below.
- 3.8 **True-Up.** Whenever Utility, in its discretion, requires advance payment of estimated expenses prior to undertaking an activity on behalf of Licensee and the actual cost of the activity exceeds the advance payment of estimated expenses, Licensee agrees to pay Utility for the difference in cost, provided that Utility documents such costs with sufficient detail to enable Licensee to verify the charges. To the extent that Utility's actual cost of the activity is less than the estimated cost, Utility shall refund to Licensee the difference in cost.
- 3.9 **Determination of Charges.** Wherever this Agreement requires Licensee to pay for work done or contracted by Utility, the charge for such work shall include all

reasonable material, labor, engineering, administrative, and applicable overhead costs. Utility shall bill its services based upon actual costs, and such costs will be determined in accordance with Utility's cost accounting systems used for recording capital and expense activities. All such invoices shall include an itemization of dates of work, location of work, labor and equipment costs per hour, persons employed, and costs of materials used. If Licensee was required to perform work and fails to perform such work, necessitating completion of the work by Utility, Utility may either charge an additional ten percent (10%) of its costs or assess the penalty specified in Appendix A.

- 3.10 **Work Performed by Utility.** Whenever this Agreement requires Utility to perform any work, Utility, at its sole discretion, may utilize its employees or contractors, or any combination of the two, to perform such work.
- 3.11 **Default for Nonpayment.** Nonpayment of any amount due under this Agreement beyond sixty (60) days shall constitute a material default of this Agreement.

Article 4—Specifications

- 4.1 **Installation/Maintenance of Communications Facilities.** After a Permit is issued pursuant to this Agreement, Licensee's Communications Facilities shall be installed and maintained in accordance with the requirements and specifications of Appendix D. All of Licensee's Communications Facilities must comply with all Applicable Standards. Licensee shall be responsible for the installation and maintenance of its Communications Facilities. Licensee shall, at its own expense, make and maintain its Attachment(s) in safe condition and good repair, in accordance with all Applicable Standards. Notwithstanding anything in this Agreement to the contrary, Licensee shall not be required to update or upgrade its Attachments if they met Applicable Standards at the time the attachments were made, unless such updates or upgrades are required by any revised Applicable Standards.
- 4.2 **Tagging.** Licensee shall Tag all of its Communications Facilities as specified in Appendix D and/or applicable federal, State, and local regulations upon installation of such Facilities. Within one year of the execution of this Agreement, Licensee shall also tag any untagged Communications Facilities that were on Utility Poles on the effective date of this Agreement. Failure to provide proper tagging will be considered a violation of the Applicable Standards.
- 4.3 **Interference.** Licensee shall not allow its Communications Facilities to impair the ability of Utility or any third party to use Utility's Poles, nor shall Licensee allow its Communications Facilities to interfere with the operation of any Utility

Facilities, third-party facilities or City of Stillwater facilities including cables, conductors, traffic controls networks and/or systems, communication networks and/or systems, radio communication network and/or systems, emergency management networks and/or systems and all related facilities.

- 4.4 **Protective Equipment.** Licensee and its employees and contractors shall utilize and install adequate protective equipment to ensure the safety of people and facilities. Licensee shall, at its own expense, install protective devices designed to handle the electric voltage and current carried by Utility's facilities in the event of a contact with such facilities. Except as provided in Paragraph 16.1, Utility shall not be liable for any actual or consequential damages to Licensee's Communications Facilities, Licensee's customers' facilities, or to any of Licensee's employees, contractors, customers, or other persons.
- 4.5 **Utility Right to Correct.** If Licensee's Communications Facilities, or any part of them, are installed, used, or maintained in violation of this Agreement, and Licensee has not corrected the violation(s) within thirty (30) calendar days from receipt of written notice of the violation(s) from Utility, Utility at its option, may correct such conditions. Utility will attempt to notify Licensee in writing prior to performing such work whenever practicable. When Utility believes, however, that such violation(s) pose an immediate threat to the safety of any person, interfere with the performance of Utility's service obligations, or present an immediate threat to the physical integrity of Utility Facilities, Utility may perform such work and/or take such action as it deems necessary without first giving written notice to Licensee. As soon as practicable afterward, Utility will advise Licensee of the work performed or the action taken. Licensee shall be responsible for all actual and reasonable costs incurred by Utility in taking action pursuant to this Paragraph, and Licensee shall indemnify Utility against any liability, costs, and expenses, including reasonable attorney's and expert fees, arising out of or relating to any such work.
- 4.6 **Restoration of Utility Service.** Utility's service restoration requirements shall take precedence over any and all work operations of Licensee on Utility's Poles.
- 4.7 **Effect of Failure to Exercise Access Rights.** If Licensee does not exercise any access right granted pursuant to this Agreement and/or applicable Permit(s) within ninety (90) calendar days of the effective date of such right and any extension to such Permit(s), Utility may, but shall have no obligation to, use the space scheduled for Licensee's Attachment(s) for its own needs or make the space available to other Attaching Entities. In such instances, Utility shall endeavor to make other space available to Licensee, upon written application under Article 6, as soon as reasonably possible and subject to all requirements of this Agreement, including the Make-Ready Work provisions. If Utility uses the space for its own

needs or makes them available to other parties, then from the date that Utility or a third party begins to use such space. For purposes of this paragraph, Licensee's access rights shall not be deemed effective until any necessary Make-Ready Work has been performed.

- 4.8 Removal of Nonfunctional Attachments.** At its sole expense, Licensee shall remove any of its Attachments or any part thereof that becomes nonfunctional and no longer fit for service ("Nonfunctional Attachment") as provided in this Paragraph 4.8. A Nonfunctional Attachment that Licensee has failed to remove as required in this paragraph shall constitute an unauthorized Attachment and is subject to the Unauthorized Attachment fee specified in Appendix A, Item 3. Except as otherwise provided in this Agreement, Licensee shall remove Nonfunctional Attachments within one (1) year of the Attachment becoming nonfunctional, unless Licensee receives written notice from Utility that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s), in which case Licensee shall remove the Nonfunctional Attachment within sixty (60) days of receiving the notice. Where Licensee has received a Permit to Overlash a Nonfunctional Attachment, such Nonfunctional Attachment may remain in place until Utility notifies Licensee that removal is necessary to accommodate Utility's or another Attaching Entity's use of the affected Pole(s). Licensee shall give Utility notice of any Nonfunctional Attachments as provided in Article 15.

Article 5—Private and Regulatory Compliance

- 5.1 Necessary Authorizations.** Before Licensee occupies any of Utility's Poles, Licensee shall obtain from the appropriate public or private authority, or from any property owner or other appropriate person, any required authorization to construct, operate, or maintain its Communications Facilities on public or private property. Utility retains the right to require evidence that appropriate authorization has been obtained before any Permit is issued to Licensee. Licensee's obligations under this Article 5 include, but are not limited to, its obligation to obtain and pay for all necessary approvals to occupy public/private rights-of-way and easements and all necessary licenses and authorizations to provide the services that it provides over its Communications Facilities. Licensee shall defend, indemnify, and reimburse Utility for all losses, costs, and expenses, including reasonable attorney's fees that Utility may incur as a result of claims by governmental bodies, owners of private property, or other persons, that Licensee does not have sufficient rights or authority to attach Licensee's Communications Facilities on Utility's Poles or to provide particular services.

- 5.2 **Lawful Purpose and Use.** Licensee's Communications Facilities must at all times serve a lawful purpose, and the use of such Facilities must comply with all applicable federal, State and local laws.
- 5.3 **Forfeiture of Utility's Rights.** No Permit granted under this Agreement shall extend, or be deemed to extend, to any of Utility's Poles to the extent that Licensee's Attachment would result in a forfeiture of Utility's rights. Any Permit that would result in forfeiture of Utility's rights shall be deemed invalid as of the date that Utility granted it. Further, if any of Licensee's existing Communications Facilities, whether installed pursuant to a valid Permit or not, would cause such forfeiture, Licensee shall promptly remove its Facilities upon receipt of written notice from Utility. If Licensee does not remove its Communications Facilities in question within thirty (30) days of receiving written notice from Utility, Utility may at its option perform such removal at Licensee's expense. Notwithstanding the forgoing, Licensee shall have the right to contest any such forfeiture before any of its rights are terminated, provided that Licensee shall indemnify Utility for liability, costs, and expenses, including reasonable attorney's fees, that may accrue during Licensee's challenge.
- 5.4 **Effect of Consent to Construction/Maintenance.** Consent by Utility to the construction or maintenance of any Attachments by Licensee shall not be deemed consent, authorization, or acknowledgment that Licensee has obtained all required Authorizations with respect to such Attachment.

Article 6—Permit Application Procedures

- 6.1 **Permit Required.** Licensee shall not make any Attachments to any of Utility's Poles without first applying for and obtaining a Permit pursuant to the applicable requirements of Appendix B. If updates or upgrades are required by Applicable Standards, Licensee shall not be required to obtain Permits for Attachment(s) existing as of the effective date of this Agreement. Such grandfathered Attachments shall, however, be subject to the Attachment Fees specified in Appendix A and the tagging provisions in Paragraph 4.2. Licensee shall provide Utility a list of all such pre-existing Attachments within six (6) months of the effective date of this Agreement.
- 6.2 **Permits for Overlashing.** As set out in Paragraph 2.11, Permits are required for any Overlashing allowed under this Agreement and Licensee, Licensee's Affiliate or other third party, as applicable, shall pay any necessary Make-Ready Work costs to accommodate such Overlashing.
- 6.3 **Professional Certification.** Unless otherwise waived in writing by Utility, as part of the Permit application process and at Licensee's sole expense, a qualified and experienced professional engineer, or an employee or contractor of Licensee who

has been approved by Utility, must participate in the Pre-Construction Survey, conduct the Post-Construction Inspection, and certify that Licensee's Communications Facilities can be and were installed on the identified Poles in compliance with the standards in Paragraph 4.1 and in accordance with the Permit. The professional engineer's qualifications must include experience performing such work, or substantially similar work, on electric distribution systems. The Utility may require the Licensee's professional engineer to conduct a post-construction inspection that the Utility will verify by means that it deems to be reasonable.

Utility, at its discretion, may waive the requirements of this Paragraph 6.3, with respect to service drops.

- 6.4 Utility Review of Permit Application.** Upon receipt of a properly executed Application for Permit (Appendix C), which shall include the Pre-Construction Survey, certified per Paragraph 6.3 above, and detailed plans for the proposed Attachments in the form specified in Appendix D, Utility will review the Permit Application and discuss any issues with Licensee, including engineering or Make-Ready Work requirements associated with the Permit Application. Utility acceptance of the submitted design documents does not relieve Licensee of full responsibility for any errors and/or omissions in the engineering analysis. Unless otherwise agreed, the Permit application process shall be consistent with the following timeline:

- 6.4.1 Review Period.** Utility shall review and respond to properly executed and complete Permit Applications for routine installations as promptly as is reasonable with a goal of providing a response during normal circumstances of within seventy-five (75) days of receipt. For Permit Applications seeking Attachments to 50 or more Poles, the Utility may require additional time to review. The Utility's response will either provide a written explanation as to why the Application is being denied, in whole or in part, or provide an estimate of the costs of all necessary Make-Ready Work.
- 6.4.2** Upon receipt of Utility's Make-Ready estimate, Licensee shall have fourteen (14) days to approve the estimate and provide payment in accordance with this Agreement and the specifications of the estimate.
- 6.4.3** Utility will complete routine Make-Ready Work within sixty (60) days of receipt of payment. If there are extenuating circumstances that make the necessary Make-Ready more complicated or time-consuming, including, but not limited to the number of Poles, seasonal weather conditions, the Utility shall identify those factors in the Make-Ready estimate and the parties shall agree upon a reasonable timeframe for completion.

6.4.4 Utility may toll the time period for completion of Make-Ready Work by written notice in order to respond to severe storms, natural disasters, or other emergency situations.

6.5 **Permit as Authorization to Attach.** Upon completion of any necessary Make-Ready Work and receipt of payment for such work, Utility will sign and return the Permit Application, which shall serve as authorization for Licensee to make its Attachment(s).

Article 7—Make-Ready Work/Installation

7.1 **Estimate for Make-Ready Work.** If Utility determines that it can accommodate Licensee's request for Attachment(s), including Overlapping of an existing Attachment, it will, upon request, advise Licensee of any estimated Make-Ready Work charges necessary to accommodate the Attachment.

7.2 **Payment of Make-Ready Work.** Upon completion of the Make-Ready Work, Utility shall invoice Licensee for Utility's actual cost of such Make-Ready Work. Alternatively, Utility, at its discretion, may require payment in advance for Make-Ready Work based upon the estimated cost of such work. In such case, upon completion Licensee shall pay Utility's actual cost of Make-Ready Work. The costs of the work shall be itemized in accordance with Paragraph 3.9 and trued up in accordance with Paragraph 3.8.

7.3 **Who May Perform Make-Ready Work.** Make-Ready Work shall be performed only by Utility and/or a contractor authorized by Utility to perform such work. If Utility chooses not to or cannot perform the Make-Ready Work to accommodate Licensee's Communications Facilities within sixty (60) calendar days of Licensee's agreement, to Make-Ready Work estimate, Licensee may request the ability to use a qualified contractor to perform such work and shall specify when such work would be performed. In all instances, "qualified contractors," if allowed, must be pre-approved by Utility for such work on an annual basis.

7.4 **Scheduling of Make-Ready Work.** In performing all Make-Ready Work to accommodate Licensee's Communications Facilities, Utility will attempt to include such work in its normal work schedule. If Licensee requests that the Make-Ready Work be performed on a priority basis or outside of Utility's normal work hours, Licensee will pay any resulting increased costs. Nothing in this Agreement shall be construed to require Utility to perform Licensee's work before other scheduled work or Utility service restoration.

7.5 **Notification of Make-Ready Work.** Before starting Make-Ready Work, Utility shall notify all Attaching Entities of the date and location of the scheduled work

and shall afford all such entities an opportunity to make any modifications to their existing Attachments in connection with the Make-Ready Work.

7.6 Written Approval of Installation Plans Required. Before making any Attachments to Utility's Poles, including Overlashing of existing Attachments, Licensee must obtain Utility's written detailed plan approval for the Attachments. Such detailed plans shall accompany a Permit application as required under Paragraph 6.4.

7.7 Licensee's Installation/Removal/Maintenance Work.

7.7.1 All of Licensee's installation, removal, and maintenance work, by either Licensee's employees or authorized contractors, shall be performed at Licensee's sole cost and expense, in a good and workmanlike manner, and must not adversely affect the structural integrity of Utility's Poles or other Facilities or other Attaching Entity's facilities or equipment. All such work is subject to the insurance requirements of Article 18.

7.7.2 All of Licensee's installation, removal, and maintenance work, either by its employees or authorized contractors, shall comply with all applicable regulations specified in Paragraph 4.1. Licensee shall assure that any person installing, maintaining, or removing its Communications Facilities is fully qualified and familiar with all Applicable Standards, the provisions of Article 17, and the Minimum Design Specifications contained in Appendix D.

Article 8—Transfers

8.1 Required Transfers of Licensee's Communications Facilities. If Utility reasonably determines that a transfer of Licensee's Communications Facilities is necessary, Utility will, at its option, either require Licensee to perform such transfer at its own expense within thirty (30) calendar days after receiving notice from Utility, or perform the transfer itself, using its personnel, and/or contractors. If Licensee fails to transfer its Facilities within thirty (30) calendar days after receiving such notice from Utility, Utility shall have the right to transfer Licensee's Facilities using its personnel and/or contractors. The costs of such transfers shall be apportioned as specified under Article 9. Utility shall not be liable for damage to Licensee's Facilities except to the extent provided in Paragraph 16.1. The written advance notification requirement of this Paragraph shall not apply in emergency situations. In emergency situations, Utility shall provide such advance notice as is practical, given the urgency of the particular situation. Utility shall then provide written notice of any such actions taken within ten (10) days following the occurrence. Irrespective of who owns Facilities that

are Overlashed on to Licensee's Attachments. Licensee is responsible for the transfer of such Facilities and the costs of doing so.

Article 9—Modifications and/or Replacements

- 9.1 Licensee's Action Requiring Modification/Replacement.** If any Pole to which Licensee desires to make Attachment(s) is unable to support or accommodate the additional facilities in accordance with all Applicable Standards, Utility will notify Licensee of the necessary Make-Ready Work, and associated costs, to provide adequate Pole space, including, but not limited to, replacement of the Pole and/or rearrangement or transfer of Utility's Facilities, as well as the facilities of other Attaching Entities. Licensee shall be responsible for separately entering into an agreement with other Attaching Entities concerning the allocation of costs for the relocation or rearrangement of such entities' existing Attachments. If Licensee elects to go forward with the necessary changes, Licensee shall pay to Utility the actual cost of the Make-Ready Work, performed by Utility, in accordance with Paragraph 3.9. Utility, in its discretion, may require advance payment. Licensee shall also be responsible for obtaining and furnishing to Utility before the commencement of any Make-Ready Work, agreements between Licensee and the other Attaching Entities (including Overlashers) concerning the relocation or rearrangement of their Attachments and the costs involved.
- 9.2 Treatment of Multiple Requests for Same Pole.** If Utility receives Permit Applications for the same Pole from two or more prospective licensees within sixty (60) calendar days of the initial request, and accommodating their respective requests would require modification of the Pole or replacement of the Pole, Utility will allocate among such licensees the applicable costs associated with such modification or replacement.
- 9.3 Guying.** The use of guying to accommodate Licensee's Attachments shall be provided by, and at the expense of, Licensee and to the satisfaction of Utility, as specified in Appendix D. Licensee shall not attach its guy wires to Utility's anchors without prior written permission of Utility. If permission is granted, charges may apply.
- 9.4 Allocation of Costs.** The costs for any rearrangement or transfer of Licensee's Communications Facilities or the replacement of a Pole (including any related costs for tree cutting or trimming required to clear the new location of Utility's cables or wires) shall be allocated to Utility and/or Licensee and/or other Attaching Entity on the following basis:
- 9.4.1** If Utility intends to modify or replace a Pole solely for its own requirements, it shall be responsible for the costs related to the modification/replacement of the Pole. Licensee shall not be responsible

for costs associated with the rearrangement or transfer of Licensee's Communications Facilities, unless and to the extent the rearrangement or transfer is necessary in connection with Utility's reacquisition of Reserved Capacity from Licensee. Prior to making any such modification or replacement, Utility shall provide Licensee written notification of its intent in order to provide Licensee a reasonable opportunity to modify or add to its existing Attachment. Should Licensee decide to do so, it must seek Utility's written permission in accordance with this Agreement. If Licensee elects to add to or modify its Communications Facilities, Licensee shall pay its Pro-Rata of the costs incurred by Utility in making the space on the Poles accessible to Licensee.

- 9.4.2 If the modification or replacement of a Pole is necessitated by the requirements of Licensee, Licensee shall be responsible for all costs caused by the modification or replacement of the Pole as well as the costs associated with the transfer or rearrangement of any other Attaching Entity's Communications Facilities. At the time Licensee submits a Permit Application to Utility, Licensee shall submit evidence, in writing, that it has made arrangements to reimburse all affected Attaching Entities for their costs caused by the transfer or rearrangement of their Facilities. Utility shall not be obligated in any way to enforce or administer Licensee's responsibility for the costs associated with the transfer or rearrangement of another Attaching Entity's Facilities pursuant to this Paragraph 9.4.2.
- 9.4.3 If the modification or the replacement of a Pole is the result of an additional Attachment or the modification of an existing Attachment sought by an Attaching Entity other than Utility or Licensee, the Attaching Entity requesting the additional or modified Attachment shall bear the entire cost of the modification or replacement, as well as the costs for rearranging or transferring Licensee's Communications Facilities. Licensee shall cooperate with such third-party Attaching Entity to determine the costs of moving Licensee's facilities.
- 9.4.4 If the Pole must be modified or replaced for reasons unrelated to the use of the Pole by Attaching Entities (*e.g.*, storm, accident, deterioration), Utility shall pay the costs of such modification or replacement and Licensee shall pay the costs of rearranging or transferring its Communications Facilities.

- 9.5 **Utility Not Required to Relocate.** Nothing in this Agreement shall be construed to require Utility to relocate its Attachments or to modify or replace its Poles for the benefit of Licensee.

Article 10—Abandonment or Removal of Utility Facilities

- 10.1 **Notice of Abandonment or Removal of Utility Facilities.** If Utility desires at any time to abandon, remove, or underground any Utility Facilities to which Licensee's Communications Facilities are attached, it shall give Licensee notice in writing to that effect at least sixty (60) calendar days prior to the date on which it intends to abandon or remove such Utility's Facilities. Notice may be limited to thirty (30) calendar days if Utility is required to remove or abandon its Utility Facilities as the result of the action of a third party and the lengthier notice period is not practical. Such notice shall indicate whether Utility is offering Licensee an option to purchase the Pole(s). If, following the expiration of the thirty (30) day period, Licensee has not yet removed and/or transferred all of its Communications Facilities and has not entered into an agreement to purchase Utility's Facilities pursuant to Paragraph 10.2, Utility shall have the right, but not the obligation, to remove or transfer Licensee's Communications Facilities at Licensee's expense. Utility shall give Licensee prior written notice of any such removal or transfer of Licensee's Facilities.
- 10.2 **Option to Purchase Abandoned Poles.** Should Utility desire to abandon any Pole, Utility may, in its sole discretion, grant Licensee the option of purchasing such Pole at a price to be negotiated with Utility. Licensee must notify Utility in writing within thirty (30) calendar days of the date of Utility's notice of abandonment that Licensee desires to purchase the abandoned Pole. Thereafter, Licensee must also secure and deliver proof of all necessary governmental approvals and easements allowing Licensee to independently own and access the Pole within forty-five (45) calendar days. Should Licensee fail to secure the necessary governmental approvals, or should Utility and Licensee fail to enter into an agreement for Licensee to purchase the Pole within forty-five (45) calendar days, Licensee must remove its Attachments as required under Paragraph 10.1. Nothing in this Agreement shall be construed as requiring Utility to sell Licensee Poles that Utility intends to remove or abandon.
- 10.3 **Underground Relocation.** If Utility moves any portion of its aerial system underground, Licensee shall remove its Communications Facilities from any affected Poles within sixty (60) calendar days of receipt of notice from Utility and must either relocate its affected Facilities underground with Utility or find other means to accommodate its Facilities. If Licensee does not remove its Attachments within sixty (60) days, Utility shall have the right to remove or transfer Licensee's Communications Facilities at Licensee's expense. Licensee's

failure to remove its Facilities as required under this Paragraph 10.3 shall subject Licensee to the penalty provisions of Appendix A.

Article 11—Removal of Licensee’s Facilities

Removal on Expiration/Termination. At the expiration or other termination of this License Agreement or individual Permit(s), Licensee shall remove its Communications Facilities from the affected Poles at its own expense. If Licensee fails to remove such Facilities within sixty (60) calendar days of expiration or termination or some greater period as allowed by Utility, Utility shall have the right, but not the obligation, to remove or transfer such Facilities removed at Licensee’s expense.

Article 12—Termination of Permit

12.1 Automatic Termination of Permit. Any Permit issued pursuant to this Agreement shall automatically terminate when Licensee ceases to have authority to construct and operate its Communications Facilities on public or private property at the location of the particular Pole(s) covered by the Permit. Permits will also expire if the Licensee’s facilities are not installed and operational within six (6) months of the Permit issuance date.

12.2 Surrender of Permit. Licensee may at any time surrender any Permit for Attachment(s) and remove its Communications Facilities from the affected Pole(s), provided, however, that before commencing any such removal, Licensee must obtain Utility’s written approval of Licensee’s plans for removal, including the name of the person or entity performing such work and the date(s) and time(s) during which such work will be completed. All such work is subject to the insurance requirements of Article 18. No refund of any fees or costs will be made upon removal. If Licensee surrenders such Permit pursuant to the provisions of this Article, but fails to remove its Attachments from Utility’s Facilities within thirty (30) calendar days, Utility shall have the right, but not the obligation, to remove or transfer Licensee’s Attachments at Licensee’s expense.

Article 13—Inspection of Licensee’s Facilities

13.1 Inspections. Utility may conduct an inventory and inspection of Attachments at any time. Within thirty (30) calendar days of receiving written notice from Utility, Licensee shall correct all Attachments that Utility identifies as being out of compliance with Applicable Standards. If Utility finds that five percent (5%) or more of Licensee’s Attachments are either in non-compliance or not permitted, Licensee shall pay its *pro-rata* share of the costs of the inspection.

13.2 Notice. Utility will give Licensee reasonable advance written notice of such inspections, except in those instances in which safety considerations justify the need for such inspection without delay.

- 13.3 No Liability.** Inspections performed under this Article 13, or the failure to do so, shall not operate to impose upon Utility any liability of any kind whatsoever or to relieve Licensee of any responsibility, obligations, or liability, whether assumed under this Agreement or otherwise existing.
- 13.4 Attachment Records.** Notwithstanding the above inspection provisions, Licensee shall furnish to Utility annually an up-to-date electronic map depicting the locations of its Attachments, in a format specified by Utility.

Article 14—Unauthorized Occupancy or Access

- 14.1 Penalty Fee.** If any of Licensee's Attachments are found occupying any Pole for which no Permit has been issued, Utility, without prejudice to its other rights or remedies under this Agreement, may assess an Unauthorized Access Penalty Fee, as specified in Appendix A, Item 3. If Licensee fails to pay such Fee within thirty (30) calendar days of receiving notification of it, Utility shall have the right, but not the obligation, to remove such Communications Facilities at Licensee's expense.
- 14.2 No Ratification of Unauthorized Use.** No act or failure to act by Utility with regard to any unauthorized use shall be deemed as ratification of the unauthorized use. Unless the parties agree otherwise, a Permit for a previously unauthorized Attachment shall not operate retroactively or constitute a waiver by Utility of any of its rights or privileges under this Agreement or otherwise, and Licensee shall remain subject to all obligations and liabilities arising out of or relating to its unauthorized use.

Article 15—Reporting Requirements

At the time that Licensee pays its annual Attachment Fee, Licensee shall also provide the following information to Utility:

- 15.1** The Poles on which Licensee has installed, during the relevant reporting period, Risers and service drops, for which no Permit was required.
- 15.2** All Attachments that have become nonfunctional during the relevant reporting period. The report shall identify the Pole on which the nonfunctional Attachment is located, describe the nonfunctional equipment, and indicate the approximate date the Attachment became nonfunctional.
- 15.3** Any equipment Licensee has removed from Poles during the relevant reporting period. The report shall identify the Pole from which the equipment was removed, describe the removed equipment, and indicate the approximate date of removal. This requirement does not apply where Licensee is surrendering a Permit pursuant to Paragraph 12.2.

Article 16—Liability and Indemnification

16.1 Liability. Utility reserves to itself the right to maintain and operate its Poles in the manner that will best enable it to fulfill its service requirements. Licensee agrees to use Utility's Poles at Licensee's sole risk.

16.2 Indemnification. Licensee, and any agent, contractor, or subcontractor of Licensee, shall defend, indemnify, and hold harmless Utility and its officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, payments (including payments made by Utility under any Workers' Compensation Laws or under any plan for employees' disability and death benefits), and expenses (including reasonable attorney's fees of Utility and all other costs and expenses of litigation) ("Covered Claims") arising in any way, including any act, omission, failure, negligence, or willful misconduct, in connection with the construction, maintenance, repair, presence, use, relocation, transfer, removal or operation by Licensee, or by Licensee's officers, directors, employees, agents, or contractors, of Licensee's Communications Facilities, except to the extent of Utility's gross negligence or willful misconduct solely giving rise to such Covered Claims. Such Covered Claims include, but are not limited to, the following:

16.2.1 Intellectual property infringement, libel and slander, trespass, unauthorized use of television or radio broadcast programs and other program material, and infringement of patents;

16.2.2 Cost of work performed by Utility that was necessitated by Licensee's failure, or the failure of Licensee's officers, directors, employees, agents or contractors, to install, maintain, use, transfer, or remove Licensee's Communications Facilities in accordance with the requirements and specifications of this Agreement, or from any other work this Agreement authorizes Utility to perform on Licensee's behalf;

16.2.3 Damage to property, injury to or death of any person arising out of the performance or nonperformance of any work or obligation undertaken by Licensee, or Licensee's officers, directors, employees, agents, or contractors, pursuant to this Agreement;

16.2.4 Liabilities incurred as a result of Licensee's violation, or a violation by Licensee's officers, directors, employees, agents, or contractors, of any law, rule, or regulation of the United States, any State, or any other governmental entity or administrative agency.

16.3 Environmental Hazards. Licensee represents and warrants that its use of Utility's Poles will not generate any Hazardous Substances, that it will not store or dispose on or about Utility's Poles or transport to Utility's Poles any hazardous substances and that Licensee's Communications Facilities will not constitute or contain and will not generate any hazardous substance in violation of federal, state, or local law now or hereafter in effect, including any amendments. "Hazardous Substance" shall be interpreted broadly to mean any substance or material designated or defined as hazardous or toxic waste, hazardous or toxic material, hazardous or toxic or radioactive substance, dangerous radio frequency radiation, or other similar terms by any federal, state, or local laws, regulations or rules now or hereafter in effect, including any amendments. Licensee further represents and warrants that in the event of breakage, leakage, incineration, or other disaster, its Communications Facilities would not release any Hazardous Substances. Licensee and its agents, contractors, and subcontractors shall defend, indemnify, and hold harmless Utility and its respective officials, officers, board members, council members, commissioners, representatives, employees, agents, and contractors against any and all liability, costs, damages, fines, taxes, special charges by others, penalties, punitive damages, or expenses (including reasonable attorney's fees and all other costs and expenses of litigation) arising from or due to the release, threatened release, storage, or discovery of any Hazardous Substances on, under, or adjacent to Utility's Poles attributable to Licensee's use of Utility's Poles.

Should Utility's Poles be declared to contain Hazardous Substances, Utility, Licensee, and all Attaching Entities shall share proportionately in the cost of disposal of the affected Poles based on each entity's individual percentage use of same. For Attaching Entities, such percentage shall be derived from the sum of space occupied by each Attaching Entity plus its share of the common space, including the NESC safety space. For Utility, such percentage shall be equal to the space above the NESC safety space plus its share of the common Space. If the source or presence of the Hazardous Substance is solely attributable to particular parties, such costs shall be borne solely by those parties.

16.4 Municipal Liability Limits. No provision of this Agreement is intended, or shall be construed, to be a waiver for any purpose by Utility of any applicable State limits on municipal liability or governmental immunity. No indemnification provision contained in this Agreement under which Licensee indemnifies Utility shall be construed in any way to limit any other indemnification provision contained in this Agreement.

16.5 If Utility brings a successful action in a court of competent jurisdiction to enforce this Agreement, Licensee shall pay Utility's reasonable attorney's fees.

Article 17—Duties, Responsibilities, and Exculpation

- 17.1 Duty to Inspect.** Licensee acknowledges and agrees that Utility does not warrant the condition or safety of Utility's Facilities, or the premises surrounding the Facilities, and Licensee further acknowledges and agrees that it has an obligation to inspect Utility's Poles and/or premises surrounding the Poles, prior to commencing any work on Utility's Poles or entering the premises surrounding such Poles.
- 17.2 Knowledge of Work Conditions.** By executing this Agreement, Licensee warrants that it has acquainted, or will fully acquaint, itself and its employees and/or contractors and agents with the conditions relating to the work that Licensee will undertake under this Agreement and that it fully understands or will acquaint itself with the facilities, difficulties, and restrictions attending the execution of such work.
- 17.3 DISCLAIMER. UTILITY MAKES NO EXPRESS OR IMPLIED WARRANTIES WITH REGARD TO UTILITY'S POLES, ALL OF WHICH ARE HEREBY DISCLAIMED, AND UTILITY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EXCEPT TO THE EXTENT EXPRESSLY AND UNAMBIGUOUSLY SET FORTH IN THIS AGREEMENT. UTILITY EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**
- 17.4 Duty of Competent Supervision and Performance.** The parties further understand and agree that, in the performance of work under this Agreement, Licensee and its agents, employees, contractors, and subcontractors will work near electrically energized lines, transformers, or other Utility Facilities. The parties understand and intend that energy generated, stored, or transported by Utility Facilities will not be interrupted during the continuance of this Agreement, except in emergencies endangering life or threatening grave personal injury or property. Licensee shall ensure that its employees, agents, contractors, and subcontractors have the necessary qualifications, skill, knowledge, training, and experience to protect themselves, their fellow employees, agents, contractors, and subcontractors; employees, agents, contractors, and subcontractors of Utility; and the general public, from harm or injury while performing work permitted pursuant to this Agreement. In addition, Licensee shall furnish its employees, agents, contractors, and subcontractors competent supervision and sufficient and adequate tools and equipment for their work to be performed in a safe manner. Licensee agrees that in emergency situations in which it may be necessary to de-energize any part of Utility's equipment, Licensee shall ensure that work is suspended until the equipment has been de-energized and that no such work is conducted unless and until the equipment is made safe.

- 17.5 **Requests to De-energize.** If Utility de-energizes any equipment or line at Licensee's request and for its benefit and convenience in performing a particular segment of any work, Licensee shall reimburse Utility in accordance with Paragraph 3.9, for all costs and expenses that Utility incurs in complying with Licensee's request. Before Utility de-energizes any equipment or line, it shall provide, upon request, an estimate of all costs and expenses to be incurred in accommodating Licensee's request.
- 17.6 **Interruption of Service.** If Licensee causes an interruption of service by damaging or interfering with any equipment of Utility, Licensee shall, at its own expense, immediately do all things reasonable to avoid injury or damages, direct and incidental, resulting therefrom and shall notify Utility immediately.
- 17.7 **Duty to Inform.** Licensee further warrants that it understands the imminent dangers (INCLUDING SERIOUS BODILY INJURY OR DEATH FROM ELECTROCUTION) inherent in the work necessary to make installations on Utility's Poles by Licensee's employees, agents, contractors, or subcontractors, and Licensee accepts the duty and sole responsibility to notify and inform Licensee's employees, agents, contractors, or subcontractors of such dangers, and to keep them informed regarding same.

Article 18—Insurance

- 18.1 **Policies Required.** At all times during the term of this Agreement, Licensee shall keep in force and effect all insurance policies as described below. These insurance requirements shall extend to all agents, contractors, subcontractors or others working on behalf of the Licensee in performing any and all work contemplated under this Agreement:
- 18.1.1 **Workers' Compensation and Employers' Liability Insurance.** Statutory workers' compensation benefits and employers' liability insurance with a limit of liability no less than that required by Oklahoma law at the time of the application of this provision for each accident. This policy shall be endorsed to include a waiver of subrogation in favor of Utility. Licensee shall require subcontractors and others not protected under its insurance to obtain and maintain such insurance.
- 18.1.2 **Commercial General Liability Insurance.** Policy will be written to provide coverage for, but not limited to, the following: premises and operations, products and completed operations, personal injury, blanket contractual coverage, broad form property damage, and independent contractor's coverage.

- 18.1.3 **Automobile Liability Insurance.** Business automobile policy covering all owned, hired and non-owned private passenger autos and commercial vehicles.
- 18.1.4 **Umbrella Liability Insurance.** Coverage is to be in excess of the sum employers' liability, commercial general liability, and automobile liability insurance required above.
- 18.1.5 **Property Insurance.** Each party will be responsible for maintaining property insurance on its own facilities, buildings, and other improvements, including all equipment, fixtures, and utility structures, fencing, or support systems that may be placed on, within, or around Utility Facilities to fully protect against hazards of fire, vandalism and malicious mischief, and such other perils as are covered by policies of insurance commonly referred to and known as "extended coverage" insurance or self-insure such exposures.
- 18.2 **Qualification; Priority; Contractors' Coverage.** The insurer must be authorized to do business under the laws of the State of Oklahoma and have an "A" or better rating in Best's Guide. Such insurance will be primary. All contractors and all of their subcontractors who perform work on behalf of Licensee shall carry, in full force and effect, workers' compensation and employers' liability, comprehensive general liability, and automobile liability insurance coverages of the type that Licensee is required to obtain under this Article 18 with the same limits.
- 18.3 **Certificate of Insurance; Other Requirements.** Prior to the execution of this Agreement and prior to each insurance policy expiration date during the term of this Agreement, Licensee will furnish Utility with a certificate of insurance ("Certificate") and, upon request, certified copies of the required insurance policies. The Certificate shall reference this Agreement and workers' compensation and property insurance waivers of subrogation required by this Agreement. Utility shall be given thirty (30) calendar days advance notice of cancellation or nonrenewal of insurance during the term of this Agreement. Utility, its council members, board members, commissioners, agencies, officers, officials, employees and representatives (collectively, "Additional Insureds") shall be named as Additional Insureds under all of the policies, except workers' compensation, which shall be so stated on the Certificate of Insurance. All policies, other than workers' compensation, shall be written on an occurrence and not on a claims-made basis. All policies may be written with deductibles, not to exceed \$100,000, or such greater amount as expressly allowed in writing by Utility. Licensee shall defend, indemnify and hold harmless Utility and Additional Insureds from and against payment of any deductible and payment of any premium on any policy required under this Article. Licensee shall obtain

Certificates from its agents, contractors, and their subcontractors and provide a copy of such Certificates to Utility upon request.

- 18.4 Limits.** The minimum limits of liability for policies required by this Article shall be provided to Licensee by Utility. The limits of liability may be increased or decreased as required by Utility in the event of any factors or occurrences, including substantial increases in the level of jury verdicts or judgments or the passage of state, federal, or other governmental compensation plans, or laws that would materially increase or decrease Licensee's exposure to risk.
- 18.5 Prohibited Exclusions.** No policies of insurance required to be obtained by Licensee or its contractors or subcontractors shall contain provisions that: (1) exclude coverage of liability assumed by this Agreement with Utility except as to infringement of patents or copyrights or for libel and slander in program material, (2) exclude coverage of liability arising from excavating, collapse, or underground work, (3) exclude coverage for injuries to Utility's employees or agents, or (4) exclude coverage of liability for injuries or damages caused by Licensee's contractors or the contractors' employees, or agents. This list of prohibited provisions shall not be interpreted as exclusive.
- 18.6 Deductible/Self-insurance Retention Amounts.** Licensee shall be fully responsible for any deductible or self-insured retention amounts contained in its insurance program or for any deficiencies in the amounts of insurance maintained.

Article 19—Authorization Not Exclusive

Utility shall have the right to grant, renew, and extend rights and privileges to others not party to this Agreement by contract or otherwise, to use Utility Facilities covered by this Agreement. Such rights shall not interfere with the rights granted to Licensee by the specific Permits issued pursuant to this Agreement.

Article 20—Assignment

- 20.1 Limitations on Assignment.** Licensee shall not assign its rights or obligations under this Agreement, nor any part of such rights or obligations, without the prior written consent of Utility, which consent shall not be unreasonably withheld.
- 20.2 Obligations of Assignee/Transferee and Licensee.** No assignment or transfer under this Article 20 shall be allowed until the assignee or transferee becomes a signatory to this Agreement and assumes all obligations of Licensee arising under this Agreement. Licensee shall furnish Utility with prior written notice of the transfer or assignment, together with the name and address of the transferee or assignee. Notwithstanding any assignment or transfer, Licensee shall remain fully liable under this Agreement and shall not be released from performing any of the

terms, covenants, or conditions of this Agreement without the express written consent to the release of Licensee by Utility.

- 20.3 Sub-licensing.** Without Utility's prior written consent, Licensee shall not sub-license or lease to any third party, including but not limited to, allowing third parties to place Attachments on Utility's Facilities, including Overlapping, or to place Attachments for the benefit of such third parties on Utility's Poles. Any such action shall constitute a material breach of this Agreement. The use of Licensee's Communications Facilities by third parties (including but not limited to leases of dark fiber) that involves no additional Attachment or Overlapping is not subject to this Paragraph 20.3.

Article 21—Failure to Enforce

Failure of Utility or Licensee to take action to enforce compliance with any of the terms or conditions of this Agreement or to give notice or declare this Agreement or any authorization granted hereunder terminated shall not constitute a waiver or relinquishment of any term or condition of this Agreement, but the same shall be and remain at all times in full force and effect until terminated, in accordance with this Agreement.

Article 22— Issue Resolution Process

- 22.1 Dispute Resolution.** Except for an action seeking a temporary restraining order or an injunction or to compel compliance with this dispute resolution procedure, the parties can invoke the dispute resolution procedures in this Article at any time to resolve a controversy, claim, or breach arising under this Agreement. Each party will bear its own costs for dispute resolution activity.
- 22.2 Initial Meeting.** At either party's written request, each party will designate knowledgeable, responsible, senior representatives to meet and negotiate in good faith to resolve a dispute. The representatives will have discretion to decide the format, frequency, duration, and conclusion of these discussions. The parties will conduct any meeting in-person or via conference call, as reasonably appropriate.
- 22.3 Executive Meeting.** If ninety (90) days after the first in-person meeting of the senior representatives, the parties have not resolved the dispute to their mutual satisfaction, each party will designate executive representatives at the director level or above to meet and negotiate in good faith to resolve the dispute. To facilitate the negotiations, the parties may agree in writing to use mediation.
- 22.4 Unresolved Dispute.** If after sixty (60) days from the first executive-level, in-person meeting, the parties have not resolved the dispute to their mutual satisfaction; either party may invoke any legal means available to resolve the dispute, including enforcement of the default and termination procedures set out in Article 24.

- 22.5 Confidential Settlement.** Unless the parties otherwise agree in writing, communication between the parties under this Article will be treated as confidential information developed for settlement purposes, exempt from discovery and inadmissible in litigation.
- 22.6 Business as Usual.** During any dispute resolution procedure or lawsuit, the Utilities will continue providing services to each other and performing their obligations under this Agreement.

Article 23—Termination of Agreement

23 Utility shall have the right, pursuant to the procedures set out in this Article 23, to terminate this entire Agreement, or any Permit issued under it, whenever Licensee is in default of any material term or condition of this Agreement, including, but not limited to, the following circumstances:

- 23.1.1** Construction, operation, or maintenance of Licensee's Communications Facilities in violation of law, or in aid of any unlawful act or undertaking; or
 - 23.1.2** Construction, operation, or maintenance of Licensee's Communications Facilities after any authorization required of Licensee has lawfully been denied or revoked by any governmental authority or any private holder of easements or other rights, or violation of any other agreement with Utility; or
 - 23.1.3** Construction, operation, or maintenance of Licensee's Communications Facilities without the insurance coverage required under Article 18.
- 23.2** Utility will notify Licensee in writing of any defaults by Licensee under this Agreement. Licensee shall take immediate corrective action to eliminate any such defaults within fifteen (15) calendar days, or such longer period as the parties may agree, and shall confirm in writing to Utility that the cited condition or conditions have ceased or been corrected, or are in the process of being corrected.
- 23.3** If Licensee contests the existence of the default, it may invoke the dispute resolution procedures of Article 22.
- 23.4** If the parties are unable to resolve the dispute and Licensee fails to discontinue or correct a default in a timely manner or fails to give the required confirmation, Utility may immediately terminate this Agreement or any Permit(s) granted under it. In the event of termination of this Agreement or any of Licensee's rights, privileges, or authorizations, Utility may seek removal of Licensee's Communications Facilities pursuant to the terms of Article 11, from any or all of

Utility's Poles. In such instance, Licensee shall remain liable to Utility for all fees and charges accrued pursuant to the terms of this Agreement.

Article 24—Term of Agreement

- 24.1 This Agreement shall become effective upon its execution and, if not terminated in accordance with other provisions of this Agreement, shall continue in effect for a term of five (5) years and, unless terminated by either party, agreement may be renewed for one (1) additional five (5) year term by mutual assent of the parties. Either party may terminate this Agreement at the end of the initial term by giving written notice of intent to terminate the Agreement at the end of the term. Such a notice must be given least ninety (90) calendar days prior to the end of the then-current term.
- 24.2 Even after the termination of this Agreement, Licensee's indemnity obligations shall continue with respect to any claims or demands related to Licensee's Communications Facilities, as provided for in Article 16.

Article 25—Amending Agreement

This Agreement shall not be amended, changed, or altered except in writing and with approval by authorized representatives of both parties.

Article 26—Notices

- 26.1 Wherever in this Agreement notice is required to be given by either party to the other, such notice shall be in writing and shall be effective when personally delivered to, or when mailed by certified mail with return receipt requested, with postage prepaid, and except where specifically provided for elsewhere, properly addressed as follows:

If to Utility, at: ATTN: City Clerk

723 S Lewis St., Stillwater, OK 74074

If to Licensee, at: _____

or to such other address as either party, from time to time, may give the other party in writing.

- 26.2 The above notwithstanding the parties may agree to utilize electronic communications such as email for notifications related to the Permits application and approval process and necessary transfer or pole modifications.
- 26.3 Licensee shall maintain a staffed 24-hour emergency telephone number, not available to the general public, where Utility can contact Licensee to report damage to Licensee's facilities or other situations requiring immediate communications

between the parties. Such contact person shall be qualified and able to respond to Utility's concerns and requests.

Article 27—Entire Agreement

This Agreement and its appendices constitute the entire agreement between the parties concerning attachments of Licensee's Communications Facilities on Utility's Poles within the geographical service area covered by this Agreement. Unless otherwise expressly stated in this Agreement, all previous agreements, whether written or oral, between Utility and Licensee are superseded and of no further effect.

Article 28 -- Severability

If any provision or portion thereof of this Agreement is or becomes invalid under any applicable statute or rule of law, and such invalidity does not materially alter the essence of this Agreement to either party, such provision shall not render unenforceable this entire Agreement. Rather, the parties intend that the remaining provisions shall be administered as if the Agreement did not include the invalid provision.

Article 29 —Governing Law

All matters relating to this Agreement shall be governed by the laws (without reference to choice of law) of the State of Oklahoma.

Article 30—Incorporation of Recitals and Appendices

The recitals stated above and all appendices to this Agreement are incorporated into and constitute part of this Agreement.

Article 31—Performance Bond

On execution of this Agreement, Licensee shall provide to Utility a performance bond or letter of credit in an amount of (\$1000 per Small Wireless Facility). The bond shall be with an entity and in a form acceptable to Utility. The purpose of the bond is to ensure Licensee's performance of all of its obligations under this Agreement and for the payment by Licensee of any claims, liens, taxes, liquidated damages, penalties, and fees due to Utility that arise by reason of the construction, operation, maintenance, or removal of Licensee's Communications Facilities on or about Utility's Poles.

Article 32—Force Majeure

32.1 If either Utility or Licensee is prevented or delayed from fulfilling any term or provision of this Agreement by reason of fire, flood, earthquake, or like acts of nature, wars, revolution, civil commotion, explosion, acts of terrorism, embargo, acts of the government in its sovereign capacity, material changes of laws or regulations, labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts, unavailability of equipment of vendor, or any other such cause not attributable to the negligence or fault of the party delayed in performing the acts required by the Agreement, then performance of such acts shall be excused for the period of the unavoidable delay, and the affected party

shall endeavor to remove or overcome such inability as soon as reasonably possible.

- 32.2 Utility shall not impose any charges on Licensee stemming solely from Licensee's inability to perform required acts during a period of unavoidable delay as described in Paragraph 32.1, provided that Licensee present Utility with a written description of such force majeure within a reasonable time after occurrence of the event or cause relied on, and further provided that this provision shall not operate to excuse Licensee from the timely payment of any fees or charges due Utility under this Agreement.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement in duplicate on the day and year first written above.

(UTILITY)

(LICENSEE)

BY: _____

BY: Mike Harvey

Title: _____

Title: CBDO

UTILITY

STATE OF OKLAHOMA

: ss

County of Payne

I, the undersigned, a Notary Public in and for the State of Oklahoma, hereby certify that on the ____ day of _____, 2____, personally appeared before me [NAME] _____, [TITLE] _____ to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Notary Public in and for the
State of Oklahoma, residing at
_____, Oklahoma

LICENSEE

STATE OF [INSERT STATE] Colorado


: ss

County of Denver

I, the undersigned, a Notary Public in and for the State of Colorado, hereby certify that on the 26th day of March, 2 024, personally appeared before me [NAME] Milce Harry, [TITLE] CBDO to me known to be the individual described in and who executed the foregoing instrument and acknowledged that they signed and sealed the same as their free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year above written.

Cynthia J Bishop



Notary Public in and for the
State of Colorado, residing at
_____, _____

Part Two – Appendices and Drawings

APPENDIX A— Fees and Charges

Pole Attachment Fees and Charges

Effective Date / /

1. Annual Pole Attachment Rate(s):

Occupancy Rate: \$20.00 per small wireless facility/per year

Collocation (Attachment) Rate: \$20.00 per pole/per year

2. Non-Recurring Fees:

One-time License Agreement Fee \$350.00

Permit Application Fee \$200.00 per Permit Application
(1-5 Attachments)

Permit Application Fee \$100.00 per Permit Application
(6 -25 Attachments)

Make Ready Work Charges See Article 3 of Agreement

Miscellaneous Charges See Article 3 of Agreement [or
Attach Fee Schedule for Work
Performed for the Licensee]

Inspection Fees..... See Article 3 of Agreement

3. Unauthorized Attachment Penalty Fee:

5 x annual collocation (attachment) rate, per occurrence.

4. Failure To Timely Transfer, Abandon, or Remove Facilities Penalty:

1/5 annual attachment fee per day, per pole, first 30 days; after the initial
30 days the penalty shall be equal to the annual collocation (attachment)
rate per day, per pole.

NOTE: The Utility may increase the fees and rates it adopts under this appendix by ten percent (10%) every five (5) years rounded to the nearest dollar.

APPENDIX B—Pole Attachment

Permit Application Process

The following procedure is to be followed by each Licensee seeking to make new Attachments on Utility's Poles, or overlash to existing pole tenant facilities on Utility's Poles. Note that no entity may make any Attachments to Utility's Poles or overlash to existing pole tenant facilities on Utility's Poles without having first entered into a binding Pole Attachment Licensing Agreement with Utility. Third parties seeking to overlash to an existing pole tenant facility must also have a written overlash agreement with the pole tenant to be overlashed. The overlash agreement must be provided to the Utility at the time of application.

1. Licensee shall submit a written request to perform a Pre-Construction Inspection. The request must include a preliminary route description. Licensee shall have a professional engineer or utility-approved employee or contractor, participate in a Pre-Construction Inspection, which will include a review of the proposed Attachment(s) to determine the feasibility of the request and identify any potential Make-Ready Work. Appendix F to this Agreement contains the minimum design review information that an applicant must provide and a worksheet for determining the minimum specifications that the proposed Attachment must meet.
2. Following the Pre-Construction Inspection, Licensee shall submit a completed Permit Application (Appendix C) that includes: route map, information required in Appendix F, installation plans, recommendations on Make-Ready Work, and a pole-loading analysis stamped by a professional engineer. Licensee shall prepare the Permit Application in adherence with the Applicable Standards (Section 1.2 of Agreement) and specifications (Appendix D).
3. At the Licensee's expense, the Utility will review the recommendations from the inspection and the pole-loading analysis, and discuss any issues with the Licensee.
4. Upon receipt of written authorization, Utility will proceed with Make-Ready Work according to the specific agreed-upon installation plans and the terms of the Agreement, including payment for the Make-Ready Work charges as set out by Utility and agreed to by the Licensee.
5. Upon completion of the Make-Ready Work, the Utility will *sign* and return the Application for Permit authorizing the Licensee to make its Attachment(s) in accordance with agreed-upon installation plans.

APPENDIX C - Application for Permit

Application Date: 3 / 26 / 24

To: Stillwater Utilities Authority
Attn: Electric Engineering
411 E 3rd Ave
Stillwater, OK 74074

Desire to: Attach to Utility Pole(s)

Remove Attachment from Utility Pole(s)

Overlash to existing facility attached to Utility Pole(s)

Permit No. _____

Occupancy Permit No. _____

Number of Poles this permit 25 Sheet 1 of 1

Licensee Name: Bluepeak

Address:

Contact Person: Matt Lanza Phone 331 431 8226

Title: Sr. PM of Aerial D&E

Utility Contact Person: Vernon Hall Phone 405 742 8367

Title: Power Distrobution Engineering Specialist

Narrative Description of proposed activity: Aerial Strand attachment for Fiber Optics

6. Unless waived in writing by the Utility, the Licensee's professional engineer, utility-approved employee, or contractor shall submit written certification that he/she has completed the Post-Construction Inspection and that the installation was done in accordance with the provisions of the Permit. The Post-Construction Inspection shall be submitted within ninety (90) calendar days after installation is complete. The Utility will verify the inspection by means that it deems to be reasonable.

Application for Permit

In accordance with the terms and conditions of the Pole Attachment Licensing Agreement dated _____, application is hereby made for a Permit to attach to and/or vacate Pole(s) in the locations detailed on the attached Route Map(s). Also, attached is documentation as required by Appendix F of the Agreement. If applicable, the engineer's name, this State's registration number, and phone number are:

Name: _____ Phone: _____

Registration #: _____

Permission is hereby granted to Licensee to attach and/or vacate poles listed on the attached Field Data Summary Sheets, subject to payment of the necessary Make-Ready Work charges as set out by Utility and agreed to by the Licensee.

SUBMITTED:

APPROVED:

Licensee Bluepeak Utility _____

By Matt Lanza By _____

Title Sr. PM of Aerial D&E Title _____

Date 3/25/24 Date _____

Inspection required

APPENDIX D - Specifications for Licensee's Attachments to Utility Poles

Licensee, when making Attachments to Utility Poles, will adhere to the following engineering and construction practices.

- A. All Attachments shall be made in accordance with the Applicable Standards, as defined in Paragraph 1.2 of this Agreement.

B. Clearances

1. **Attachment and Cable Clearances:** Licensee's Attachments on Utility Poles, including metal attachment clamps and bolts, metal cross-arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the National Electrical Safety Code ("NESC") and in drawings and specifications Utility may from time to time furnish Licensee. (See Drawings A-01 to A-99.)

Note: Attachments shall only be placed within the communication space as defined in the NESC.

2. **Service Drop Clearance:** From the pole to the home/building the parallel minimum separation between Utility's service drops and communications service drops shall be twelve (12) inches, per NESC 235C1b (exception 3). (see drawing A-5)
3. All other drop clearances at the midspan must conform to NESC table 235-6.

Sag and Mid-Span Clearances: Licensee will be particularly careful to leave proper sag in its lines and cables and shall observe the established sag of power line conductors and other cables so that minimum clearances are: (a) achieved at poles located on both ends of the span; and (b) retained throughout the span. At mid-span, a minimum of twelve (12) inches of separation must be maintained between all telecommunication cables that meet NESC rule 230E1 (includes common phone, CATV, and fiber optic cables lashed to an effectively grounded messenger strand, or self-supporting cables).

NESC table 235-6 requires:

- 12" from neutral (by exception #16)
- 30" from supply lines carrying 0 to 8.7 kV (secondary)
- 30" plus 0.4" per kV in excess of 8.7 (primary)

4. **Vertical Risers:** All Risers, including those providing 120/240 volt power for Licensee's equipment enclosure, shall be placed on the quarter faces of the Pole and must be installed in conduit with weatherhead (if possible), attached to the Pole with stand-off brackets. A two (2) inch clearance in any direction from cable, bolts, clamps, metal supports, and other equipment shall be maintained. (See Drawings A-02 and A-04.)
5. **Climbing Space:** A clear Climbing Space must be maintained at all times on the face of the Pole. All Attachments must be placed so as to allow and maintain a clear and proper Climbing Space on the face of the Utility Pole. Licensee's cable/wire Attachments shall be placed on the same side of the Pole as those of other Attaching Entities. In general, all other Attachments and Risers should be placed on Pole quarter faces. (See Drawing A-09.)
6. **Pedestals and Enclosures:** Every effort should be made to install Pedestals, vaults and/or Enclosures at a minimum of ten (10) feet from Poles or other Utility Facilities, or the distance specified by the utility, whichever is greater.

C. Down Guys and Anchors

1. Licensee shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on the Utility's Poles by Licensee's Attachments. Anchors must be guyed adequately.
2. Anchors and guy wires must be installed on each Utility Pole where an angle or a dead-end occurs. Licensee shall make guy attachments to Poles at or below its cable Attachment. No proposed anchor can be within four (4) feet of an existing anchor without written consent of Utility.
3. Licensee may not attach guy wires to the anchors of Utility or third-party user without the anchor owner's specific prior written consent.
4. No Attachment may be installed on a Utility Pole until all required guys and anchors are installed. No Attachment may be modified, added to, or relocated in such a way as will materially increase the stress or loading on Utility Poles until all required guys and anchors are installed.
5. Licensee's down guys, if needed, shall be bonded, to the vertical ground wires of Utility's Pole, in accordance to NESC rule 92C. If there is no vertical ground present at the pole, the connections to the system neutral are to be made by the utility as an item of Make-Ready Work. Utility will determine if guys should be grounded or insulated.

D. Certification of Licensee's Design

1. Licensee's Attachment Permit application must be signed and sealed by a professional engineer, registered in the [State], certifying that Licensee's aerial cable design fully complies with the NESC and Utility's Construction Standards and any other applicable federal, state or local codes and/or requirements.
2. This certification shall include the confirmation that the design is in accordance with pole strength requirements of the NESC, taking into account the effects of Utility's Facilities and other Attaching Entities' facilities that exist on the Poles without regard to the condition of the existing facilities.

E. Miscellaneous Requirements

1. **Cable Bonding:** Licensee's messenger cable shall be bonded according to NESC rule 92C1 as a minimum, or at every pole with a vertical ground, as determined by the utility. If no ground exists on a pole to be bonded, Licensee shall install a Pole ground in accordance with the attached detail drawing. (See Drawings A-03 to A-04.)
2. **Customer Premises:** Licensee's service drop into customer premises shall be protected as required by the most current edition of the NEC.
3. **Communication Cables:** All Communications cables/wires not owned by Utility shall be attached within the Communications space that is located 40 inches below the lowest Utility conductors. (See Drawings A-01 through A-11.)
4. **Riser Installations:** All Licensee's Riser installations shall be in utility-approved conduit materials and placed on stand-off brackets. Ground wires may be attached directly to Pole. (See Drawings A-02 to A-04.)
5. **Tagging:** All Licensee's cables shall be identified with a band-type communications cable tag or other identification acceptable to Utility at each Attachment within twelve (12) inches of the Pole. The communications tag shall be consistent with communication industry standards and shall include at least the following: Licensee name, emergency contact number, and cable type. At the discretion of Utility, Tags shall be color-coded to permit identification of Attaching Entity by observation from the ground.

F. Utility Construction Drawings and Specifications

1. Refer to the attached Utility Construction Drawings, and obtain additional construction specifications from Utility in accordance with its requirements.

2. Apply the Utility's construction drawings and specifications in accordance with the NESC, NEC, and any other federal, state, or local code requirements.

APPENDIX E - Distribution Line Minimum Design Review Information and Suggested Worksheet

The following guidelines are provided, and corresponding information must be submitted with each Permit application for Pole Attachments on Utility's system. Utility may direct that certain Attachments do not require the submittal of Design Review Information. These Attachments are noted at the end of this section.

Each Permit application must include a report from a professional engineer registered to practice in the State of Oklahoma, and experienced in electric utility system design, or a utility-approved employee or contractor of Licensee. This report must clearly identify the proposed construction and must verify that the Attachments proposed will maintain Utility's compliance with NESC Class B construction for the loading district as outlined in the NESC Section 25.

Utility may or may not require that all of the following information be submitted at the time of the Permit application. The applicant shall have performed all required calculations and be ready to provide the detailed information below within fifteen (15) calendar days of notice. Applicant shall keep copies of the engineering data available for a period of twenty (20) years.

In determining compliance, the following minimum conditions shall be used in the calculations for pole strength:

1. All single-phase lines shall be assumed to have been reconductored to 477 ACSR 26/7, code name Hawk conductor for both phase and neutral. If a larger conductor size exists, the larger size shall be used in the calculations.
2. All three-phase lines shall be assumed to have been to 477 ACSR 26/7, code name Hawk conductor for three (3) phases and neutral. If existing conductors are larger than 4/0 AWG ACSR, the larger size shall be used in the calculations.
3. All pole lines shall assume a secondary/service conductor, installed from pole to pole, of #4/0 AWG triplex cable, with an ACSR messenger.
4. For pole strength calculations, all poles shall be as they actually exist, or be considered Class 4 for calculations.
5. All line angles or dead ends shall be guyed and anchored. Transverse pole strength shall not be assigned to attaching pole users for line angles, *i.e.*, pole should be viewed as being void of other cables, conductors, wires, or guys and considering only the applicant's wires/cables for guying calculations.
6. Points of attachment shall be as they actually exist on the poles.

7. For a Utility-approved joint use of anchors, the Licensee shall utilize guy insulators in its guys.
8. Lessee shall comply with any NESC and/or Utility safety factors, whichever are more conservative, in their designs. The engineer for the Permit applicant shall provide for each application the following confirmations:

Required permits that have been obtained (insert n/a if not applicable):

- _____ (y/n) U.S. Corp of Engineers.
- _____ (y/n) Highway—state, county, city.
- _____ (y/n) Railroad.
- _____ (y/n) Local zoning boards, town boards, etc.
- _____ (y/n) Joint-use permits, if required.
- _____ (y/n) Notified other pole users of contacts or crossings.

Confirm that you have:

- _____ (y/n) Obtained appropriate franchise(s).
- _____ (y/n) Obtained pole/anchor easements from landowners.
- _____ (y/n) Obtained crossing and overhang permits.
- _____ (y/n) Obtained permit to survey R/W.
- _____ (y/n) Completed State of Oklahoma Department of Transportation requirements.
- _____ (y/n) Placed permit number on plans.
- _____ (y/n) Complied with Underground Facility Location requirements.
- _____ (y/n) Included sag/tension data on proposed cable.

Calculations are based upon the latest edition of the NESC and the latest editions of the requirements of the State of Oklahoma.

It is Licensee's responsibility to obtain all necessary permits and provide the Utility with a copy of each.

The engineer for the Permit applicant shall provide for each Pole(s) the following information:

Project ID _____

Pole number _____ [if pole tag missing, contact Utility]

Pole class _____ [existing—i.e., 4, 3, 2...]

Pole size _____ [existing—i.e., 35, 40...]

Pole type _____ [Southern Yellow Pine, Douglas Fir...]

Pole fore span _____ [feet]

Pole fore span direction _____ [degrees from Magnetic North]

Pole back span _____ [feet]

Pole back span direction _____ [degrees from Magnetic North]

Calculated bending

moment at ground level _____ [ft-lbs]

Existing:

Power phase condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power neutral condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power sec condition _____ quantity of _____ AWG/MCM
_____ CU/AA/ACSR @ _____ feet above ground line

Power service #1 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #2 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Power service #3 _____ qty of _____ size @ _____ ft above ground line
@ _____ ° _____ ' _____ "

Telco #1 cables _____ qty of _____ dia @ _____ ft above ground line

Telco service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

Telco service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV #2 cables _____ qty of _____ dia @ _____ ft above ground line

CATV service #1 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

CATV service #2 _____ qty of _____ size @ _____ ft above ground line

@ _____ ° _____ ' _____ "

User #3 cables _____ qty of _____ dia @ _____ ft above ground line

User #4 cables _____ qty of _____ dia @ _____ ft above ground line

User #5 cables _____ qty of _____ dia @ _____ ft above ground line

User #6 cables _____ qty of _____ dia @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Proposed:

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____ ° _____ ' _____ ", _____ ° _____ ' _____ "

Proposed cables _____ qty of _____ dia @ _____ ft above ground line

fore and back span direction _____ ° _____ ' _____ ", _____ ° _____ ' _____ "

Equipment #1 type _____ qty of _____ size @ _____ ft above ground line

Equipment #2 type _____ qty of _____ size @ _____ ft above ground line

AGL = Above Ground Level

The minimum vertical clearance under all loading conditions measured from the proposed cable to ground level on each conductor span shall be stated above. Variations in topography resulting in ground elevation changes shall be considered when stating the minimum vertical clearance within a given span.

Calculated pole bending moment at ground level: _____ [ft-lbs]

Pole breaking bending moment at ground level: _____ [ft-lbs]

Calculated transverse safety factor: _____ [ratio should be greater than 1.00]

Proposed loading data [provide similar data for each cable proposed]:

A. Weight data (cable and messenger)—

1. Vertical weight, bare = _____ [# / ft]

B. Tension data (final tensions on messenger)—

1. NESC maximum load for area of construction: _____ [lbs]

2. 60° F, NO wind: _____ [lbs]

Permit applicant's engineer shall provide for each transverse guy, or dead end to which guys and/or anchors are attached, the following information:

Pole number

Calculated cable messenger tension under

NESC maximum loading conditions _____ [lbs]

If connection is:

A dead end, is it a single or double? _____ [S, D]

A change in tension, what is change? _____ [lbs]

A line angle, what is angle change? _____ [degrees]

What is tension change at angle? _____ [lbs]

For each dead end:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each change in tension:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each line angle:

Point of attachment for guy hook _____ [feet AGL]

Anchor distance from pole _____ [feet]

Calculated guy tension _____ [lbs]

Rated guy working strength _____ [lbs]

For each anchor:

Anchor distance to nearest anchor _____ [feet]

Calculated anchor tension _____ [lbs]


Rated anchor strength _____ [lbs]

Soil composition _____ [sandy, loam, clay, rock]


APPENDIX F - Field Data Summary Sheet Instructions

<u>Column</u>	<u>Instructions</u>
Utility Pole Number	If a Pole stencil is not in place, it may be left for Utility if the accompanying sketch is adequate to determine the Location.
Communication Company's	This must correspond with the plan sheet or
Plan Sheet Pole Number	Pole Sketch Pole identification number.
Pole Height and Class.....	List the present Pole height and class and list the proposed Pole height and class if it is necessary for Utility to replace the Pole for clearance, etc.
Guy Attachments.....	All unbalanced loading on Poles must be guyed. Attachments to Utility's anchors will not be allowed.
Attachment Height.....	Communications Company attachment height above ground level. List guy lead in feet.
Inches Below Utility	The number of inches Communications Company is to be attached below Utility while maintaining clearance as required in Item #4.
Span Length.....	List the back span length for each attachment.
Inches Sag.....	List the messenger sag for the design listed on the cover sheet at 60 degrees Fahrenheit.
Ground Clearance.....	List the ground clearance at the low point of the back span. Must not be less than the National Electrical Safety Code (latest edition).

Drawing A-01— Overhead Minimum Clearances




Drawing A-02 — Overhead Minimum Clearances



Drawing A-03 — Grounding Connections

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.



NOTE 1:



1. Licensee shall bond to utility pole ground whenever utility has a down ground on the pole. If the ground is under the metal U-guard, contact utility to make the ground connection.
2. If no pole ground exists install a pole down ground on the pole. Protect the pole ground with a ground wire wrapping. Top of ground rod shall be at least 18" below grade.
3. Bond wire shall be #8 bare copper or larger. If bond wire is unsupported more than 12" long, staple to pole.
4. When communications are underground, the power is overhead and it is required that the communications ground be interconnected to the power supply ground. The connection shall be made below grade.
5. In no case shall licensee ground be connected to guy/anchors.
6. If a neutral isolation device is installed on this pole the installer must contact SEU for special grounding instructions.
7. Licensee's messenger cable shall be bonded to SEU's pole ground wire at each pole that has a ground wire.

	GROUNDING CONNECTIONS		
	AUGUST 2010 Department of Electric Utility	POLE ATTACHMENTS	A-03

Drawing A-04 — Guy Wire Requirements

No communications power supply shall be mounted on poles except by permission of SEU.

Licensor's attachments on utility poles, including metal attachment clamps and bolts, metal cross arms supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the NESC and in these drawings and specifications.



CONTACT SEU TO DETERMINE IF
GUYS ARE TO BE INSULATED OR
GROUNDED.

NOTE 1:


- Licensor shall be responsible for procuring and installing all anchors and guy wires to support the additional stress placed on utility's poles Licensor's attachments.
- Anchors and guy wires must be set on each utility pole where there is a turn or angle and on all dead-end utility poles.
- Licensor may not place guy wires on the anchors of SEU or third party user without prior written consent of all attaching utilities and anchor owners.
- No attachment may be installed on a utility pole until all required guys and anchors are installed. Nor may any attachment be modified or relocated in such a way as will materially increase the stress or loading on utility poles until all required guys and anchors are installed.
- Licensor's down guys shall not be loaded to ground or neutral wires or SEU's pole and shall not provide a current path to ground from the pole ground or power system neutral. If permitted or required by SEU, grounded guys should be installed.
- On jointly used structures, guys that pass within 12" of supply conductors, and also pass within 12" of communication cables, shall be protected with a suitable insulating covering where the guy passes the supply conductors, unless the guy is effectively grounded or insulated with a strain insulator at a point below the lowest supply conductor and above the highest communication cable.

	GUY WIRE REQUIREMENTS		
	AUGUST 2010 Department of Electric Utility	POLE ATTACHMENTS	A-04

Drawing A-05 — Power Service

No communications power supply shall be mounted on poles except by permission of SEU.

Licensee's attachments on utility poles, including metal attachment clamps and bolts, metal cross arm supports, bolts and other equipment, must be attached so as to maintain the minimum separations specified in the NEC and in these drawings and specifications.




NOTE 1:


1. This installation shall comply with all applicable electrical codes and state, city, village, town, and SEU requirements.
2. Service entrance conductors shall extend 30" beyond weatherhead and have 500 volt rated insulation.
3. Communication power supply cable.
4. Communication power supply.
5. 6" maximum between service entrance conductors and communications cable, if possible.
6. Grounding shall be in accordance with National Electric Code Article 250. Top of rod to be 6" below grade.
7. Location of all licensee equipment is to be approved by SEU and shall be relocated by licensee if incorrect.
8. Proof of compliance shall be appropriately certified. Install disconnect and overcurrent protection with meter.
9. All wires on poles will be placed in rigid steel or aluminum metalis conduit on the quarter back of the pole.
10. This service detail applies to all commercial users requiring power for pole mounted devices.

	POWER SERVICE		
	AUGUST 2018 Department of Electric Utility	POLE ATTACHMENTS	A-05


Drawing A-06 — Minimum Clearance at Pole/Midspan from Neutral




Drawing A-07 — Minimum Clearance at Pole/Midspan from Secondary




Drawing A-08 — Minimum Clearance at Pole/Midspan from Primary




Drawing A-09 — Midspan Service Drop Clearance from Electric Service




Drawing A-10 — DAS Streetlight Arm Attachment



Drawing A-11 — DAS Bracket Arm Attachment



Drawing A-12 — Climbing Space Requirements



POLE ATTACHMENT BOND

Bond No.: 800150418

KNOW ALL MEN BY THESE PRESENTS,

THAT Clarity Telecom, LLC dba Bluepeak, as Principal, and
Atlantic Specialty Insurance Company,
having its executive office in 605 Highway 169 North, Suite 800 Plymouth, MN 55441,
as Surety, are held and firmly bound unto Stillwater Utilities Authority
411 E 3rd Avenue, Stillwater, OK 74074, hereinafter referred to as Oblige, in the penal sum of
Nine Thousand Seven Hundred Dollars and 00/100 DOLLARS
(\$9,700.00) for the payment of which, well and truly to be made, we bind ourselves,
our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these
presents, the liability of the Surety being limited to said penal sum regardless of the number of years
this bond remains in force or is renewed, of the number of premiums that shall be payable or paid,
the number of Subscribers to the system and/or legal fees which may be required and incurred.

WHEREAS, Principal has entered into a written agreement with the Oblige for the use of its poles in
connection with the furnishing of telecommunications services, which agreement sets forth the terms
and conditions which govern the use of such poles, which agreement is hereby specifically referred to
and made part hereof, with like force and effect as if herein at length set forth.

NOW THEREFORE, the condition of this obligation is such, that if the above bound Principal shall
perform in accordance with the aforesaid agreement, then this obligation shall be void, otherwise to
remain in full force and effect unless cancelled or terminated as set forth below.

This bond may be terminated or cancelled by Surety by giving thirty (30) days prior notice in writing
from Surety to Principal and said Oblige, such notice to be given by certified mail. Such termination
or cancellation shall not affect any liability incurred or accrued under this Bond prior to the effective
date of such termination or cancellation.

AND PROVIDED FURTHER that no action, suit or proceeding shall be had or maintained against
the Surety on this instrument unless the same be brought or instituted and process served upon the
Surety within twelve months after cancellation of this bond as set forth in the preceding paragraph.

IN WITNESS WHEREOF, the said Principal and Surety have signed and sealed this instrument this
27th day of March, 2024.

WITNESS:

Cynthia J Bishop
NAME

Location:
BP Stillwater Z1_BB RING_AER (25 Poles),
OCCROW24-0014_POLATT24-0012 (25 Attachments)

CYNTHIA J BISHOP
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 19964011400
MY COMMISSION EXPIRES JANUARY 9, 2028

Clarity Telecom, LLC dba Bluepeak
PRINCIPAL
BY: Julie J. Minto
CFO
TITLE

Atlantic Specialty Insurance Company
SURETY
BY: Michelle Deligne
Michelle Deligne, Attorney-in-Fact





Power of Attorney

Surety Bond No: 800150418

Principal: Clarity Telecom, LLC dba Bluepeak
Obligee: Stillwater Utilities Authority

KNOW ALL MEN BY THESE PRESENTS, that ATLANTIC SPECIALTY INSURANCE COMPANY, a New York corporation with its principal office in Plymouth, Minnesota, does hereby constitute and appoint: Michelle Deligne, each individually if there be more than one named, its true and lawful Attorney-in-Fact, to make, execute, seal and deliver, for and on its behalf as surety, any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof; provided that no bond or undertaking executed under this authority shall exceed in amount the sum of: **sixty million dollars (\$60,000,000)** and the execution of such bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof in pursuance of these presents, shall be as binding upon said Company as if they had been fully signed by an authorized officer of the Company and sealed with the Company seal. This Power of Attorney is made and executed by authority of the following resolutions adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the President, any Senior Vice President or Vice-President (each an "Authorized Officer") may execute for and in behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and affix the seal of the Company thereto; and that the Authorized Officer may appoint and authorize an Attorney-in-Fact to execute on behalf of the Company any and all such instruments and to affix the Company seal thereto; and that the Authorized Officer may at any time remove any such Attorney-in-Fact and revoke all power and authority given to any such Attorney-in-Fact.

Resolved: That the Attorney-in-Fact may be given full power and authority to execute for and in the name and on behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed and sealed by an Authorized Officer and, further, the Attorney-in-Fact is hereby authorized to verify any affidavit required to be attached to bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof.

This power of attorney is signed and sealed by facsimile under the authority of the following Resolution adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the signature of an Authorized Officer, the signature of the Secretary or the Assistant Secretary, and the Company seal may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing an Attorney-in-Fact for purposes only of executing and sealing any bond, undertaking, recognizance or other written obligation in the nature thereof, and any such signature and seal where so used, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

IN WITNESS WHEREOF, ATLANTIC SPECIALTY INSURANCE COMPANY has caused these presents to be signed by an Authorized Officer and the seal of the Company to be affixed this fifth day of March, 2020.


STATE OF MINNESOTA
HENNEPIN COUNTY



By

Paul J. Brehm, Senior Vice President

On this fifth day of March, 2020, before me personally came Paul J. Brehm, Senior Vice President of ATLANTIC SPECIALTY INSURANCE COMPANY, to me personally known to be the individual and officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, that he is the said officer of the Company aforesaid, and that the seal affixed to the preceding instrument is the seal of said Company and that the said seal and the signature as such officer was duly affixed and subscribed to the said instrument by the authority and at the direction of the Company.



Notary Public

I, the undersigned, Assistant Secretary of ATLANTIC SPECIALTY INSURANCE COMPANY, a New York Corporation, do hereby certify that the foregoing power of attorney is in full force and has not been revoked, and the resolutions set forth above are now in force.

Signed and sealed. Dated 27th day of March, 2024.



Christopher V. Jerry, Secretary

REPORT TO: STILLWATER UTILITIES AUTHORITY

MEETING DATE: APRIL 15, 2024



Agenda Item:	2.c. SUA-24-18
Previous/Related Action:	
Background/Issue:	The SUA has received insurance payments for vehicle related infrastructure damage and City vehicle damage totaling \$20,088 in FY24.
Proposal/Solution:	Staff is requesting Budget Amendment approval to transfer these funds from SUA revenue accounts to the electric O&M accounts.
Financial Source/Impact:	The funds are needed to appropriate funds for repair of property and vehicle damage.
Related Strategic Priority:	#1 EFFECTIVE SERVICES & ACCOUNTABLE GOVERNMENT
Recommended Action/Motion:	Motion to approve budget amendments increasing insurance proceeds revenue account in the amount of \$20,088 and increasing expenditures in the amount of \$20,088.
Prepared By:	Loren Smith, Electric Utility Dir.
Reviewed By:	Loren Smith Teresa Kadavy
Submitted By:	Kimberly Meek, General Manager

Attachments

1. EL - Property Damage - 4.15.2024 - Expenditures
2. EL - Property Damage - 4.15.2024 - Revenue

Budget Amendment Request
For Budget Year _____

Department of Finance
723 S. Lewis Street/P.O. Box 1449
Stillwater, OK 74076-1449

Office: 405.372.0025
Web: stillwater.org

Date: _____

Department: _____

Requested by: _____

Explanation:

Increase:

Account Name	Account Number (xxxxxxx-xxxxx)	Project Number	Current Budget Amount	Amount of Change	New Budget Amount
	-				
	-				
	-				
	-				
	-				

Decrease:

	-				
	-				
	-				
	-				
	-				

Net Change: (will usually result in a total increase or decrease)

Reviewed by Department Manager: Lo Smith

Date: _____

Reviewed by Finance: _____

Date: _____

Approved by CMO: _____

Date: _____

Approved by City Council: ☐ Yes ☐ No

Date: _____

Processed by Finance: _____

Date: _____

Set ID: _____

Date Sent to SA&I: _____

--Print on Yellow Paper--

Budget Amendment Request
For Budget Year _____

Department of Finance
723 S. Lewis Street/P.O. Box 1449
Stillwater, OK 74076-1449

Office: 405.372.0025
Web: stillwater.org

Date: _____

Department: _____

Requested by: _____

Explanation:

Increase:

Account Name	Account Number (xxxxxxx-xxxxx)	Project Number	Current Budget Amount	Amount of Change	New Budget Amount
	-				
	-				
	-				
	-				
	-				

Decrease:

	-				
	-				
	-				
	-				
	-				

Net Change: (will usually result in a total increase or decrease)

Reviewed by Department Manager: Lo Smith

Date: _____

Reviewed by Finance: _____

Date: _____

Approved by CMO: _____

Date: _____

Approved by City Council: ☐ Yes ☐ No

Date: _____

Processed by Finance: _____

Date: _____

Set ID: _____

Date Sent to SA&I: _____

--Print on Yellow Paper--

REPORT TO: STILLWATER UTILITIES AUTHORITY**MEETING DATE: APRIL 15, 2024**

Agenda Item:	2.d. SUA-24-19
Previous/Related Action:	SUA-22-10 Report Attached
Background/Issue:	On March 7, 2022 the Trustees approved expenditures for the replacement of a dump truck for the electric utility. After receiving approval, staff discovered that the estimated pricing provided had increased significantly. Staff was asked to postpone the purchase to see if pricing would levelize or decrease.
Proposal/Solution:	Staff has received updated pricing and is seeking approval of a Budget Amendment increasing the original estimate of \$100,000 by \$75,000. Unit # 249 - 2002 – GM C6500 dump truck Necessary to transport the backhoe to and from job sites as well as removal of excess dirt, sand, and rock. The estimated cost is \$175,000.
Financial Source/Impact:	Funds are available in the electric rate stabilization fund and will be appropriated by approval of the attached budget amendment.
Related Strategic Priority:	#1 EFFECTIVE SERVICES & ACCOUNTABLE GOVERNMENT #3 SAFE COMMUNITY
Recommended Action/Motion:	Motion to authorize Stillwater Electric Utility to increase expenditures up to \$175,000 and approve a budget amendment appropriating an additional \$75,000 for expenditures from the Electric Rate Stabilization Fund for the purchase of one dump truck.
Prepared By:	Loren Smith, Electric Utility Dir.
Reviewed By:	Loren Smith Teresa Kadavy
Submitted By:	Kimberly Meek, General Manager

Attachments

1. SUA-22-10-SEU-Vehicle-Purchases
2. EL - Dump Truck - 4.15.2024 - Exp
3. 2025_Western_Star_47X_Single_Axle_Stillwater
4. Quotation #100331

REPORT TO: SUA

MEETING DATE: MARCH 7, 2022

Agenda Item:	6c. SUA-22-10
Issue:	• Electric Distribution has three vehicles and one piece of equipment that have reached the end of their service life and are due to be replaced in FY22. ✓ Unit # 228 - 1999 – Navistar International Digger Derrick ○ Necessary to install, remove, and replace electrical equipment and utility poles. ○ Estimated cost \$300,000. ✓ Unit # 235 - 2005 – Sterling Acterra Digger Derrick ○ Necessary to install, remove, and replace electrical equipment and utility poles. ○ Estimated cost \$300,000. ✓ Unit # 249 - 2002 – GM C6500 dump truck ○ Necessary to transport the backhoe to and from job sites as well as removal of excess dirt, sand, and rock. ○ Estimated cost \$100,000. ✓ Unit # 247 - 2001 – Belshe Flatbed heavy equipment trailer ○ Necessary to haul backhoe to and from job sites. Estimated cost \$75,000.
Solution:	• Following approval, these items will be purchased using City approved purchasing procedures.

Financial Impact/Funding Source(s):	Funds are available in the electric rate stabilization fund and will be appropriated by approval of the attached budget amendment.
Strategic Plan Alignment:	#1 Effective Services & Accountable Government: Provide effective services and accountable government for all citizens by practicing fiscal responsibility, transparency, and outstanding customer service. #3. Safe Community: To identify effective services that enhance relationships, responsiveness, and quality customer service to promote a safe and secure community.
Recommended Action/Motion:	Motion to authorize Stillwater Electric Utility expenditures up to \$775,000 and approve budget amendment appropriating expenditures from the Electric Rate Stabilization Fund for the purchase of two digger derrick trucks, one dump truck, and one flatbed heavy duty equipment trailer.
Prepared By:	Loren Smith, Electric Utility Director
Reviewed By:	Patti Osmus, Assistant to the City Manager
Submitted By:	Norman McNickle, General Manager
Attachment(s):	Budget Amendment

Budget Amendment Request

For Budget Year _____

Department of Finance
723 S. Lewis Street/P.O. Box 1449
Stillwater, OK 74076-1449

Office: 405.372.0025
Web: stillwater.org

Date: _____

Department: _____

Requested by: _____

Explanation:

Account Name	Account Number (xxxxxxx-xxxxx)	Project Number	Current Budget Amount	Amount of Change	New Budget Amount
Increase:	-				
	-				
	-				
	-				
	-				
Decrease:	-				
	-				
	-				
	-				
	-				

Net Change: (will usually result in a total increase or decrease)

Reviewed by Department Manager: Lo Smith

Date: _____

Reviewed by Finance: _____

Date: _____

Approved by CMO: _____

Date: _____

Approved by City Council: ☐ Yes ☐ No

Date: _____

Processed by Finance: _____

Date: _____

Set ID: _____

Date Sent to SA&I: _____

--Print on Yellow Paper--

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

A proposal for

CITY OF STILLWATER

Prepared by
PREMIER TRUCK GROUP OF TULSA
Mike Sartin

Oct 25, 2023
Western Star 47X



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

SPECIFICATION PROPOSAL

Description
Price Level
WST 47X/49X PRL-28X (EFF:MY25 ORDERS)
Data Version
SPECPRO21 DATA RELEASE VER 016
Vehicle Configuration
WESTERN STAR 47X 2025 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560 LH PRIMARY STEERING LOCATION
General Service
TRUCK/TRAILER CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR REGISTRATION OUTSIDE CARB STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR) NO STATE/PROVINCE INITIAL REGISTRATION SELECTED CONSTRUCTION SERVICE CONSTRUCTION BUSINESS SEGMENT DIRT/SAND/ROCK COMMODITY TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS MAXIMUM 8% EXPECTED GRADE SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE WESTERN STAR VOCATIONAL WARRANTY EXPECTED FRONT AXLE(S) LOAD : 14000.0 lbs

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

EXPECTED REAR DRIVE AXLE(S) LOAD :
21000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY
: 35000.0 lbs
EXPECTED GROSS COMBINATION WEIGHT :
80000.0 lbs

Truck Service

END DUMP BODY
3-V DISTRIBUTING INC

Engine

CUM L9 300 HP @ 2200 RPM; 2200 GOV RPM,
860 LB-FT @ 1200 RPM

Electronic Parameters

75 MPH ROAD SPEED LIMIT
PTO MODE ENGINE RPM LIMIT - 1400 RPM
PTO MODE BRAKE OVERRIDE - SERVICE
BRAKE APPLIED
PTO RPM WITH CRUISE SET SWITCH - 700 RPM
PTO RPM WITH CRUISE RESUME SWITCH - 750
RPM
PTO GOVERNOR RAMP RATE - 25 RPM PER
SECOND
FUEL DOSING OF AFTERTREATMENT ENABLED
IN PTO MODE-CLEANS HYDROCARBONS AT
HIGH TEMPERATURES ONLY
ONE REMOTE PTO SPEED
PTO SPEED 1 SETTING - 800 RPM
PTO MINIMUM RPM - 700
PTO 1, DASH SWITCH, ENGAGE WHILE DRIVING

Engine Equipment

EPA 2010/GHG 2024 CONFIGURATION
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
SIDE OF HOOD AIR INTAKE WITH ENGINE
MOUNTED AIR CLEANER
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD
ALTERNATOR WITH REMOTE BATTERY VOLT
SENSE
(3) DTNA GENUINE, FLOODED STARTING, MIN
3500CCA, 555RC, THREADED STUD BATTERIES

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

BATTERY BOX WITH ALUMINUM COVER
MOUNTED SHORT SIDE TO RAIL
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE BACK OF CAB
WIRE GROUND RETURN FOR BATTERY CABLES
WITH ADDITIONAL FRAME GROUND RETURN
UNPOLISHED ALUMINUM WST BATTERY BOX
COVER
POSITIVE LOAD DISCONNECT WITH CAB
MOUNTED CONTROL SWITCH MOUNTED
OUTBOARD DRIVER SEAT
POSITIVE AND NEGATIVE POSTS FOR
JUMPSTART LOCATED ON FRAME NEXT TO
STARTER
CUMMINS TURBOCHARGED 18.7 CFM AIR
COMPRESSOR WITH INTERNAL SAFETY VALVE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN
PROTECTION SYSTEM
C-BRAKE BY JACOBS WITH LOW/OFF/HIGH
BRAKING DASH SWITCH
RH OUTBOARD UNDER STEP MOUNTED
HORIZONTAL AFTERTREATMENT SYSTEM
ASSEMBLY WITH RH B-PILLAR MOUNTED
VERTICAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE,
AUTOMATIC OVER THE ROAD REGENERATION
AND VIRTUAL REGENERATION REQUEST
SWITCH IN CLUSTER
11 FOOT 06 INCH (138 INCH+0/-5.9 INCH)
EXHAUST SYSTEM HEIGHT
30 DEGREE CURVE BRIGHT UPPER STACK(S)
AND ELBOW(S)
RH CURVED VERTICAL TAILPIPE B-PILLAR
MOUNTED ROUTED FROM STEP
13 GALLON DIESEL EXHAUST FLUID TANK
UNPOLISHED ALUMINUM WST DIESEL
EXHAUST FLUID TANK COVER
LH HEAVY DUTY STANDARD DIESEL EXHAUST
FLUID TANK LOCATION
STANDARD DIESEL EXHAUST FLUID TANK CAP
PERFORATED SINGLE STAINLESS STEEL
MUFFLER/TAIPIPE SHIELD WITH WESTERN
STAR LOGO
ELECTRONICALLY CONTROLLED VARIABLE
SPEED VISCOUS FAN DRIVE

Prepared for:
BILL GARNDER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED
DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR
CUMMINS SPIN ON FUEL FILTER
FULL FLOW OIL FILTER
1400 SQUARE INCH VOCATIONAL RADIATOR WITH PROTECTION PACKAGE
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
RADIATOR DRAIN VALVE
LOWER RADIATOR GUARD
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
ALLISON VOCATIONAL RATING FOR CONCRETE MIXER APPLICATIONS ONLY AVAILABLE WITH 3000 PRODUCT FAMILIES
PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

SECONDARY SHIFT SCHEDULE
RECOMMENDED BY DTNA AND ALLISON, THIS
DEFINED BY ENGINE AND VOCATIONAL USAGE
PRIMARY SHIFT SPEED RECOMMENDED BY
DTNA AND ALLISON, THIS DEFINED BY ENGINE
AND VOCATIONAL USAGE
SECONDARY SHIFT SPEED RECOMMENDED BY
DTNA AND ALLISON, THIS DEFINED BY ENGINE
AND VOCATIONAL USAGE
QUICKFIT BODY LIGHTING CONNECTOR UNDER
CAB, WITH CAP
ELECTRONIC TRANSMISSION WIRING TO
CUSTOMER INTERFACE CONNECTOR
CUSTOMER INSTALLED CHELSEA 280 SERIES
PTO
PTO MOUNTING, LH SIDE OF MAIN
TRANSMISSION ALLISON
MAGNETIC PLUGS, ENGINE DRAIN,
TRANSMISSION DRAIN, AXLE(S) FILL AND
DRAIN
HEAVY DUTY ELECTRONIC TRANSMISSION
SHIFT CONTROL, COLUMN MOUNTED
WATER TO OIL TRANSMISSION COOLER
TRANSMISSION OIL CHECK AND FILL WITH
ELECTRONIC OIL LEVEL CHECK
SYNTHETIC TRANSMISSION FLUID (TES-295
COMPLIANT)

Front Axle and Equipment

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74
DROP SINGLE FRONT AXLE
CONMET PRESET PLUS PREMIUM IRON FRONT
HUBS
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT
BRAKES, DOUBLE ANCHOR, FABRICATED
SHOES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW,
CENTER AND SIDE PLUGS - OIL
HALDEX AUTOMATIC FRONT SLACK
ADJUSTERS W/ SINGLE PIN CLEVIS

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

SINGLE HIGH CAPACITY POWER STEERING
GEAR, BENDIX, 14.6-18K
2 QUART SEE THROUGH POWER STEERING
RESERVOIR
CURRENT AVAILABLE SYNTHETIC 75W-90
FRONT AXLE LUBE

Front Suspension

14,600# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-21-160 21,000# R-SERIES SINGLE REAR
AXLE
CONMET PRESET PLUS PREMIUM IRON REAR
HUBS
5.38 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD
AXLE HOUSING
MXL 17T MERITOR EXTENDED LUBE MAIN
DRIVELINE WITH HALF ROUND YOKES
NO INTERAXLE (#3) DRIVELINE
DRIVER CONTROLLED TRACTION
DIFFERENTIAL - SINGLE REAR AXLE
(1) DRIVER CONTROLLED DIFFERENTIAL LOCK
REAR VALVE FOR SINGLE DRIVE AXLE
INDICATOR LIGHT FOR EACH DIFFERENTIAL
LOCKOUT SWITCH
MERITOR 16.5X8.62 Q+ CAST SPIDER HEAVY
DUTY CAM REAR BRAKES, DOUBLE ANCHOR,
FABRICATED SHOES
NON-ASBESTOS REAR BRAKE LINING
BRAKE CAMS AND CHAMBERS ON FORWARD
SIDE OF DRIVE AXLE(S)
GUNITE CAST IRON REAR BRAKE DRUMS
NO REAR BRAKE DUST SHIELDS
REAR OIL SEALS
WABCO TRISTOP D LONGSTROKE 1-DRIVE
AXLE SPRING PARKING CHAMBERS
HALDEX AUTOMATIC REAR SLACK ADJUSTERS
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR
AXLE LUBE

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description
STANDARD REAR AXLE BREATHER(S)
Rear Suspension
23,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD 8.5 INCH NOMINAL RIDE HEIGHT (430MM GLOBAL REFERENCE HEIGHT) STANDARD AXLE SEATS IN AXLE CLAMP GROUP FORE/AFT CONTROL RODS NO REAR SHOCK ABSORBERS
Pusher / Tag Equipment
NO PUSHER/TAG BRAKE DUST SHIELDS
Brake System
WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE AIR DRYER MOUNTED UNDER HOOD STEEL AIR BRAKE RESERVOIRS PULL CABLES ON ALL AIR RESERVOIR(S)
Trailer Connections
AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS (2) ADDITIONAL SWITCHES FOR ELEC/AIR SOLENOIDS W/STATE RETENTION PLUMBED TO END OF FRAME PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME
Wheelbase & Frame
4175MM (164 INCH) WHEELBASE 15.0MM X 89.0MM X 315.0MM STEEL FRAME (0.59X3.5X12.4 INCH) 120 KSI 950MM (37 INCH) REAR FRAME OVERHANG

Prepared for:
BILL GARNDER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

FRAME OVERHANG RANGE: 31 INCH TO 40 INCH
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 99.21 in
CALC'D FRAME LENGTH - OVERALL : 246.93 in
FRAME HEIGHT TOP FRONT UNLADEN : 44.28 in
FRAME HEIGHT TOP FRONT LADEN : 41.56 in
FRAME HEIGHT TOP REAR UNLADEN : 42.8 in
FRAME HEIGHT TOP REAR LADEN : 29.05 in
SQUARE END OF FRAME
STANDARD WEIGHT ENGINE CROSSMEMBER
STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION
STANDARD CAST ALUMINUM MIDSHIP
STANDARD REARMOST CROSSMEMBER
STANDARD SUSPENSION CROSSMEMBER
HEAVY DUTY REAR SUSPENSION CROSSMEMBER

Chassis Equipment

UNPOLISHED ALUMINUM WST EQUIPMENT COVERS
BRIGHT STEEL 1/8 INCH VOCATIONAL BUMPER
REMOVABLE FRONT TOW/RECOVERY DEVICE, STORED ON CHASSIS FRAME
BUMPER MOUNTING FOR SINGLE LICENSE PLATE
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS
EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE
LEFT HAND SIDE HEAVY DUTY BRACKETS REQUIRED
RIGHT HAND SIDE HEAVY DUTY BRACKETS REQUIRED

Fuel Tanks

70 GALLON/264 LITER ALUMINUM FUEL TANK - LH
25 INCH DIAMETER FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

FUEL TANK(S) FORWARD
PLAIN STEP FINISH
FUEL TANK CAP(S)
EQUIFLO INBOARD FUEL SYSTEM
HIGH TEMPERATURE REINFORCED NYLON
FUEL LINE

Tires

GOODYEAR G751 MSA 12R22.5 16 PLY RADIAL
FRONT TIRES
CONTINENTAL HDC3 11R22.5 16 PLY RADIAL
REAR TIRES

Wheels

MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT
6.20 INSET 5-HAND STEEL DISC FRONT
WHEELS
MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT
5-HAND STEEL DISC REAR WHEELS
FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS

Cab Exterior

111.6 INCH BBC CONVENTIONAL ALUMINUM
CAB
STAINLESS STEEL CAB ACCENT MOLDING
FRONT FENDERS
BOLT-ON MOLDED FLEXIBLE FENDER
EXTENSIONS
INTERIOR GRAB HANDLES WITH ADDED
LOWER LH AND RH A PILLAR GRAB HANDLES
AND LH AND RH EXTERIOR NON-SLIP GRAB
HANDLES
BRIGHT HOOD MOUNTED AIR INTAKE GRILLE,
BLACK SCREEN, WITH LED ACCENT LIGHTS
X-SERIES STEEL REINFORCED ALUMINUM CAB
X-SERIES VOCATIONAL HOOD
HOOD OPENING ASSIST WITH LOCKING STRUT
WESTERN STAR NAMEPLATES
SINGLE AIR HORN UNDER LH DECK
SINGLE ELECTRIC HORN
REAR LICENSE PLATE MOUNT END OF FRAME
DUAL STAGE INTELLIGENT LED HEADLIGHTS
WITH HEATED LENS SYSTEM

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

ROOF MOUNTED LED MARKER LIGHTS
DAYTIME RUNNING LIGHTS
INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
LED SIDE TURN SIGNAL
C-BAR MIRROR SYSTEM WITH DUAL HEATED
MIRRORS WITH INTEGRAL HEATED CONVEX,
DUAL REMOTE, STAINLESS STEEL BACK
COVER, AND BLACK C-BAR
102 INCH EQUIPMENT WIDTH
LH AND RH CONVEX MIRRORS INTEGRAL WITH
PRIMARY MIRRORS
RH DOWN VIEW MIRROR
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
UNPOLISHED ALUMINUM WST
AFTERTREATMENT SYSTEM COVER
SINGLE SOLAR TINTED REAR WINDOW, (1) 31
INCH X 20 INCH
1-PIECE ROPED-IN SOLAR GREEN GLASS
WINDSHIELD
8 LITER (2 GAL) WINDSHIELD WASHER
RESERVOIR, CAB MOUNTED, WITH FLUID
LEVEL INDICATOR

Cab Interior

X-SERIES BASE INTERIOR TRIM LEVEL
PACKAGE
CHARCOAL BLACK VINYL BASE LEVEL
INTERIOR
CARBON WITH BASE BLACK ACCENT
BLACK MATS WITH ADDED FLOOR HEAT AND
NOISE INSULATION
(1) DASH MOUNTED POWER OUTLETS AND (1)
DUAL USB CHARGING OUTPUT
FORWARD ROOF MOUNTED CONSOLE
LH AND RH DOOR STORAGE POCKETS
INTEGRATED INTO MOLDED DOOR PANELS
(2) COAT HOOKS ON BACKWALL OF CAB
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
2-1/2 LB. FIRE EXTINGUISHER MOUNTED
INBOARD OF DRIVER SEAT
STANDARD HEATER PLUMBING WITH BALL
SHUTOFF VALVES AT SUPPLY LINES ONLY

Prepared for:
BILL GARNDER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

RADIATOR MOUNTED AIR CONDITIONER
CONDENSER
STANDARD INSULATION
STANDARD LED CAB LIGHTING
REMOTE KEYLESS ENTRY AND 2
TRANSMITTERS
DOOR LOCKS AND IGNITION SWITCH KEYED
THE SAME
KEY QUANTITY OF 4
LH AND RH ELECTRIC DOOR LOCKS WITH
AUTO UNLOCK FEATURE WHEN DOOR IS SET
FROM OPEN TO CLOSED POSITION
BRIGHT DOOR HANDLES
TRIANGULAR REFLECTORS WITHOUT FLARES
PREMIUM 2.0 HIGH BACK AIR SUSPENSION
DRIVER SEAT WITH 2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT AND
ADJUSTABLE SHOCK
BASIC 2.0 HIGH BACK AIR SUSPENSION
PASSENGER SEAT WITH 1 CHAMBER AIR
LUMBAR, INTEGRATED CUSHION EXTENSION
AND TILT
DUAL DRIVER SEAT ARMRESTS, NO
PASSENGER SEAT ARMRESTS
BLACK VINYL DRIVER SEAT COVER WITH NO
LOGO
BLACK VINYL PASSENGER SEAT COVER WITH
NO LOGO
3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE
D-RING RETRACTOR DRIVER AND FIXED D-RING
RETRACTOR PASSENGER SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN
4-SPOKE 18 INCH (450MM) BLACK STEERING
WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

STANDARD FOOT PEDAL SYSTEM
ELECTRONIC ACCELERATOR CONTROL
ENGINE REMOTE INTERFACE WITH PARK
BRAKE INTERLOCK
BLACK GAUGE BEZELS
STANDARD CENTER INSTRUMENT PANEL

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

DUAL NEEDLE PRIMARY AND SECONDARY AIR
PRESSURE GAUGE
INTAKE MOUNTED AIR RESTRICTION
INDICATOR WITHOUT GRADUATIONS
ELECTRONIC CRUISE CONTROL WITH
CONTROLS ON STEERING WHEEL SPOKES
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
PREMIUM INSTRUMENT CLUSTER WITH 5.0
INCH TFT COLOR DISPLAY
DIGITAL PANEL LAMP DIMMER SWITCH IN
DRIVER DISPLAY
HEAVY DUTY ONBOARD DIAGNOSTICS
INTERFACE CONNECTOR WITH DUST CAP
LOCATED BELOW LH DASH
2 INCH ELECTRIC FUEL GAUGE
ENGINE REMOTE INTERFACE FOR REMOTE
THROTTLE
ELECTRICAL ENGINE COOLANT TEMPERATURE
GAUGE
NO ENGINE OIL TEMPERATURE GAUGE
ELECTRIC ENGINE OIL PRESSURE GAUGE
2 INCH TRANSMISSION OIL TEMPERATURE
GAUGE
ELECTRONIC OUTSIDE TEMPERATURE
SENSOR DISPLAY IN DRIVER MESSAGE
CENTER
ENGINE AND TRIP HOUR METERS INTEGRAL
WITHIN DRIVER DISPLAY
PTO CONTROLS FOR ENHANCED VEHICLE
ELECTRIC/ELECTRONIC ARCHITECTURE
NO OBSTACLE DETECTION SYSTEM
NO SIDE OBJECT DETECTION SYSTEM
NO DR ASSIST SYSTEM
NO VEHICLE STABILITY ADVISOR OR CONTROL
NO LANE DEPARTURE WARNING SYSTEM
QUICKFIT PROGRAMMABLE INTERFACE
MODULE
TMC RP1226 ACCESSORY CONNECTOR
LOCATED BEHIND PASSENGER SIDE
REMOVEABLE DASH PANEL

Prepared for:
BILL GARNDER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

TOP OF DASH RAM MOUNT WITHOUT POWER
OR GROUND, FOR CUSTOMER FURNISHED
DEVICE

AM/FM/WB WORLD TUNER RADIO WITH
BLUETOOTH, USB AND AUXILIARY INPUTS,
J1939

DASH MOUNTED RADIO

STANDARD SPEAKER SYSTEM

NO AM/FM RADIO ANTENNA

POWER AND GROUND WIRING PROVISION
OVERHEAD

ROOF/OVERHEAD CONSOLE CB RADIO
PROVISION

SINGLE REMOTE SPEAKER WITH LEAD FOR 2-
WAY RADIO

SINGLE FIBERGLASS LH MIRROR MOUNTED CB
ANTENNA WITH BRACKET AND LEAD

HEADLINER MULTI-BAND ANTENNA:
AM/FM/WEATHERBAND, WIFI/BLUETOOTH,
GNSS/GPS

ELECTRONIC MPH SPEEDOMETER WITH
SECONDARY KPH SCALE, WITHOUT
ODOMETER

ELECTRONIC 2500 RPM TACHOMETER

DETROIT CONNECT PLATFORM HARDWARE

5 YEARS DAIMLER CONNECTIVITY BASE
PACKAGE (FEATURES VARY BY MODEL)
POWERED BY DETROIT CONNECT

IGNITION SWITCH CONTROLLED ENGINE STOP

TWO EXTRA HARDWIRED SWITCHES IN DASH,
ROUTE TO BETWEEN SEATS, BLUNTCUT

HARDWIRE SWITCH #1, ON/OFF LATCHING, 10
AMPS BATTERY POWER

HARDWIRE SWITCH #2, ON/OFF LATCHING, 10
AMPS BATTERY POWER

PRE-TRIP INSPECTION FEATURE FOR
EXTERIOR LAMPS ONLY

BW TRACTOR PROTECTION VALVE

TRAILER HAND CONTROL BRAKE VALVE

2 INCH TURBO AIR PRESSURE GAUGE

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH
DRIVER DISPLAY

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

ROTARY HEADLAMP SWITCH, MARKER
LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT
FOR OPTIONAL FOG/ROAD LAMPS

TWO VALVE PARKING BRAKE SYSTEM WITH
WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH
DIMMER, HEADLAMP FLASH,
WASH/WIPE/INTERMITTENT

QUICKFIT POWERTRAIN INTERFACE
CONNECTOR UNDER CAB WITH BLUNTCUTS

QUICKFIT PROGRAMMABLE INTERFACE
CONNECTOR(S) UNDER CAB WITH CAP

OPTIONAL AIR SWITCH 1 WITH IGN ON

OPTIONAL AIR SWITCH 2 WITH IGN ON

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT

POWDER WHITE (N0006EA) FRONT
WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

POWDER WHITE (N0006EA) REAR
WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES
CABS AND GLIDER KITS

Secondary Factory Options

DEALER/CUSTOMER ADVISED THAT TRAC
TECH NO SPIN DIFF VOIDS THE WARRANTY ON
THE RING & PINION AND AXLE SHAFTS PER
MERITOR WARRANTY LITERATURE

Extended Warranty

TOWING: 5 YEARS/UNLIMITED MILES/KM EXTENDED TOWING
COVERAGE \$1200 CAP FEX APPLIES

Prepared for:
BILL GARNER
CITY OF STILLWATER
707 E 8TH ST
STILLWATER OK 74074


Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:
 BILL GARNDER
 CITY OF STILLWATER
 707 E 8TH ST
 STILLWATER OK 74074

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model	47X
Wheelbase (545)	4175MM (164 INCH) WHEELBASE
Rear Frame Overhang (552)	950MM (37 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Slide Increment (in)	0
Desired Slide Position (in)	0.0
Cab Size (829)	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016)	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

TABLE SUMMARY - DIMENSIONS

Prepared for:
 BILL GARNER
 CITY OF STILLWATER
 707 E 8TH ST
 STILLWATER OK 74074

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Dimensions	Inches
Bumper to Back of Cab (BBC)	111.6
Bumper to Centerline of Front Axle (BA)	46.5
Front Axle to Back of Cab (AC)	65.2
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	99.2
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	96.2
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	136.6
Cab Height (CH)	76.4
Wheelbase (WB)	164.4
Frame Overhang (OH)	37.4
Overall Frame Length	246.9
Overall Length (OAL)	248.2
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	42.8

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
 BILL GARNER
 CITY OF STILLWATER
 707 E 8TH ST
 STILLWATER OK 74074

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Q U O T A T I O N

WESTERN STAR 47X

SET BACK AXLE - TRUCK
 CUM L9 300 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT
 @ 1200 RPM
 ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH
 PTO PROVISION
 RS-21-160 21,000# R-SERIES SINGLE REAR AXLE
 23,000# FLAT LEAF SPRING REAR SUSPENSION WITH
 HELPER AND RADIUS ROD

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74 DROP
 SINGLE FRONT AXLE
 14,600# TAPERLEAF FRONT SUSPENSION
 111.6 INCH BBC CONVENTIONAL ALUMINUM CAB
 4175MM (164 INCH) WHEELBASE
 15.0MM X 89.0MM X 315.0MM STEEL FRAME
 (0.59X3.5X12.4 INCH) 120 KSI
 950MM (37 INCH) REAR FRAME OVERHANG

			PER UNIT		TOTAL
VEHICLE PRICE PER SW035T	TOTAL # OF UNITS (1)	\$	120,175	\$	120,175
EXTENDED WARRANTY		\$	1,810	\$	1,810
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	121,985	\$	121,985

TAXES AND FEES

TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
---------------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$	121,985	\$	121,985
--------------------	-------------------------	-----------	----------------	-----------	----------------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X_____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.



Industrial Truck Equipment, Inc.

3400 South Thomas Road
Oklahoma City, OK 73179
Phone: 4056886100

Quotation

Quote City of Stillwater

To: Water & Wastewater
3015 N. Airport Ind. Access Rd.
Stillwater, OK 74075

Quote Number:	100331	Contact:	
Quote Date:	10/16/2023	Expires:	10/31/2023
Customer:	CITY OF STIL	Terms:	Net 15
Salesman:	Dunnam, Devin	Phone:	405-533-8048
Ship Via:		FAX:	405-533-8044

PROPOSAL FOR CITY OF STILLWATER WATER DEPT.
STATE CONTRACT SW0106, DUMP BODY, ACCESSORIES,
CHASSIS INFO:
WESTERN STAR 47X
96" CA
2025 MODEL YEAR SPECIFIED
SET BACK AXLE - TRUCK
TRAILER TOWING PROVISION AT END OF
FRAME WITH SAE J560
L9 CUMMINS
ALLISON 3500RDS TRANS
EXT. WARRANTY:
TOWING: 5 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$1200 CAP FEX APPLIES

FOR CHASSIS PRICE, SEE PTG PROPOSAL

Item	Part Number Description	Revision	Quantity	Price
1	582-MEH-1126 Paisano MEH - 1126 DUMP BODY		1	\$27,838.90 /EA
	- GENERAL DIMENSIONS: 11' LONG x 26" HIGH + 7" SIDE BOARD - TUB: 3/16" HARDOX® 450 STEEL, 12" RADIUS CORNERS - GRAVITY SWING GATE, PNEUMATIC LATCHES - FRONT MOUNT CYLINDER (DOG-HOUSE STYLE) - ELECTRIC TARPING SYSTEM WITH ASPHALT TARP - CONTROL TOWER, SIDE MOUNT OIL-TANK) - ASPHALT APRON: 10" x 3/16", GRADE 50 STEEL - WITH A 2" ROUND PIPE - REINFORCEMENT - CAB GUARD: 80" HIGH x 24" FORWARD x 73" - WIDE, WITH SIX 6" OVAL LIGHT SOCKETS FOUR FORWARD FACING, ONE - EACH SIDE - FRAME: 8" C-CHANNEL FRAME - HINGES - FULL FENDERS - LED LIGHTS			
Total:				\$27,838.90

<u>Item</u>	<u>Part Number Description</u>	<u>Revision</u>	<u>Quantity</u>	<u>Price</u>
2	081-SH675SS Shovel Holder For Trucks - Stainless Steel, Mounted to Body Fenders, Each side		2	\$66.68 /EA
			Total:	\$133.36
3	557-REC-PINTLE Receiver style pintle hitch plate with stake and 45 ton pintle hook. Glad-hand kit.		1	\$2,917.25 /EA
			Total:	\$2,917.25
4	081-8883020 Rear Observation System with Recessed Night Vision Camera		1	\$583.45 /EA
			Total:	\$583.45
5	150-GOL20204GT Go Light, LED - Permanent Mount - White, In cab Controls (Roof Mounted)		1	\$891.84 /EA
			Total:	\$891.84
6	578-50AC2ZCR Whelen 500 Series Amber/Clear Warning Light, Cab Shield Mounted		6	\$250.05 /EA
			Total:	\$1,500.30
7	578-50BR2ZCR Whelen Red/Blue 500 Series Warning Light, Mounted Rear Facing		2	\$250.05 /EA
			Total:	\$500.10
8	578-5GROMMET 6 Inch Oval Grommet for Whelen 500 Series		8	\$25.01 /EA
			Total:	\$200.08
9	578-TLIF Whelen Ion T-Series, Amber Clear Warning Lights, Surface Mount, Front Grill and Rear Outward Corner Post		4	\$191.70 /EA
			Total:	\$766.80
10	PTO/PUMP HEAVY PTO/PUMP for Heavy Truck		1	\$5,334.40 /EA
			Total:	\$5,334.40
11	CHS HOSES/FITTINGS Hoses, Fittings, Hyd. oil for Hydraulic System		1	\$2,500.50 /EA
			Total:	\$2,500.50
12	MUD FLAPS-I Mud Flaps (pr.) w/brackets.		1	\$208.38 /EA
			Total:	\$208.38
13	STATE CONTRACT DISCOUNT 40% off Industrial Truck Equipment Current List Price		1	--\$17,350.14 /EA
			Total:	(\$17,350.14)
14	DIRECT LABOR Labor		90	\$125.00 /HR
			Total:	\$11,250.00
15	H/W Hazardous waste/ Shop supplies		1	\$68.00 /EA
			Total:	\$68.00

<u>Item</u>	<u>Part Number</u> <u>Description</u>	<u>Revision</u>	<u>Quantity</u>	<u>Price</u>
16	KIT WIRING Custom Weather packed Wiring harness for Warning Lights, Tarp, DOT Lights, Assembled in-house.		1	\$350.00 /EA
			Total:	\$350.00
17	FREIGHT- Estimated Shipping Charges		1	\$3,750.00 /EA
			Total:	\$3,750.00
			Sub-Total:	\$41,443.22
			Tax Exempt:	\$0.00
			Total:	\$41,443.22

By Dunnam, John
Industrial Truck Equipment, Inc.

RESOLUTION NO. CC-2024-9; SUA-2024-2; SEDA-2024-1

**“A RESOLUTION ADOPTING REVISIONS TO THE PURCHASING
POLICY FOR THE CITY OF STILLWATER AND ITS TRUSTS.”**

WHEREAS, the Mayor and City Councilors and Chair and Trustees of its Trusts adopted a Purchasing Policy in 2019 for the purpose of establishing general parameters for promulgation of minimum standards related to the acquisition of goods, services, materials, supplies and equipment that shall govern the conduct of City and trust officials; and

WHEREAS, city staff is charged with periodic review of the policy, and has reviewed the current policy and recommends revisions in order to update the policy to comply with legislative changes and best practices; and

WHEREAS, it is in the best interest of the City of Stillwater and its public trusts to adopt revisions to the “City of Stillwater Purchasing Policy.”

NOW, THEREFORE BE IT RESOLVED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF STILLWATER AND THE CHAIR AND TRUSTEES OF THE STILLWATER UTILITIES AUTHORITY AND THE STILLWATER ECONOMIC DEVELOPMENT AUTHORITY:

Section 1. The “City of Stillwater Purchasing Policy” attached hereto is hereby adopted in its entirety.

Section 2. The Purchasing Policy shall become effective immediately upon passage of this Resolution and shall apply to all purchases after the date of adoption of this Resolution.

Section 3. Staff shall continue to identify opportunities to improve the Purchasing Policy and processes, and the sections of City Code that reference them, if applicable, and present recommendations for such improvements.

PASSED, APPROVED AND ADOPTED this 15 day of April, 2024.

CITY OF STILLWATER, OKLAHOMA
A Municipal Corporation

STILLWATER UTILITIES AUTHORITY
A Public Trust

STILLWATER ECONOMIC DEVELOPMENT
AUTHORITY
A Public Trust

WILLIAM H. JOYCE, MAYOR/CHAIR

(SEALS)

ATTEST:

TERESA KADAVY
CITY CLERK/SECRETARY

APPROVED AS TO FORM AND LEGALITY on this 15 day of April, 2024.

KIMBERLY CARNLEY
CITY ATTORNEY/GENERAL COUNSEL

City of Stillwater Purchasing Policy

Approved by City Council on _____, 2024.

The City Council, acting on behalf of the City of Stillwater, a municipal corporation and as trustees for the Stillwater Utilities Authority, Stillwater Economic Development Authority, and Stillwater Public Works Authority, public trusts established pursuant to Title 60, Oklahoma Statutes (collectively "trusts"), adopts the following policies regarding purchasing by said entities. It is the intention of the City Council and trustees that said policies establish general parameters for the promulgation of minimum standards and processes for the acquisition of goods, services, materials, supplies and equipment. It is also the intention of the City Council and trustees that these policies shall govern the conduct of City and trust officials whenever constitutional and statutory authorizations are silent as to a process or result.

I. GENERAL PROVISIONS:

1. All purchasing by the City and its duly established public trusts shall be conducted in accordance with applicable constitutional and statutory provisions. This shall include, without limitation, the United States and Oklahoma Constitutions, the Stillwater City Charter, Federal and Oklahoma Statutes, and Regulations, the Stillwater City Code, and the Stillwater Utilities Authority, Stillwater Economic Development Authority, and Stillwater Public Works Authority trust indentures and amendments.

2. The City Council and/or trustees shall have final authority over all purchases. Whenever there is a question regarding jurisdiction a referral shall be made to the City Council or the affected trust.

3. All purchases valued at one hundred thousand dollars (\$100,000) or more shall require prior approval of the City Council or trust.

4. Solicitation of written price quotations or some other form of competitive process shall be required for all purchases valued at fifty thousand dollars (\$50,000) or more. Purchases valued at one hundred thousand dollars (\$100,000) shall be competitively bid. This requirement shall not apply to the following types of purchases:

- a. Sole source purchases necessary to support existing systems, equipment, or infrastructure;
- b. professional services;
- c. emergency purchases;
- d. purchases made through government contracts, interlocal agreements, or government sponsored purchasing cooperatives;
- e. real property or any interest thereof.

5. Whenever a purchase or project creates new documents and records that must be retained under the Open Records Act (i.e., electronic data storage), any additional cost associated with the data storage or space required shall be calculated and included as part of the total cost of the purchase or project.

6. Purchases of durable equipment that include long-term manufacturer exclusive or specific service agreements are disfavored and should be avoided. Preference shall be given to bids for equipment that can be serviced by aftermarket items available from vendors other than the manufacturer.

7. "Sole source" purchases are disfavored and shall be subject to a rigid justification process.

8. Contracts for city-wide purchases are favored; individual departments shall not enter contracts or make separate purchases for goods or services that are available on a city-wide contract.

9. The City shall treat all vendors fairly during all aspects of the purchasing process, which shall include a meaningful opportunity to redress grievances.

II. COMPETITIVE BIDDING

1. All City or trust public construction contracts as defined by the Public Competitive Bidding Act of 1974 (61 O.S. § 101 et seq.) shall be competitively bid in accordance with state law.

2. The department soliciting bids for a public construction project shall designate a representative to respond to all project inquiries during the bidding process. All inquiries regarding project requirements from prospective bidders shall be written as shall any response from the City or trust. Written responses shall be made available to all prospective bidders at the same time the response is made to the person or entity making the inquiry. Under no circumstances shall a project representative respond to an inquiry via telephone or by any other verbal means. This provision shall also apply to any third- party agents performing this function on behalf of the City or trusts.

3. Obvious clerical mistakes and scrivener's errors shall be waived whenever it is expedient to do so. Errors in calculation or pricing shall not be corrected or serve as the basis for withdrawal of a bid unless refusal to excuse such an error will produce an inequitable result. Under no circumstance shall a bid correction be permitted if such correction will make the bidder the lowest and best bid.

4. Bids that are more than twenty percent (20%) below the next lowest bid or the engineer estimate, whichever is lower, shall be subjected to additional scrutiny to verify that the bid is fully responsive to the bid specifications. Should it be determined that the pricing as bid is not viable under current market conditions, the bidder shall supplement the bid and demonstrate that it can fully perform and complete the project as originally submitted. Should the bidder fail to so

demonstrate, the bid shall be deemed nonresponsive, and the contract shall be awarded to the next lowest responsible bidder.

5. Bid evaluation criteria shall consider past performance on similar City or trust projects; failure of a contractor to timely or satisfactory complete a previous City or trust project or default on a surety bond shall be considered sufficient grounds for rejection of bid.

6. The Governing Body shall have the authority to reject any and all bids and parts of any or all bids when in the best interest of the City.

7. If two (2) or more bids are received which are equal in the amount bid, quality and service, the contract shall be awarded to one (1) of the equal bidders as follows:

a. To the bidder with an office within the City limits of the City of Stillwater if only (1) bidder maintains an office within the City limits of the City of Stillwater;

b. If no bidder maintains an office within the City limits of the City of Stillwater, to the bidder with an office in the State of Oklahoma if only one (1) bidder maintains an office in the State of Oklahoma;

c. If neither subsection above is determinative, by a coin toss in a public meeting.

8. Projects that are time sensitive or require special expertise shall utilize a prequalification process.

9. Insurance and bonds including, but not limited to, a bid bond, statutory bond, performance bond, maintenance bond, or other type of surety, shall be required as reasonably necessary or as required by law.

III. EMERGENCY PURCHASES

Solicitations for emergency purchases shall utilize the most effective means of notification available to vendors as the circumstances warrant. Provided, however, this policy does not exempt full compliance with applicable constitutional or statutory requirements.